

United States Department of Agriculture

2020 Snowpack Status and Streamflow Outlook for the Truckee, Carson, Walker and Humboldt Basins

March 12, 2020 Nevada Division of Water Resources



Jeff Anderson Snow Survey Hydrologist NRCS – Nevada 775-834-0913 Jeff.Anderson@usda.gov

USDA United States Department of Agriculture

Snow Program Staffing Improvements

National Water and Climate Center

Title	Person	
Program Management		
Director	Mike Strobel 503-414-3055	
Secretary	Vacant	
Management Analyst	Bruce Green 503-414-3010	
Natural Resources Specialist	Heather Hofman 503-414-3030	
Water and Climate Services Team		
Team Leader	Cara McCarthy 503-414-3088	
Senior Forecast Hydrologist	Gus Goodbody 503-414-3033	
Development Hydrologist	Sean Fleming 503-414-3066	
Forecast Hydrologist	Jolyne Lea 503-414-3040	
Forecast Hydrologist	Julie Koeberle 503-414-3035	
Forecast Hydrologist	Lexi Landers 406-587-6874	
Water and Climate Monitoring Team		
Team Leader	Deb Harms 503-414-3050	
Hydrologist	Chris Brown 503-414-3090	
Hydrologist	Melissa Webb 503-414-3021	
Electronics Maintenance Facility Lead	Vacant (in progress)	
Electronics Technician	Alex Rebentisch 385-285-3115	
Statistical Assistant	Vacant	

Utah Data Collection Office

Name	Position
Jordan Clayton	Data Collection Officer
Troy Brosten	Hydrologist
Kent Sutcliffe	Soil Scientist
David Eiriksson	Hydrologist
Doug Neff	Electronic Technician
Vacant	Hydrologist (in progress)



Water Year Precipitation Near Record Low in Sierra





Monthly Precipitation as Percent of Average - Water Year 2020



MTD thru 3/10/20 ~30-40%

United States Department of Agriculture

Today's Snowpack





Snow is Gone on Southern Aspect Slopes



Carson Range, East of Lake Tahoe on 2/26/20



Eastern Sierra (Central Lahontan) - Soil Saturation





Higher elevation soils are dry \rightarrow Empty sponge \rightarrow Reduced Runoff Efficiency

Sierra 8,765 feet elev

Ruby Mtns 8,500 feet elev





Snow Water Equivalent % of Median 3/1/19



Walker Basin Math 161% (2019) + 42% (2020) 203% Divided by 2 \rightarrow 2-year snowpack average = **102%**



Average Snow Water in Walker River Basin Mar 1 1981-present, sorted low to high



Based on 4 longest term sites (Virginia Lakes, Sonora Pass, Lobdell Lake, Leavitt Meadow)

Natural Resources Conservation Service



2020 is 5th lowest since 1981 Since 2012 we seen 5 out of 6 lowest March 1 SWE's



Eastern Sierra Basin Summary

Water Supply Forecasts March 1, 2020

USD

50% exceedance ~40-60% of average

Forecast Exceedance Probabilities



USDA United States Dep

Humboldt River Summary Water Supply Forecasts March 1, 2020

50% exceedance ~70-90% of average

Forecast Exceedance Probabilities





Average Snow Water in Walker River Basin Mar 1 vs Apr 1 1981-present, sorted low to high



Natural Resources Conservation Service

Based on 4 longest term sites (Virginia Lakes, Sonora Pass, Lobdell Lake, Leavitt Meadow)



3 out of 7 of the worst winters saw major comebacks by Apr 1 Of those only 2015 lost snow by Apr 1



Snow Water Equivalent Projection Eastern Sierra (31 sites)





Snow Water Equivalent Projection Humboldt Above Imlay (14 sites)



Snow Water Equivalent (in.)



Eastern Sierra - Comparison Year 2018



Natural Resources Conservation Service

Snow Water Equivalent (in.)



Eastern Sierra Basin Summary Water Supply Forecasts March 1, 2018





Eastern Sierra - Comparison Year 2013





Eastern Sierra Basin Summary

Water Supply Forecasts

March 1, 2013



March 1, 2013 Forecast Exceedances



Key Points:

Precipitation:

• YTD 2020 is currently the lowest precipitation on record in Sierra.

Snowpack:

- Bust to date in Sierra. More normal snowpack in Humboldt.
- Extended dry period \rightarrow Bare southern aspects \rightarrow Reduced runoff efficiency

Soil Moisture:

- Well below average, due to dry Fall.
- Recent improvements due to melting low elevation snow.
- High elev soils dry \rightarrow Empty sponge \rightarrow Reduced runoff efficiency

Streamflow Forecasts:

- March 1 forecasts (50% exceedance)
 - Sierra ~40-60% of average
 - Humboldt ~70-90% of average
- Dry February resulted in ~30% decrease from Feb 1 forecasts
- Don't rely on 50% exceedance forecast, consider range based on future conditions
- Based on 2013, the 70% exceedance forecasts may be more realistic.

