

VENT_192

VENT_192

Field Notes of the Survey
of the
Range line between Ranges
52 and 53 East. Townships
17-18-19 and 20 North
and Exterior and Subdivision Lines
of Townships 20 North Ranges
52 and 53 East. Townships
21-22 and 23 North, Ranges
53 and 54 East and Township
24 North, Range 53 East.
Mount Diablo Base and Meridian
By Edward L. Bridges, Deputy Surveyor
Under Joint Contract No. 88
of Edward L. Bridges and J. H. Eaton
Bearing date. July 3rd 1879

Began on July 21st 1879
Finished ^{Exterior} August 18th 1879

Chainmen Oaths

2

We Peter Morris & Benjamin Cohen
do solemnly swear that we will
faithfully execute the duties of
Chainmen; that we will level the
chain upon uneven ground, and
plumb the tally pins whether by
sticking or dropping the same; that
we will report the true distance
to all notable objects, and the true
length of all lines that we assist
in measuring, to the best of our
skill and ability

Peter Morris
Benjamin Cohen

Subscribed and sworn to before me
this 21st day of July 1879

Geo. R. Hammond.

Notary Public

Eureka Co.

Nevada.

Affirmans Oath

I, Terence M. Mahon do solemnly swear that I will well and truly perform the duties of Afeenan according to instructions given me and to the best of my skill and ability

Terence M. Mahon

Subscribed and Sworn to before me this 23rd day of July in A.D. 1879

Geo. R. Almond,
Notary Public,
Eureka Co.
Nevada

X

E. Boundary S 17 N. R 52 E

4

Field Notes of the Survey of the
Range Line between Ranges 52nd
53 East through Townships 17ⁿ
18-19nd and 20 North of the Mount
Diablo Base and Meridian.

^{SZANT} Begin July 21st 1879 at a post
in Stone mound, being the corner to
Townships 16th and 17th North, Ranges
52nd and 53 East, the marks and
description agreeing with those
furnished by the Surveyor General
and running thence through
Township 17 North with a
Variation of 16° 30' East
North Between Secs. 31st and 36
Var. 16° 30' E

Descending

25.00 Cañon rim S. E. and ascend
40.00 Summit of ridge bears E and W
thence over high rolling spurs
and ridges - Set an Iron Stone +

Sec. Boundary. S. 17 N. R. 52 E.

5

16 x 8 x 4 in. 11ⁱⁿ in ground, with
pits 24 x 18 x 12 in marked 1/4 for
1/4 Sec Cor.

59.00 Wood⁴ a coal road E and W.

78.00 Ravine Course E

80.00 Set a Lime Stone 24 x 16 x 16 in
18ⁱⁿ in ground, with pits 24 x 18 x 12 in
marked 1 notch on S. ⁴ a 5 notches
on N. for Corner to Sec^s 25-30-31^{and}
36.

Land Mountainous, Soil 3rd rate
Scattering Juniper^{and} Nut Pine.

North Between Sec^s 25^{and} 30

Cor. 16' 30" E

24.00 Road E and W.

40.00 Set a Lime Stone 16 x 10 x 8 in, 11 in
in ground, with pits 24 x 18 x 12 in
marked 1/4 for 1/4 Sec Cor.

✓

E. Bonwell S 17 N. R 5 2 E

3

6

64.00 Ravine Course E.

80.00 Set a Lime Stone $14 \times 10 \times 8$ in. $11\frac{1}{4}$ in
ground, with pits $24 \times 18 \times 12$ in
marked 2 notches on S. and 4 notches
on N for Cor. to Sect. 19-24-25 and 30
Land mountainous. Soil 3^d rate
Scattering Juniper and Nut Pine
July 21st 1879

North Between Sect. 19 and 24
Var. $16^{\circ} 35'$ E.

40.00 Set a Limestone $13 \times 12 \times 8$ in 8 in in
ground, with pits $24 \times 18 \times 12$ in
marked $\frac{1}{4}$ for $\frac{1}{4}$ Sec Cor

55.00 Wood Coal road E and W

80.00 Set a Lime Stone $16 \times 14 \times 10$ in $11\frac{1}{4}$
in ground, with pits $24 \times 18 \times 12$ in
marked 3 notches on N and S. for
Cor to Sect. 13-18-19 and 24
Land Mountainous - Soil 3^d rate
Scattering Juniper and Nut Pine

4

7 E. Boundary T 17 N. R 5 2 E

North Between Secs 13^{4a} & 18

Var 16° 30' E.

40.00 Marked a Nut Pine 1/4 S for
1/4 Sec Cor. 14ⁱⁿ dia.80.00 Set a Lime Stone 20 x 10 x 8 in, 14ⁱⁿ
in ground, with pits 24 x 18 x 12 in
marked 4 notches on S^{4a} & 2 notches
on N. for Cor to Secs 7-12-13^{4a} & 18
Sand. Mountainous Soil 3rd rate
Juniper^{4a} Nut PineNorth Between Secs 7^{4a} & 12

Var. 16° 30' E

20.00 Ravine, Course E.

40.00 Set a Lime Stone 14 x 12 x 10 in 9 in.
in ground, with pits 24 x 18 x 12 in
marked 1/4 for 1/4 Sec Cor.80.00 Set a Lime Stone 24 x 12 x 10 in, 18ⁱⁿ
in ground, with pits 24 x 18 x 10 in
x

E. Boundary T 17 N R 52 E

6
8

marked 5 notches on S. and 1 notch
on N. for Cor to Sec. 1 & 6 & 7 & 12.
Land Mountainous. Soil 3^o into
Scattering Juniper & Mahogany

North Between Sec. 1 & 6

Var 16° 36' E

40.00 Lime Stone 10x10x8 in 6ⁱⁿ in
ground, with pits 24x18x12 in
marked 1/4 for 1/4 Sec Cor

42.00 Road E & W

80.00 Set a Lime Stone 24x16x10 in 16ⁱⁿ
in ground, with pits 24x18x12 in
marked 6 notches on N. S. E & W
for Cor. to Townships 17 & 18 N.

Ranges 52 & 53 E. stop

Land Mountainous. Soil 3^o into
Scattering Juniper & Nut Pine.

E. Boundary T 18 N. R 52 E

9

From the Corner to Township
17th and 18th N. Ranges 52nd and 53rd East
Line in Township 18 North
North Between Sects 31st and 36

Var. 16° 30' E

40.00 Marked a Quimper 12th dia: 1/4 S.
for 1/4 Sec Cor

80.00 Set a Lime Stone 16 x 14 x 8 in. 11th in
ground, with pits 24 x 18 x 12 in
marked 1 notch on S. and 5 notches
on N. for Cor to Sect 25-30-31st and 36
Sava Mountainous - Soil 3rd rate
Scattering Quimper

July 22nd 1879

North Between Sects 25th and 30

Var. 16° 30' E

40.00 Set a Lime Stone 10 x 10 x 6 in 5th in
ground, with pits (24 x 18 x 12 in)
marked 1/4 for 1/4 Sec Cor

+

C. W. Broun, S. 22nd & 23rd North
R. 53rd & 54th East

North Between Secs. 1st and 6

Var. 16° 45' E.

40.00 Set a charred post 4¹/₂ long 3¹/₂ wide
12¹/₂ in ground, in mound 2¹/₂ high
with pits 24 x 18 x 12¹/₂ marked
1/4 E. for 1/4 Sec. 1st

80.00 Set a charred post 4¹/₂ long 1¹/₂ wide
12¹/₂ in ground, in mound 2¹/₂ high
with pits 24 x 18 x 12¹/₂ marked
for line to Sps 22nd and 23rd North
Ranges 53rd and 54th East
Lana level. Give 2 posts
Engel Post

August 12th 1879

From the line to S. 22nd and 23rd N.
R. 53rd and 54th E. I run West
on a sandstone timber said Sps
Var. 16° 45' E. I set temporary
half mile and mile posts as follows

E. Boundary S 23 T. 7R 53 E

Field Notes of the Survey of the
Exterior Boundaries of Township

23 North Range 53 East

Mount Diablo Base^m Meridian

Began August 13th 1879 at the
 Co to Townships 22^m and 23 North
 Ranges 53^m and 54 East^m on the line
 between said Ranges

North Between Secs. 31 and 36

Var 16° 45' E

40.00 Set a charred post 4^{ft} long 3ⁱⁿ wide
 12ⁱⁿ in ground, in mound 2^{ft} high
 with pits 24 x 18 x 12ⁱⁿ marked
 1/4 S for 1/4 Sec Cor

80.00 Set a charred post 4^{ft} long 4 x 4 in
 12ⁱⁿ in ground in mound 2^{ft} high
 with pits 24 x 18 x 12 in marked
 for Co to Secs. 25-30-31^m and 36
 Sund level. Soil 2ⁱⁿ rate
 Sage Brush

117 125

E. Boundary S 23 N. R 53 E

North Between Sects 25 and 30

Var 16° 45' E

40.00 Set a charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 24 x 18 x 12ⁱⁿ marked
1/4 S for 1/4 Sec Cor

68.00 Spring 12ⁱⁿ W. runs W

80.00 Set a charred post 4 1/2^{ft} long 4 x 4 in
12ⁱⁿ in ground in mound 2 1/2^{ft} high
with pits 24 x 18 x 12 in marked
for Cor to Sect. 19, 24 and 25 and 30
Sand level - Coils 2ⁱⁿ rate
Sage brush

North Between Sects 19 and 24

Var. 16° 45' E

40.00 Set a charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 24 x 18 x 12 in marked
1/4 S for 1/4 Sec Cor

7

E. Boundary F 23. N. W 53 E

80.00 Set a charred post $4\frac{1}{2}$ long 4×4
 $12\frac{1}{2}$ in ground, in mound $2\frac{1}{2}$ high
 with pits $24 \times 18 \times 12$ in marked
 for Cor to Sec. 13-18-19^{ma} & H
 Land level. Soil & route
 Sage brush

North Between Sec. 13^{ma} & 18
 Twp 16^o 45' E

40.00 Set a charred post 4 long $3\frac{1}{2}$ wide
 $12\frac{1}{2}$ in ground, in mound 2 high
 with pits $24 \times 18 \times 12\frac{1}{2}$ marked
 $\frac{1}{4}$ E. for $\frac{1}{4}$ Sec Cor

47.00 Road N. E. ^{ma} & W.

80.00 Set a charred post $4\frac{1}{2}$ long $4 \times 4\frac{1}{2}$
 $12\frac{1}{2}$ in ground, in mound 2 high
 with pits $24 \times 18 \times 12$ in marked
 for Cor to Sec. 7-12-13^{ma} & 18
 Land level Soil & route
 Sage & Brush



119

127

E of Sandy 5 23 N. W 53 E

North Between Secs. 7 and 8
Jan. 16 1875 E

- 24.00 Enter meadow E and W
- 28.00 Spring 5th W, runs S W
- 40.00 Set a charred post 4th long 3rd wide
12th in ground, in mound 2nd high
with pits 24x18x12 in marked
1/4 S. for 1/4 Sec line
- 54.00 Spring 1st E
- 63.00 Large Spring 10th E, runs S E
leave meadow N E and S W
- 80.00 Set a charred post 4 1/2 long 4x4 in
12th in ground, in mound 2 1/2 high
with pits 24x18x12 in marked
for corner Secs. 1-6-7 and 8
land level - Soil 1st out
Meadow and White Sage

August 13, 1879

+

E. Boundary S 23 N. W 53 E

Notes Between Secs. 1^{and} 6

Var. 16° 45' E

35.50 Wood E and W

40.00 Set a charred post 4^{1/2} long 3^{1/2} wide
12^{1/2} in ground, in mound 1^{1/2} high
with pits 24x18x12 in marked
1/4 S for 1/4 Sec 6

80.00 Set a charred post 4^{1/2} long 4x4 in
12^{1/2} in ground, in mound 1^{1/2} high
with pits 24x18x12^{1/2} marked
for Cor to Tps 23^{and} 24 North
Ranges 53^{and} 54 E
Level level - Soil 2^{1/2} rate
Sage brush and grass

From the Cor to Tps 23^{and} 24 N. R.
53^{and} 54 E. I run West on road
between said Townships Var. 16° 45' E
I set temporary half mile^{and} mile⁺

N. Bowdy S 23 N. W 53 E

posts at 40th and 80th chs⁹⁴ at
3 miles 79 chs 80 chs intersect
at post in mound with pits
marked for Cor to Sect. 4 ~ 5 ~
32nd and 33

From which Cor I run
East to true line bet Sect. 4th and 33
Var 16° 45' E

39.90 Set a charred post 4th long 3rd wide
12th in ground in mound 2nd high
with pits 24 x 18 x 12th marked
1/4 S for 1/4 Sec bet

45.00 Dry channel 14th wide S

79.80 Set a charred post 4th long 4 x 4 in
12th in ground, in mound 2nd high
with pits 24 x 18 x 12th marked
for Cor to Sect. 3 ~ 4 ~ 33rd and 34
Land level - Soil 3rd state
Scattering Grease wood

x

A. Boundary I 23 N. W 33 E

East On true line bet Sect. 3rd and 34
Cor 16° 45' E

40.00 Set a charred post 4th long 3rd wide
12th in ground, in mound 2nd high
with pits 24 x 18 x 12 in marked
1/4 for 1/4 Sec Cor

80.00 Set a charred post 4th long 4 x 4 in
12th in ground, in mound 2nd high
with pits 24 x 18 x 12 in marked
for Cor to Sect. 2nd 3rd 34th and 35
Land level. Soil 3rd rate
Greasewood

East On true line bet Sect. 2nd and 35
Cor 16° 45' E

40.00 Set a charred post 4th long 3rd wide
12th in ground, in mound 2nd high
with pits 24 x 18 x 12 in marked
1/4 E for 1/4 Sec Cor

+

123

131

A Roundy T & S. R. 53 E

80.00 Set a charred post 4^{ft} long 4ⁱⁿ x 4ⁱⁿ
 12ⁱⁿ in ground, in mound & high
 with pits 24 x 18 x 12ⁱⁿ marked
 for burto Sec. 1-2-3 5th 36
 Land level. Soil 3rd state
 Greasewood

East On tree limb bet Sec 1st 36
 Jan. 16th 45 E

34.00 Dry channel S. 14ⁱⁿ wide

40.00 Set a charred post 4^{ft} long 3ⁱⁿ wide
 12ⁱⁿ in ground, in mound & high
 with pits 24 x 18 x 12ⁱⁿ marked

58.00 1/4 S. for 1/4 Sec bur
 80.00 Large alkali desert 1st 36
 The bur to 1st 36 & 3rd 36 & 4th 36

Ranges 53rd 54 E.

Land level Soil 2nd 3rd state
 Greasewood 4th Sage brush

August 14th 1879

General Description

The North East portion of this Township is an Alkalie Desert with poor soil unfit for cultivation. The remainder is mostly good arable land covered with Sagebrush ^{and} Bunch grass with considerable fine meadow ^{and} well watered from creeks ^{and} Springs with some good Natural meadow in the Western part.

125

133

E. Boundary T 24 N. R 53 E

Field Notes of the Survey of the
Exterior Boundaries of Township
 24 North, Range 53 East
 Mount Diablo Base and Meridian

Began at the corner to Townships 23
 and 24 North, Ranges 53 and 54 East
 August 14th 1879 and sun. line
 between said ranges

North between Secs. 31 and 36

Var. $16^{\circ}45' E$

40.00 Set a charred post $4^{\frac{1}{2}}$ long $3^{\frac{1}{2}}$ wide
 $12^{\frac{1}{2}}$ in ground, in mound $2^{\frac{1}{2}}$ high
 with pits $24 \times 18 \times 12^{\frac{1}{2}}$ marked
 $\frac{1}{4}$ S. for $\frac{1}{4}$ Sec 36

80.00 Set a charred post $4^{\frac{1}{2}}$ long 4×4 in
 $12^{\frac{1}{2}}$ in ground, in mound $2^{\frac{1}{2}}$ high
 with pits $24 \times 18 \times 12^{\frac{1}{2}}$ marked
 for line to Secs. 25 - 30 - 31 and 36
 Same level. Soil $1^{\frac{1}{2}}$ rate

x

E. Boundary S. 24th. N 53 E

Sage brush and thick grass

X

North Between Sects. 25 and 30

Jan 16 45 E

40.00 Set a charred post 4' long 3" wide
12" in ground, in mound & high
with pits 24 x 18 x 12" marked
for 1/4 Sec Cor

45.50 Spring 12" E runs N E

80.00 Set a charred post 4 1/2' long 4 x 4"
12" in ground in mound & high
with pits 24 x 18 x 12" marked
for Cor to Sects. 19, 24 & 25 and 30
Land level - Soil & rate
Sage brush

X

127

135

E. Boundary T 24 N. R 53 E

North

Between Secs. 19 and 24

Twp 16° 45' E

8.00

Enter meadow E and W.

35.50

Creek 8⁰⁰/₁₆ wide runs W

40.00

Set charred post 4⁰⁰/₁₆ long 3⁰⁰/₁₆ wide
12⁰⁰/₁₆ in ground, in mound 2⁰⁰/₁₆ high
with pits 24 x 18 x 12⁰⁰/₁₆ marked
1/4 S. for 1/4 Sec 615

68.00

Leave meadow N E and S W

80.00

Set charred post 4⁰⁰/₁₆ long 4 x 4⁰⁰/₁₆
12⁰⁰/₁₆ in ground, in mound 2⁰⁰/₁₆ high
with pits 24 x 18 x 12⁰⁰/₁₆ marked
for box to Secs. 13-18-19 and 24
Sand level - Soil 1⁰⁰/₁₆ rate
Mostly meadow

August 14th 1879

North

Between Secs. 13 and 18

Twp 16° 45' E

40.00

Set charred post 4⁰⁰/₁₆ long 3⁰⁰/₁₆ wide

E. Bondy T 24 N. W 5 3 E

12ⁱⁿ in ground in mound 2^{ft} high
with pits 24x18x12ⁱⁿ marked
1/4 S. for 1/4 Sec Cor
53.50 Channel 10ⁱⁿ wide W
80.00 Set a charred post 4 1/2^{ft} long 4x4ⁱⁿ
12ⁱⁿ in ground in mound 2 1/2^{ft} high
with pits 24x18x12ⁱⁿ marked
for Cor to Sects 7-12-13 and 18
Land level - Soil & roots
Sage brush

North Between Sects 7 and 12
T 16 N 45 E

40.00 Set charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground in mound 2^{ft} high
with pits 24x18x12ⁱⁿ marked
1/4 S for 1/4 Sec Cor
62.20 Creek 6ⁱⁿ wide W
80.00 Set charred post 4 1/2^{ft} long 4x4ⁱⁿ

129

1371

E. Boundary of 2nd N. T. 53 E

12ⁱⁿ in ground, in mound 2 1/2^{ft} high
with pits 24x18x12ⁱⁿ marked
for Cor to Sec: 1-6-7 and 2
Lana level - Soil 2^o sals
Sage brush and grass

North Between Sec: 1 and 6

Var 16° 45' E

31.00 Spring on line runs S E

40.00 Set charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 24x18x12ⁱⁿ marked
1/4 S for 1/4 Sec Cor

54.20 Dry channel 10^{ft} wide N W

80.00 Set charred post 4 1/2^{ft} long 4x4ⁱⁿ
12ⁱⁿ in ground in mound 2 1/2^{ft} high
with pits 24x18x12ⁱⁿ marked
for Cor to Down slips 2nd and 5
North. Ranges 53 and 54 East.

4

N. Boundary Twp. N. R. 53 E

Lava rock - Soil & sate
Large brush and grass

From the Cor to Townships 24th and 25th
North Ranges 53 and 54 East I
run West on a line between said
Townships with Variation 16° 45' E
I set temporary half mileth mile
posts at 40 and 80 chs and at
Stakes 79th 90th to a point 25th S
of post in mound with pits marked
for Cor to Sects 3rd 4th 33rd and 34th

From which Cor I run
N 89° 56' E on true line bet Sects 3rd and 34th
Var 16° 45' E.

39.95 Set a charred post 4th long 3rd wide
12th in ground in mound & high
with pits 24th x 18th x 12th marked
1/4 S for 1/4 Sec Cor

S. Boundary T 23 N. R 54 E

Field Notes of the Survey of the
Exterior Boundaries of Township
 23 North, Range 54 East
 Mount Diablo Base ^{Meridian}

Began August 16th 1879 at the
 Corner to Townships 22nd and 23rd North
 Ranges 53rd and 54th East. ^{see} see thence
 between said Townships
 East Between Sects 6th and 31

Var. 16° 45' E.

38.78 Set a charred post 4th long 3rd in
 12th in ground in mound 2nd high
 with pits 24 x 18 x 12th marked
 1/4 S. for 1/4 Sec 6

78.78 Set a charred post 4th long 4 x 4th
 12th in ground, in mound 2nd high
 with pits 24 x 18 x 12th marked
 for Cor to Sects 5-6-31th and 32
 Land level - Soil 2nd rate
 Sage brush

134

143

S. Boundary S 23. N. W 34 E

East Between Secs: 5th and 32

Var. 16° 45' E

40.00 Set a charred post $4\frac{1}{2}$ long 3" wide
 12" in ground, in mound $\frac{1}{2}$ high
 with pits 24x18x12" marked
 $\frac{1}{4}$ S for $\frac{1}{4}$ Sec. 60

67.60 Dry Channel 8" wide N W

88.00 Set a charred post $4\frac{1}{2}$ long 4x4
 12" in ground, in mound $\frac{1}{2}$ high
 with pits 24x18x12" marked
 for cor to Secs: 4th 5 - 32nd and 33
 Sund rolling, Soil & Roots
 Sage brush

East Between Secs: 4th and 33

Var 16° 45' E

40.00 Set a charred post $4\frac{1}{2}$ long 3" wide
 12" in ground, in mound $\frac{1}{2}$ high
 with pits 24x18x12" marked

*

I. V. Borumy T 23 N. 7 P 57 E

$\frac{1}{4}$ S. for $\frac{1}{4}$ Sec Cor
 42.00 Channel 30ⁱⁿ wide S.W.
 80.00 Set charred post $4\frac{1}{2}$ ^{ft} long 4×4 in
 $12\frac{in}{2}$ in ground, in mound $2\frac{1}{2}$ ^{ft} high
 with pits $24 \times 18 \times 12\frac{in}{2}$ marked
 for Cor to Sec. 3, 4 ~ 3 3^{am} S.W.
 Sand rolling - Soil & Grate
 Sage brush

East Between Sec. 3 and S.W.

Jan. 16th 45th E.

27.00 Dry Wash 2ⁱⁿ wide S.W.
 40.00 Set charred post 4^{ft} long, 3ⁱⁿ wide
 $12\frac{in}{2}$ in ground, in mound 2^{ft} high
 with pits $24 \times 18 \times 12$ in, marked
 $\frac{1}{4}$ S. for $\frac{1}{4}$ Sec Cor
 80.00 Set charred post $4\frac{1}{2}$ ^{ft} long 4×4 in
 $12\frac{in}{2}$ in ground, in mound $2\frac{1}{2}$ ^{ft} high
 with pits $24 \times 18 \times 12\frac{in}{2}$ marked

136

S. Boundary T 23 N. R 54 E

145

for Cor to Sect. 2 & 3 ~ 34 and 35
Land rolling. Soil 2^d rate
Sage brush

East

Between Sect. 2 and 35

Var. 16° 45' E

33.00

Road W of N and E of S.

40.00

Set charred post 4' long, 3" wide
12" in ground, in mound 2' high
with pits 24 x 18 x 12" marked
1/4 S. for 1/4 Sec Cor

53.10

Dry channel 50" wide S W.

80.00

Set charred post 4 1/2' long 4 x 4 in
12" in ground, in mound 2 1/2' high
with pits 24 x 18 x 12" marked
for Cor to Sect. 1 & 2. 35 and 36
at Base of Diamond Mountains
bear W of N and E of S
Land rolling. Soil 3^d rate

x

N. Boundary Twp 3 N. R 54 E

Sagebrush

August 16th 1879

From the Cor. to Townships 23 and 24
North Ranges 53 and 54 East. I saw
between said Townships
East Between Secs. 6 and 31

Var. 16° 45' E

38.17 Sera charred post 4¹/₂ long 3¹/₂ wide
12¹/₂ in ground. in mound 2¹/₂ high
with pits 24 x 18 x 12¹/₂ in marked
1/4 Sec for 1/4 Sec Cor

78.17 Sera charred post 4¹/₂ long 4 x 4 in
12¹/₂ in ground. in mound 2¹/₂ high
with pits 24 x 18 x 12 in marked
for Cor to Secs. 5-6-31 and 32
Same level. Soil 2¹/₂ rods
Sage brush

+

138

147

N. Boundary T 23. N. R 54 E

East Between Sect. 5 and 32

Jan. 16th 45 E

40.00 Set charred post $4\frac{1}{2}$ long $3\frac{1}{2}$ wide
 $12\frac{1}{2}$ in ground, in mound $2\frac{1}{2}$ high
 with pits $24 \times 18 \times 12$ in marked
 for Cor. from $\frac{1}{4}$ Sec Cor. Center Meadow N 45° W

64.00 Tafts Creek $20\frac{1}{2}$ wide N

80.00 Set charred post $4\frac{1}{2}$ long 4×4 in
 $12\frac{1}{2}$ in ground, in mound $2\frac{1}{2}$ high
 with pits $24 \times 18 \times 12$ in marked
 for Cor to Sect. 4-5-32 and 33
 Land level - Soil $1\frac{1}{2}$ oate
 Meadow and Sage brush

East Between Sect. 4 and 33

Jan. 16th 45 E

40.00 Set charred post $4\frac{1}{2}$ long $3\frac{1}{2}$ wide
 $12\frac{1}{2}$ in ground, in mound $2\frac{1}{2}$ high
 with pits $24 \times 18 \times 12$ in marked

N. Boundary of Sects 3 & 34

80.00 $\frac{1}{4}$ S. for $\frac{1}{4}$ Sec Cor
 Set charred post $4\frac{1}{2}$ long 4×4 in
 12 in ground, in mound $2\frac{1}{2}$ high
 with pits $24 \times 18 \times 12$ in marked
 for Cor to Sects 3 & 34
 Sand level - Soil $1\frac{1}{2}$ rate
 Meadow

East Between Sects 3 and 34

Cor. $16^{\circ}45' E$

40.00 Set charred post 4 long 3 wide
 12 in ground, in mound 2 high
 with pits $24 \times 18 \times 12$ in marked
 $\frac{1}{4}$ S. for $\frac{1}{4}$ Sec Cor. Whence Telegraph
 Station house bears $N 57^{\circ} E$
 $13\frac{1}{2}$ $12\frac{1}{2}$ dist -

45.00 Leave Meadow W of N and E of S

52.00 Road N and S

57.00 Creek $8\frac{1}{2}$ wide N. E.

+

140

149

N. Boundary T23 N. R52 E

60.00 Road N and S.

76.00 Base of Diamond Mountains
bear N and S as usual

80.00 Lava Limestone $17 \times 14 \times 10$ in $12 \frac{1}{2}$ in
ground, in stone mound with pits
 $24 \times 18 \times 12$ in marked 4 notches on
N and E notches on E for corner to
Sec. 2 ~ 3 ~ 34 and 35 on North
side of Old Overland Pass bears
off a little N of E
Land mostly level - Soil 1/2 acre
Meadow and Sage brush
August 18th 1879

General Description

The South East portion of this
Township is high Sage brush

4

A. D. D.

land that cannot be irrigated
from any creeks or Springs in
the Valley and the Eastern portion
is hilly and Mountainous -

The remainder is good agri-
cultural land, well watered
and a considerable portion Natural
Meadow. A part of the Township
is now occupied and under cul-
tivation

X

Field Notes of the Survey of the 72
Subdivision Lines of Township
23 North Range 54 East
Mount Diablo Base⁴⁴ Meridian

Subdivision begun August 22nd 1879

North Between Secs. 33 and 34
Var. $16^{\circ}45'$ E

34.00 Dry channel 15^{\prime} wide S W

40.00 Set a charred post 4^{\prime} long 3^{\prime} wide
 12^{\prime} in ground, in mound 3^{\prime} high
with pits $24 \times 18 \times 12^{\prime}$ marked
 $\frac{1}{4}$ S. for $\frac{1}{4}$ Sec. line

80.00 Set a charred post 4^{\prime} long $3 \times 3^{\prime}$
 12^{\prime} in ground, in mound 3^{\prime} high
with pits $24 \times 18 \times 12^{\prime}$ marked
for corner Secs. 27-28-33 and 34
Sand rolling - Soil 2° rate
Sage brush

4

173 T 23 N. W 54 E

East Between Secs. 27 and 34
Twp. 16 N 45 E

40
80

40.00 Set cleared post 4" long 3" wide
12" in ground, in mound & high
with pits 24x18x12" marked
1/4 S. for 1/4 Sec Cor

80.00 Set cleared post 4" long 3x3 in
12" in ground, in mound & high
with pits 24x18x12" marked
for Cor to Secs. 26 & 27 & 34 and 35
Land level. Soil 2 1/2. rate
Sage brush

80
30

North Between Secs. 26 and 27
Twp. 16 N 45 E

40

40.00 Set a cleared post 4" long 3" wide
12" in ground, in mound & high
with pits 24x18x12" marked
1/4 S for 1/4 Sec Cor

x

N. D. W

183

1745

43.50 Road N 12° W and S 12° E
80.00 Set cleared post 4 long $3 \times 3^{\frac{1}{2}}$
 $12^{\frac{1}{2}}$ in ground, in mound & high
with pits $24 \times 18 \times 12^{\frac{1}{2}}$ marked
for Sects 22, 23, 26 and 27
Land nearly level - Soil & Potato
Sage brush and Grass +

East
Between Sects 23 and 26
Var 16° 45° E

36.00 Base Diamond Mountain bear
Trap N and E of S ascends

40.00 Set a Trap stone $18 \times 10 \times 10^{\frac{1}{2}}$ $12^{\frac{1}{2}}$ in
ground, with pits $24 \times 18 \times 12^{\frac{1}{2}}$ in
marked $\frac{1}{4}$ for $\frac{1}{4}$ Sec Sect
Land gentle W slope - Soil & Potato
Sage brush

164

175 T 23 N R 54 E

North Between Secs. 22nd and 23rd
 Jan. 16th 45 E

26.30 Creek 10^{ft} wide S W

40.00 Set charred post 4^{ft} long 3ⁱⁿ wide
 12ⁱⁿ in ground, in mound & high
 with pits 24 x 18 x 12 in marked
 1/4 for Sec. Cor

50.00 Set charred post 4^{ft} long 3 x 3ⁱⁿ
 12ⁱⁿ in ground, in mound & high
 with pits 24 x 18 x 12ⁱⁿ, marked
 for Cor to Secs. 14 & 15 - 22nd and 23rd
 Whence Crofuths house bears
 N 47 1/4 W 36^{ft} 60^{ft} Dist
 Saw gentle W slope Soil 2 rods
 Sage brush and Grass

North Between Secs. 14th and 15th
 Jan. 16th 45 E

40.00 Set a charred post 4^{ft} long 3ⁱⁿ wide

4

12ⁱⁿ in ground, in mound & high
with pits 24x18x12ⁱⁿ marked
1/4 S for 1/4 Sec 6

55.00 Along W base of Mountain Nth of S

80.00 Lava Sandstone 20x8x5ⁱⁿ 14ⁱⁿ in
ground, with pits 24x18x12ⁱⁿ
marked Hatches on Sth & North
on E. for Corro Secs 10-11-14-15
Lava gentle slope. Soil 2ⁱⁿ to
Large brush.

North Between Secs 10 wall

Jan. 16. 45th C

18.00 Mountain bear off E of N

40.00 Lava charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound & high
with pits 24x18x12ⁱⁿ marked
1/4 S. for 1/4 Sec 6

80.00 Lava charred post 4^{ft} long 3x3ⁱⁿ

F 23 N W 54 E

12ⁱⁿ in ground in mound & high
with pits 18x18x12 in marked
for Corto Sect. 2 & 3 - 10 and 11
Land slopes gently W. Soil & plants
large brush

on land now

North, Between Sect. 2 and 3

For 16° 45' E

From corner Taffo house bears
N 22° W S.E. corner Taffo
and Mines Desert Land Claim
bears N 3½° E. 7^{ch} 10^{ch} dist

40.00 Set temporary ¼ Sec Cor

55.00 Road E and W. S side overland
Pass 10^{ch} E bears off N of E68.00 N side Pass. Base of hills E and
W of N80.46 Intersect N. Boundary 35^{ch} W
of Corto Sect. 2 and 3

x

M. D. W

187
1781

From which Cor I run

80° 15' N. on a true line

Var. 16° 45' E

40.46

Set a charred post 4^m long 3^m wide
12^m in ground, in mound & high
with pits 24 x 18 x 12^m marked
1/4 S for 1/4 Sec Cor. Whence Staffs
house bears S 27 1/4 N. "Large Spring"
3^m S of House

So. 46

The Cor to Sec. 27 & 28

Land slopes gently W. Soil & roots
Sage brush

August 22^d 1879

North

Between Sec. 27 and 28

Var 16° 45' E

14.00

Enter Meadow N of E and S of W

40.00

Set charred post 4^m long. 3^m wide
12^m in ground, in mound & high
with pits 24 x 18 x 12^m marked
1/4 S for 1/4 Sec Cor

+

168

1791

Feb 23 N. 42 54 E

56.50 Creek 12⁰⁰ wide W.

80.00 Set charred post 4⁰⁰ long 3 x 3⁰⁰
12⁰⁰ in ground, in mound & high
with pits 24 x 18 x 12⁰⁰ marked
for Cor to Secs, 21-22-27 and 28
Sand level Soil 1⁰⁰ into
Meadow

East On sandstone Bet Secs, 22 and 27
For 16° 45' E

33.20 Creek 12⁰⁰ wide SW

40.00 Set temporary 1/4 Sec Cor

48.00 Leave Meadow W of N and E of S

73.50 Road W of N and E of S

79.68 Intersect 20⁰⁰ S. of the Cor to
Secs, 21-22-27 and 28

From which Cor I run

S 89° 51' W. On a tree line

For 16° 45' E

x

39.84 Set charred post 4th long 3rd wide
12th in ground, in mound & high
with pits 24x18x12th marked
1/4 S. for 1/4 Sec bar

79.68 The Corto Sects 21-22-27th & 28th
Sand level - Soil 1st into
Meadow and Sage brush

North Between Sects 21st and 22nd
Cor. 16° 45' E

18.00 Leave Meadow & area W

40.00 Set charred post 4th long 3rd wide
12th in ground, in mound & high
with pits 24x18x12th marked
1/4 S. for 1/4 Sec bar

80.00 Set charred post 4th long 3x3rd
12th in ground, in mound & high
with pits 24x18x12th marked
for Corto Sects 15-16-21st and 22nd

+

1881 Feb 23 N. P. 54 C

Land level - Soil 1st rate
Meadow and Sage brush

Cost On random bet Secs 15 and 22
Cor 16° 45' E

40.00 Bet temporary 1/4 Sec bet

59.60 Road N and S

79.82 Intersect 38th S. of the bet to
Secs 14 & 15 - 22 and 23

From which bet I run

89° 44' W on a true line

Cor. 16° 45' E

39.91 Bet charred post 4th long 3rd wide
12th in ground, in corner & high
with pits 8x18x12th corner
1/4 S for 1/4 Sec bet

79.82 The bet to Secs 15 & 16 - 21 & 22
Land level - Soil 1st rate
Sage brush and Grass

North

Between Sects 15 and 16

Twp. 16th & 5th E

8.00

Enter Meadow N^W C^{or} and S^W C^{or}

40.00

Set charred post 4th long 3¹/₂ wide
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 2^{ft} x 18ⁱⁿ x 12ⁱⁿ worked
1/4 S. for 1/4 Sec Cor

80.00

Set charred post 4th long 3 x 3 in
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 2^{ft} x 18ⁱⁿ x 12ⁱⁿ worked
for Cor to Sects 9-10-15 and 16
Land level - Price 1st rate
Meadow

East

On random bet Sects 10 and 15

Twp. 16th & 5th E

39.25

Road N^W C^{or} S

40.00

Set temporary 1/4 Sec Cor

72.00

Leave Meadow N^W C^{or} S

76.00

Base Diamond Mountain N^W C^{or} S

172

183

T 23 N. P 54 E

79.70 Intersect 30th S. of the line to
Secs. 10-11-14 and 15

From which line I run

S 89° 47' W on the line

To 16° 45' E

39.85 Set cleared post 4th long 3rd wide
12th in ground, in mound & high
with pits 24 x 18 x 12th marked
1/4 S. for 1/4 Sec line

79.70 The line to Secs. 9-10-15 and 6
Same level - Soil 1st rate
Meadow

4

M. D. W

173
184

North Between Secs 9 and 10
Nov. 16th 45th C

32.00 Road N of E and S of W

40.00 Set charred post 4th long 3rd wide
12th in ground, in normal S high
with pits 2nd x 18 x 12th worked
1/4 S for 1/4 Sec C

51.10 Road E and W

59.80 Irrigating Ditch 10th wide S W

80.00 Set charred post 4th long 3 x 3 in
12th in ground, in normal S high
with pits 2nd x 18 x 12th worked
for C to Secs, 3rd 4th 9 and 10
Sand level to state meadows

East On sandouber Secs 3 and 10
Nov. 16th 45th C

40.00 Set temporary 1/4 Sec C

40.80 Irrigating Ditch 10th wide S W

X

174

185

Feb N. W. 54 E

63.70

Road N and E

69.00

Leave Meadow N and E

71.15

Road N and E

79.74

Intersect 20th S. of the Cor
to Sec. 2 ~ 3 ~ 10 and 11

From which Cor I run

89° 51' on a true line

for 16° 45' E

39.87

Set charred post 4th long 3rd wide
12th in ground, in mound & high
with pits 24 x 18 x 12th marked
1/4 S for 1/4 Sec Cor

79.74

The Cor to Sec. 3 ~ 4 ~ 9 and 10
Same level ~ Soil 1st water
Meadow

+

T 23 N. P 54 E

173

186

North On sandown bar Sec. 3rd and 4th
Var. 16° 45' E

5.40 Staffs Creek 14^{ft} wide W

40.00 Set temporary 1/4 Sec Cor

80.52 Intersect N. Boundary 44^{ft} W
of the Cor to Sec. 3rd and 4th
From which Cor I run

80° 19' W. on a true line

Var. 16° 45' E

40.52 Set cleared post 4 long 3rd wide
12^{ft} in ground, in mound & dug
with pits 24 x 18 x 12^{ft} marked
1/4 S. fr 1/4 Sec Cor

80.52 The Cor to Sec. 3rd and 4th and 10
Sand lower Soil 1st rate
Meadow

August 23rd 1879

North Between Sec. 3rd and 3rd

Var 16° 45' E

+

176

187

Feb 3 N. W. 54 E

40.00 Set charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound & high
with pits 24 x 18 x 12ⁱⁿ marked
1/4 S. for 1/4 Sec Cor

64.00 Enter Meadow E and W

80.00 Set charred post 4^{ft} long 3 x 3ⁱⁿ
12ⁱⁿ in ground, in mound & high
with pits 24 x 18 x 12ⁱⁿ marked
for Cor to Secs 28-29-32 and 33
Land nearly level Soil 1ⁱⁿ and 2ⁱⁿ rate
Meadow and Sage brush

East on sand on Secs 28 and 33
Mar. 16th 45 E

40.00 Set temporary 1/4 Sec Cor

30.00 Leave Meadow N E and S W

80.20 Intersect 10^{ft} S. of the corner to
Secs 27-28-33 and 34
From which Cor I run

4

889°56' W. On a true line

Var. 16°45' E

40.10 Set charred post 4" long 3" wide
12" in ground, in mound & high
with pits 24 x 18 x 12", marked
1/4 S for 1/4 Bee box

80.20 The box to Dec. 28-29-32-33
Sand level - Soil 1", rate
Meadow and Sagebrush

North Between Dec. 28 and 29
Var. 16°45' E

40.00 Set charred post 4" long 3" wide
12" in ground, in mound & high
with pits 24 x 18 x 12", marked
1/4 S for 1/4 Bee box

76.00 Leave meadow N & W

80.00 Set charred post 4" long 3 x 3"
12" in ground, in mound & high

+

178

189

F 23 N P 57 C

with pits 24 x 18 x 12ⁱⁿ marked
for Cor to Sects 20-21-28 and 29
Lana level - Soil 1st rate
Meadow

East on sandon bet Sects 21^{and} 28
Cor. 16° 45' E.

15.00 Enter Meadow N 6^{and} S W

40.00 Set temporary 1/4 Sec Cor

80.41 Intersect 24th N. of the Cor to
Sect. 21-22-27^{and} 28
From which Cor I run

N 89° 50' W. on a true line

Cor. 16° 45' E

40.20 Set charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound & high
with pits 24 x 18 x 12ⁱⁿ marked
1/4 for 1/4 Sec Cor

80.41 The Cor to Sects 20-21-28^{and} 29

4

M. D. D

179

190

Sand level - Soil 1st rate
Meadow

North Between Secs 20 and 21

Var. 16° 45' E

40.00 Set charred post 4th long 3rd wide
12th in ground, in mound & high
with pits 24x18x12th marked
1/4 S for 1/4 Sec Cor

56.00 Enter Meadow Camp W

80.00 Set charred post 4th long 3x3 in
12th in ground, in mound & high
with pits 24x18x12th marked
for Cor to Secs 16-17-20 and 21
Sand level - Soil 1st rate
Meadow ^{and} Sage brush

180

191 T 23 N. W. 54 E

East on random ber Secs 16^{and} 21
Cor 16°45' E

40.00 Set temporary 1/4 Sec ber

70.00 Leave Meadow N E and S W

80.35 Intersect 22nd N of the corner
to Secs 15-16-21 and 22

From which ber I run

N 89°51' W. on a true line

Cor. 16°45' E

40.18 Set a cleared post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 24 x 18 x 12ⁱⁿ marked
1/4 S for 1/4 Sec ber

80.35 The ber to Secs 16-17-20-21
Land level - Soil 1^{1/2} rats
Meadow

X

North Between Secs 16^{and} 17

Cor 16°45' E

- 40.00 Bercharred post 4' long 3" wide
12" in ground, in mound & dug
with pits 24x18x12" worked
1/4 S for 1/4 Sec Cor
- 63.30 Drigating Ditch 10" wide S W
- 71.80 Road E and W
- 80.00 Bercharred post 4' long 3x3 in
12" in ground, in mound & dug
with pits 24x18x12" worked
for Cor to Sec 9, 16 and 17
Land level ~ Soil 1. rate - Meadow

East on random bet Sec 9 and 16
Cor. 16° 45' E

- 15.30 Drigating Ditch 10" wide S 10° W
- 23.75 Road N E and S of W
- 40.00 Ber temporary 1/4 Sec Cor
- 80.20 Intersect - 15" N. of the Cor to
Sec 9-10-15 and 16

182

193

T 23 N. W 54 E

From which Cor I run

N 89° 54' W. on a true line

Var. 16° 45' E

40.10 Set charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 24x18x12ⁱⁿ marked
1/4 S. for 1/4 Sec Cor

80.20 The Cor to Sec: 8-9-16 and 17
Land level 1/4 into meadow

North Between Sec: 8 and 9

Var. 16° 45' E

40.00 Set charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 24x18x12ⁱⁿ marked
1/4 S. for 1/4 Sec Cor

65.50 Road N of W and E of E

80.00 Set charred post 4^{ft} long 3x3 in
12ⁱⁿ in ground, in mound 2^{ft} high

+

M D W

183

194

with pits 24x18x12" marked
for Cor to Secs 4-5-8 and 9
Land level - 1/2 rate meadow

East On random Cor Secs 4 and 9
Nor 16° 45' E

39.00 Taffs Creek 25" wide W of N

40.00 Cor temporary 1/4 Sec Cor

76.00 Taffs Creek 20" wide S W

80.30 Intersect 28" S. of the Cor to
Secs 3-4-9 and 10

From which Cor D run

N 89° 48' W. On a true line

Nor 16° 45' E

40.15 Cor charred post 4 long 8" wide

12" in ground, in corner & high

with pits 24x18x12" marked

1/4 S. for 1/4 Sec Cor

80.30 The Cor to Secs 4-5-8 and 9

+

184
195

T 23 N. W. P 54 C

Land level, 1st rate meadow

North On sandouber Sec^s 4 and 5
Nor 16° 45' E

40.00 Set temporary 1/4 Sec Cor

67.10 Tafts Creek 20th wide S 85° 00'

80.40 Intersect at Boundary 48th W of
the Cor to Sec^s 4 and 5

From which Cor I run

S 0° 21' W. On a medicine

Nor. 16° 45' E

40.40 Set charred post 4th long 3rd wide
12th in ground, in mound 2nd high
with pits 24 x 18 x 12th marked
1/4 S. for 1/4 Sec Cor

80.40 The Cor to Sec^s 4-5-8 and 9
Land level - Soil 1st rate
Meadow

August 25th 1879

+

M. D. W

185-
196

North Between Sects 31 and 32
Twp 16° 45' E

40.00 Set charred post 4" long 3" wide
12" in ground, in mound & high
with pits 24" x 18" x 12" marked
1/4 Sec Cor

80.00 Set charred post 4" long 3" x 3"
12" in ground, in mound & high
with pits 24" x 18" x 12" marked
for Sects 29-30-31 and 32
Lava nearly level - Soil 2" into
Sage brush

East On random bet Sects 29 and 32
Twp 16° 45' E

40.00 Set temporary 1/4 Sec Cor

44.00 Enter meadow S.E. and N.

79.62 Intersect 15" S. of the Cor to
Sects 28-29-32 and 33

+

186

197

523 N. W. 54 E

From which corner I run

889°34' W. on a true line

For 16°45' E

39.81 Set charred post 4th long 3rd wide
12th in ground, in mound & high
with pits 24 x 18 x 12th marked
1/4 S for 1/4 Sec Cor

79.60 The Cor to Secs; 29-30-31-32
Land level Soil 1st rate
Meadow with Sage brush

West on random bearing Secs; 30th and 31

For 16°45' E

40.00 Set temporary 1/4 Sec Cor

78.60 Intersect N. Boundary 55th S of
the Cor to Secs; 30th and 31

From which corner I run

889°36' E on a true line

For 16°45' E

x

- 38.60 Set charred post 4th long 3rd wide
12th in ground, in mound & high
with pits 24 x 18 x 12th worked
1/4 S for 1/4 Sec Cor
- 78.60 The Cor to Secs 29, 30, 31th & 32
Sand level. Soil 2nd rate
Sage brood

North Between Secs 29th & 30
Cor 16° 45' E

- 40.00 Set charred post 4th long 3rd wide
12th in ground, in mound & high
with pits 24 x 18 x 12th worked
1/4 S for 1/4 Sec Cor
- 62.20 Creek 6th S. W.
- 80.00 Set charred post 4th long 3 x 8th
12th in ground, in mound & high
with pits 24 x 18 x 12th worked
for Cor to Secs 19, 20, 29th & 30

188

189

T 23 N. R 52 E

Whence large Spring in grassy
flat bears N 58° E 29^m dist;
Land level. Soil 2^o water
Sage brush

8

East on random bearing Secs 20^m and 29
T 16° 45' E

13.20 Creek 6^m wide N of S

40.00 Set temporary 1/4 Sec Cor

79.85 Intersect 2^m S. of the corner to
Secs 20-21-28^m and 29

From which Cor I run

S 89° 51' W, on a true line

T 16° 45' E

39.92 Set charred post 4^m long 3^m wide
12^m in ground, in mound 2^m high
with pits 24 x 18 x 12^m, marked
1/4 S. for 1/4 Sec Cor

79.85 The Cor to Secs 19-20-29^m and 30

Y

M. D. W

189

200

Land level - Soil 1st rate
Sage brush and Grass

West on random bar Sects 19th and 30
For 16° 45' E

40.00 Set temporary 1/4 Sec Cor

78.44 Intersect N. Boundary 50th S
of the Corto Sects 19th and 30
From which Cor I run

S 89° 39' E, on a true line

For 16° 45' E

38.44 Set charred post 4th long 3rd wide
12th in ground, in mound & dug
with pits 24 x 18 x 12th marked
1/4 S. for 1/4 Sec Cor

78.44 The Corto Sects 19-20-29th and 30
Land level - Soil 2nd rate
Sage brush

x

190

F E S N R 54 C

201

North Between Secs 19 and 20

Jan 16th 45 'E

40.00 Set charred post 4th long 3rd wide
12th in ground, in mound & high
with pits 24 x 18 x 12 in marked
1/4 S for 1/4 Sec C

80.00 Set charred post 4th long 3 x 3 in
12th in ground, in mound & high
with pits 24 x 18 x 12 in, marked
for Cor to Secs 17-18-19 and 20
Lava level - Soil & roots
Sage brush

East Our random bet Secs 17 and 20

Jan 16th 45 'E

40.00 Set temporary 1/4 Sec Cor Center
Meadow N W and S E

79.70 Intersect 80th S of the Cor to
Secs 16-17-20 and 21

M. D. W

- From which Cor Drum
 S 89° 47' W. on a true line
 For 16° 45' E
- 39.85 Set charred post 4' long 3" wide
 12" in ground, in mound 2' high
 with pits 24 x 18 x 12" worked
 1/4 Sec Cor
- 79.70 The Cor to Secs. 17, 18, 19 and 20
 Same level. Soil 1 1/2' onto
 meadow and Sage brush

- West on random Cor Secs. 18 and 19
 For 16° 45' E
- 40.00 Set temporary 1/4 Sec Cor
- 78.60 Intersect W. Boundary 62" S
 of the Cor to Secs. 18 and 19
 From which Cor Drum
 S 89° 03' E on a true line
 For 16° 45' E

198

203

T. B. N. N. 52 E

38.60 Set charred post 4' long 3" wide
12" in ground, with pits 24x18x12"
in mound & high, marked
1/4 S for 1/4 Sec Cor

78.60 The Cor to Secs 17-18-19 and 20
Same level - Same 2" note
Sage brush

August 26th 1879

North Between Secs 17 and 18
Var 16° 45' E

15.00 Enter meadow N W and S E

40.00 Set charred post 4' long 3" wide
12" in ground, in mound & high
with pits 24x18x12" in mound
1/4 S for 1/4 Sec Cor

67.50 Road S of W and N of E

80.00 Set charred post 4' long 3x3 in
12" in ground, in mound & high
with pits 24x18x12" marked

X
+

M. D. W

193

204

from corner Secs 7-8-17 and 18
Land level - Level 1¹/₂ rate
Meadow and Sage brush

Cast Our random bear Secs 8 and 17
For 16° 45' E

40.00 Set temporary 1/4 Sec bear

79.88 Intersect 40⁰⁰ " S. of the bear
to Secs 8-9-16 and 17

From which bear I run
S 89° 43' W. on a true line
For 16° 45' E

39.94 Set charred post 4^{or} long 3¹/₂ wide
12⁰⁰ " in ground, in mound & high
with pits 24 x 18 x 12⁰⁰ " in size &
1/4 S for 1/4 Sec bear

79.88 The bear to Secs 7-8-17 and 18
Land level 1¹/₂ rate meadow

+

194

205

T 23 N. R 54 E

West on random ber Secs. 7 and 8
Cor 16° 45' E

40.00 Set temporary 1/4 Sec Cor

45.00 Leave Meadow N W and S E

78.38 Intersect N. Boundary 40th S of
the Cor to Secs. 7 and 8

From which Cor Draw

S 89° 43' E. on a true line

Cor. 16° 45' E

38.38 Set charred post 4^{ft} long 3ⁱⁿ wide
12ⁱⁿ in ground, in mound 2^{ft} high
with pits 24 x 18 x 12ⁱⁿ marked
1/4 S. fr 1/4 Sec Cor

78.38 The Cor to Secs. 7 & 8 - 17th and 18

Land level. Cor 1^{1/2} mile
Meadow and Sagebrush

North Between Secs. 7 and 8

Cor 16° 45' E

x

M. D. W

193
2065

40.00 Set charred post 4' long 3" wide
12" in ground, in mound & high
with pits 24 x 18 x 12" marked
1/4 S for 1/4 Sec bar

80.00 Set charred post 4' long 3 x 3 in
12" in ground, in mound & high
with pits 24 x 18 x 12" marked
for bar to Secs 5-6-7 and 8
Same level 1' into meadow

Cast on sandou bar Secs 5 and 8
For 16° 45' 6"

40.00 Set temporary 1/4 Sec bar

49.50 Road N of W and S of C

80.12 Intersect 30" S. of the bar
to Secs 4-5-8 and 9

From which bar I run

889° 47' W on a true line

For 16° 45' 6"

X

196
20735 T 23 N R 34 C

40.06 Set charred post 4' long 3" wide
12" in ground, in mound 2' high
with pits 24 x 18 x 12" marked
1/4 S. for 1/4 Sec 6

88.12 The Corto Secs. 5-6-7 and 8
Sand level 1/2 into meadow

West on random bet Secs. 6 and 7
For. 16° 45' C

40.00 Set temporary 1/4 Sec 6

60.00 Leave meadow at E and N

78.40 Intersect N. Boundary 38° S
of the Corto Secs. 6 and 7
From which Cor D run

88° 44' C. on a true line

For. 16° 45' C

38.40 Set charred post 4' long 3" wide
12" in ground, in mound 2' high
with pits 24 x 18 x 12" marked

M. D. D

197
208

78.40 $\frac{1}{4}$ S for $\frac{1}{4}$ Sec Cor
 The Cor to Secs 5-6-7 and 8
 Sand level - Sire 1 $\frac{1}{2}$ rate
 Meadow and Sage brush

North our and over Secs 5 and 6
 Jan 16th 45

24.20 Road N of W and S of E
 30.00 Leave Meadow N E and S W
 40.00 Set temporary $\frac{1}{4}$ Sec Cor
 50.50 Intersect N. Boundary 40^{ft} W
 of the Cor to Secs 5 and 6
 From which Cor I run
 S 0 $^{\circ}$ 17 $''$ W. on a true line

Jan. 16th 45 'C

40.50 Set cleared post 4^{ft} long 3ⁱⁿ wide
 12ⁱⁿ in ground, in mound of light
 with pits 24x18x12ⁱⁿ in area
 $\frac{1}{4}$ S. for $\frac{1}{4}$ Sec Cor

+

198

209

T & S N P S H C

So. 50 The Cor to Secs 5-6-7 and 8
 Land level - Soil 1/2 rate
 Meadow and Sagebrush
 August 27th 1879

General Description

The subdivided portion of this Township is level land, a large portion of which is fine meadow and the balance covered with Sagebrush and Grass. It ~~is~~ all can be irrigated from Creeks and Springs in different parts. The soil is all above average and that in the meadows very rich. Considerable hay is cut from the meadow land and a portion under cultivation.

The unsubdivided portion is mostly mountainous, unfit for cultivation.

7

We hereby certify that we assisted
Edward L. Bridges Deputy Surveyor
 in surveying the Range line between
 Ranges 52nd and 53 East through Townships
 17-18-19th and 20 Northth and the Exteriorth
 Subdivision lines of Townships 20 North
 Ranges 52nd and 53 East, Townships 21-22-23
 and 24 North, Ranges 53rd and 54 East, and
 Township 23 North, Range 54 East of
 Mount Diablo Baseth Meridianth and that
 said Townships have been in all respects
 to the best of our knowledgeth and belief, well
 and faithfully surveyed and the boundary
 monuments planted according to the
 instructions furnished by the Surveyor General

Subscribed and Sworn to

before me this 17th day

of September 1879

Subscribed

Peter Morris Chairman

Benjamin Cohen Chairman

Terrence McMahon Chairman

Geo. P. Amundson

Notary Public Eureka Co., Nevada

I, Edward L Bridges Deputy
 Surveyor do, solemnly swear that
 in compliance with a Joint Contract
 between Edward L Bridges and
 Humboldt Eaton and C. S. Davis
 United States Surveyor General for
 the State of Nevada bearing date
 the 3rd day of July 1879 I have
 well faithfully and truly and in strict
 compliance with the laws of
 the United States and the instru-
 tions of the Surveyor General
 surveyed all those parts or
 portions of the Range line between
 Ranges 52nd and 53rd East through
 Townships 17-18-19th and 20th North
 and the extreme and subterranean lines
 of Township 20th North Ranges 52nd and 53rd East
 Townships 21st and 22nd North Ranges
 53rd and 54th East. and Township 24th North Range