

**VENT\_193**

**VENT\_193**

84

No 1

1

Field Notes of the Survey  
Of the  
Exterior Boundaries & Subdivision Lines  
of  
Townships 21<sup>st</sup> 22<sup>nd</sup> 23<sup>rd</sup> and 24<sup>th</sup> North  
Range 52 East  
and Township 24<sup>th</sup> North, Range 54 East  
Mount Diablo Base & Meridian  
By Edward S. Bridges Deputy Surveyor  
Under Joint Contract No 98  
of Edward S. Bridges & J. Humboldt Eaton  
Bearing date September 19<sup>th</sup> 1879

Began - October 6<sup>th</sup> 1879

Finished - October 24<sup>th</sup> 1879

Plotted  
Copied

We Peter Morris <sup>and</sup> Benjamin Cohen, do  
 solemnly swear that we will faithfully  
 execute the duties of Chainmen; that  
 we will level the Chain upon uneven  
 ground <sup>and</sup> plumb the tally pins, whether  
 by sticking or dropping the same; that we  
 will report the true distance to all notable  
 objects, <sup>and</sup> the true length of all lines that  
 we assist in measuring to the best of  
 our skill <sup>and</sup> ability.

Peter Morris  
 Benjamin Cohen

Sworn <sup>and</sup> Subscribed to  
 before me this 4<sup>th</sup> day  
 of October 1879

Geo. P. Amund  
 Notary Public  
 Esmeralda Co.  
 Nevada

## Axeman's Oath

I, Terrence M. Mahon, do solemnly  
 swear that I will well and truly  
 perform the duties Axeman according to  
 instructions given me and to the best of  
 my skill <sup>and</sup> ability. ~~Terrence M. Mahon~~

Subscribed <sup>as</sup> Sworn to } Terrence M. Mahon  
 Before me this 4<sup>th</sup> day  
 of October 1879

Geo. R. Amund  
 Notary Public  
 Circle Co.  
 Nevada.

+

Township *21 N. R. 32 E.* 4

*1/17/61 - suspended pending resurvey -  
see Kr 1748 unit 40 files*

*2 1*

6	5	4	3	2	<i>21</i>	1
				<i>21</i>		<i>20</i>
7	8	9	10	11	<i>19</i>	12
				<i>18</i>		<i>17</i>
18	17	16	15	14	<i>17</i>	13
						<i>16</i>
19	20	21	22	23	<i>15</i>	24
						<i>14</i>
30	29	28	27	26	<i>13</i>	25
						<i>13</i>
31	32	33	34	35	<i>12</i>	36

2  
5

N. Boundary 521 N. R 52 E

Field Notes of the Survey of the  
Exterior Boundaries of Township  
21 North, Range 52 East  
Mount Diablo Meridian

Begin October 6<sup>th</sup> 1879, at a  
post in mound with pits, marked for  
Corner to Townships 21 and 22 North  
Ranges 52 and 53 East and run thence  
between said Townships

West Between Sects. 1 and 36

Cor 16° 45' E

40.00 Set cleared post 4<sup>1</sup>/<sub>2</sub> long 3<sup>1</sup>/<sub>2</sub> wide  
12<sup>1</sup>/<sub>2</sub> in ground, in mound 2<sup>1</sup>/<sub>2</sub> high  
with pits 24 x 18 x 12<sup>1</sup>/<sub>2</sub> marked  
1/4 E. for 1/4 Sec Cor

80.00 Set cleared post 4<sup>1</sup>/<sub>2</sub> long 4 x 4 in  
12<sup>1</sup>/<sub>2</sub> in ground, in mound 2<sup>1</sup>/<sub>2</sub> high  
with pits 24 x 18 x 12<sup>1</sup>/<sub>2</sub> marked  
for Cor to Sects. 1-2-3-5 and 36  
Land level - Soil 1<sup>1</sup>/<sub>2</sub> rate +

813 N. Boundary T 24 N. R 54 E

Field Notes of the Survey of the  
Exterior Boundaries of Township  
24 North, Range 54 East  
Mount Diablo Base <sup>and</sup> Meridian

Began October 18<sup>th</sup> 1879 at a  
post in mound with pits marked for  
the Cor<sup>r</sup> to Townships 24<sup>th</sup> and 25 North  
Ranges 53<sup>rd</sup> and 54 East <sup>and</sup> run thence  
between said Townships  
East Between Sec<sup>s</sup> 6<sup>th</sup> and 31

Var. 16° 45' E

18.15 Chained 12<sup>th</sup> wide N E.

37.57 Set charred post 4<sup>th</sup> long 3<sup>th</sup> wide  
12<sup>th</sup> in ground, in mound 2<sup>th</sup> high  
with pits 24 x 18 x 12 in marked  
1/4 S. for 1/4 Sec Cor

77.57 Set charred post 4 1/2<sup>th</sup> long 4 x 4 in  
12<sup>th</sup> in ground, in mound 2 1/2<sup>th</sup> high  
with pits 24 x 18 x 12 in, marked  
for Cor to Sec<sup>s</sup> 5-6-31 and 32

Land level - Soil 2<sup>o</sup> rate  
Sage brush <sup>and</sup> Grass

East Between Sec<sup>s</sup> 5 <sup>and</sup> 32

Cor. 16° 45' E

40.00 Set charred post 4' long 3" wide  
12" in ground, in mound 2' high  
with pits 24 x 18 x 12 in marked  
1/4 S. for 1/4 Sec Cor

80.00 Set charred post 4 1/2' long 4 x 4 in  
12" in ground, in mound 2 1/2' high  
with pits 24 x 18 x 12 in marked  
for Cor to Sec<sup>s</sup> 4 - 5 - 32 <sup>and</sup> 33  
Land level - Soil 2<sup>o</sup> rate  
Sage brush <sup>and</sup> Grass

East Between Sec<sup>s</sup> 4 <sup>and</sup> 33

Cor. 16° 45' E

18.00 Spring branch 4" wide S. a Spring



15 N. Boundary S. East. R. 34 E

11<sup>ch</sup> North

40.00 Bercharred post 4<sup>or</sup> long 3<sup>in</sup> wide  
 12<sup>in</sup> in ground, in mound 2<sup>or</sup> high  
 with pits 24x18x12 in. marked

46.80 1/4 Sec. for 1/4 Sec. 600  
 Creek 6<sup>in</sup> wide S.W.

80.00 Bercharred post 4 1/2 long 4x4 in  
 12<sup>in</sup> in ground, in mound 2 1/2 high  
 with pits 24x18x12 in. marked

for Cor to Secs. 3-4-33 and 34  
 Lava level - Soil 2 1/2 onto  
 Sage brush and Grass  
 + Road 7<sup>ch</sup> E bears N 7<sup>ch</sup> and S E  
 + Base of Diamond Mountains  
 Schs East bear N W and S E

October 18<sup>th</sup> 1879

General Description

The Eastern part of this Township  
 is high rough mountains with but  
 little timber and no mines opened.

The Western part is level land covered  
with Sage brush and Grass and with  
considerable land, all suitable for  
Cultivation, and with numerous Springs  
and small creeks.

67

75 T.M. N. R 52 E

Desert Sand claim  $23^{\circ} 70' S 16^{\circ} 3/4 W$   
from corner N<sup>o</sup> 1

38.50 Road E of N<sup>o</sup> 1 Prof 8

40.00 Set temporary  $1/4$  Sec Cor

42.00 Enter Meadow E of N<sup>o</sup> 1 Prof 8

79.80 Intersect E. Boundary  $42^{\circ}$  N. of  
the Cor to Sec. 13<sup>o</sup> and 24

From which Cor I run

$N 89^{\circ} 42' W$  on a true line

$Cor. 16^{\circ} 45' E$

39.90 Set charred post 4' long  $3^{\prime\prime}$  wide  
 $12^{\prime\prime}$  in ground, in mound 2' high  
with pits  $24 \times 18 \times 12^{\prime\prime}$  worked  
 $1/4$  Sec. for  $1/4$  Sec Cor

79.80 The Cor to Sec. 13-14-23 and 24  
Sand level - Soil 1<sup>o</sup> rate  
Meadow and Sage brush

4

West

Between Sects 14<sup>th</sup> and 23.

Cor. 16° 45' E

13.00

Intersect W. Boundary Hills

Desert-Lava claim 10 chs 50<sup>th</sup> S. of  
Cor. N<sup>o</sup> 2

14.00

Road E of N<sup>th</sup> and W of E.

30.00

Base of Mountains N<sup>th</sup> and E. ascend

40.00

See charred post 4<sup>th</sup> long 3<sup>rd</sup> wide12<sup>th</sup> in ground. in mound & highwith pits 24 x 18 x 12<sup>th</sup> worked

1/4 S. for 1/4 Sec Cor

Lava to 30<sup>th</sup> level. Soil 1<sup>st</sup> rateBalance Mountains. Soil 2<sup>nd</sup> rate

Sage brush and Grass

October 15<sup>th</sup> 1879 X

North

Between Sects 13<sup>th</sup> and 14

Cor. 16° 45' E.

10.50

Intersect Boundry of Hills Desert

Land claim 7<sup>th</sup> 10<sup>th</sup> West of CornerN<sup>o</sup> 3. X

69 77 J M N P 52 E

35.00 Road N.E. and S.W.

40.00 Set charred post 4<sup>th</sup> long 3<sup>rd</sup> wide  
12<sup>th</sup> in ground, in mound 2<sup>nd</sup> high  
with pits 24 x 18 x 12 in. worked  
1/4 Sec. for 1/4 Sec. Cor

80.00 Set charred post 4<sup>th</sup> long 3 x 3 in  
12<sup>th</sup> in ground, in mound 2<sup>nd</sup> high  
with pits 24 x 18 x 12 in. worked  
for Cor to Secs: 11, 12, 13 and 14  
Land level ~ Soil 1<sup>st</sup> out  
Sage brush and grass

East on random bet Secs 12 and 13  
Cor. 16° 45' E

22.00 Road N and S.

40.00 Set temporary 1/4 Sec. Cor Cuto  
Meadow N and S.

67.40 Road E of N and W of S.

80.18 Intersect E. Boundary 30<sup>th</sup> of  
the Cor to Secs 12 and 13

From which Cor I run  
 N 89° 47' W. on a true line

Var. 16° 45' E.

40.09 Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24x18x12<sup>in</sup> marked  
 1/4 S. for 1/4 Sec Cor

80.18 The Cor to Secs 11-12-13 and 14  
 Sand level - Soil 1/2 rate  
 Meadow and Sage brush

West Between Secs 11 and 14

Var. 16° 45' E

35.00 Base of Mountains A and B.

40.00 Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24x18x12<sup>in</sup>, marked  
 1/4 S. for 1/4 Sec Cor

Sand 1/4 35<sup>ch</sup> level. Soil 1/2 rate  
 Balance Mountains. Soil 2/3 rate

71

79

T.M.A.P. 52 C

Sage brush and Grass

North Between Secs 11 and 12

Cor. 16° 45' E

40.00 Set charred post 4' long 3" wide  
 12" in ground. in mound 2' high  
 with pits 24 x 18 x 12" marked  
 1/4 S. for 1/4 Sec Cor

68.00 Base of Mountains E of N and W of S

80.00 Set charred post 4' long 3 x 3 in  
 12" in ground. in mound 2' high  
 with pits 24 x 18 x 12" marked  
 for Cor to Secs 12-11 and 12

Land mostly level - Soil 2% silt  
 Sage brush and Grass

East On random bet Secs 1 and 12

Cor. 16° 45' E

Descend

10.00 Base of Mountain Edge <sup>1<sup>st</sup></sup> and <sup>2<sup>nd</sup></sup> of S.

35.60 Road Edge <sup>1<sup>st</sup></sup> and <sup>2<sup>nd</sup></sup> of S

40.00 Set temporary <sup>1/4</sup> Sec Cor

42.00 Enter Meadow Edge <sup>1<sup>st</sup></sup> and <sup>2<sup>nd</sup></sup> of S

80.36 Intersect E. Boundary <sup>3<sup>rd</sup></sup> <sup>1/4</sup> S. of  
the Cor to Secs. 1 and 2

From which Cor I run

N 89° 45' W. On a true line

For 16° 45' E.

40.18 Set charred post 4<sup>th</sup> long 3<sup>rd</sup> wide  
12<sup>th</sup> in ground. in mound 2<sup>nd</sup> high  
with pits 24 x 18 x 12 in marked  
<sup>1/4</sup> S. fr <sup>1/4</sup> Sec Cor

80.36 The Cor to Secs. 1-2-11 and 12

Land 1<sup>st</sup> 10<sup>th</sup> Mountain Soil 2<sup>nd</sup> rate

Balance level - Soil 1<sup>st</sup> rate

Sage brush, Grass and Meadow



43

81

T. 24. N. R. 52 E

North On a random bearing Sec<sup>s</sup> 1 and 2  
Var. 16° 45' E

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

So. 46 Intersect N. Boundary 52<sup>00</sup> W.  
of the Cor to Sec<sup>s</sup> 1 and 2  
From which Cor I run

S 0° 22' W. on a true line

Var. 16° 45' E

40.46 Set charred post 4<sup>00</sup> long 3<sup>00</sup> wide  
12<sup>00</sup> in ground, in mound 2<sup>00</sup> high  
with pits 24 x 18 x 12<sup>00</sup> in sockets  
 $\frac{1}{4}$  S. for  $\frac{1}{4}$  Sec Cor

So. 46 The Cor to Sec<sup>s</sup> 1 - 2 - 11 and 12

Sand Mountainous Soil 2<sup>00</sup> into

Sage brush

October 16<sup>th</sup> 1879

North Between Sec<sup>s</sup> 34 and 35

Var. 16° 45' E

12.00 Road E and W

40.00 Set charred post 4<sup>00</sup> long 3<sup>00</sup> wide

+

12<sup>th</sup> in ground, in mound 2<sup>h</sup> high  
 with pits 24 x 18 x 12<sup>th</sup> marked  
 1/4 Sec. for 1/4 Sec. Cor  
 80.00 Set cleared post 4<sup>h</sup> long, 3 x 3 in  
 12<sup>th</sup> in ground, in mound 2<sup>h</sup> high  
 with pits 24 x 18 x 12 in marked  
 for Cor to Secs 26-27-34<sup>th</sup> and 35<sup>th</sup>  
 Land Slope Mountains - Soil 2<sup>o</sup> rate  
 Sage brush

East on sandstone Secs 26<sup>th</sup> and 35<sup>th</sup>  
 Var. 16°45'E

Descend

20.00 Base of Mountains N and S  
 40.00 Set temporary 1/4 Sec Cor  
 65.20 Road W of N and E of S.  
 80.45 Intersect 28<sup>th</sup> N. of the Cor. to  
 Secs 25-26-35<sup>th</sup> and 36

From which Cor I run

N 89°48' W. on a true line  
 Var. 16°45'E

75- 83 T 24 N. R 52 E

40.23 Set cleared post 4' long, 3" wide  
12" in ground, in mound 9' high  
with pits 24x18x12" marked  
1/4 S. for 1/4 Sec Cor

80.45 The Cor to Secs. 26-27-34 and 35  
Land 1/20<sup>th</sup> Mountains. Soil 2<sup>nd</sup> rate  
Balance level. Soil 1<sup>st</sup> rate  
Sage bush and Grass  
October 17<sup>th</sup> 1879

### General Description

The subdivided portion of this township  
is mostly level. A large portion is rich  
meadow land and the remainder covered  
with Sage bush and Grass, with good  
soil, and all arable land which can  
easily be irrigated from numerous  
Creeks and Springs and a portion of it  
natural meadow

A considerable part of the township is now taken up by settlers and several hundred tons of hay is cut yearly from the meadows.

The unsubdivided portion is high rough mountains.

Township 24 N. R. 54 E.

85

8 9 9

6	108	5	96	4	87	3	2	1
107		107		95		87		
7	106	8	94	9	86	10	11	12
105		104		93		85		
18	104	17	92	16	84	15	78	14
103		102		92		83		
19	101	20	91	21	83	22	78	23
100		100		90		82		
30	99	29	89	28	81	27	77	26
98		97		89		80		
31	96	32	88	33	79	34	76	35
								36

T 24 N. R 54 E

Field notes of the Survey of the  
Subdivision Lines in Township  
24 North, Range 54 East  
Mount Diablo Base and Meridian

Subdivision begun October 20<sup>th</sup> 1879

From the 1/4 Sec Cor on the South  
Boundary of Sec 34 of Township 24 North  
Range 54 East. N. F. Cox's Desert  
Land Claim, post No. 2, the S.W. cor of  
Claim, bears N. 59° 17' 6<sup>ch</sup> 15<sup>ch</sup> " dist. to  
Cox's house, the Telegraph Station N 57° 6' 13<sup>ch</sup> 12<sup>ch</sup> " dist  
North Between Secs. 34 and 35  
Var 16° 45' E

along base of Mountains

40.00 Set a Limestone 17x10x5<sup>in</sup> 12<sup>in</sup> in  
ground, with pits 24x18x12 in  
marked 1/4 for 1/4 Sec Cor

54.00 Base of Mountains bear off E of N

80.00 Set Limestone 18x11x4 in 12<sup>in</sup> in

ground, with pits 24 x 18 x 12 in  
 marked 1 notch on E and 5 notches on  
 N for box to Secs: 26 and 27 and 34 and 35  
 Lava Slope of Mountains - Soil & 1<sup>st</sup> note  
 Sagebrush

North Between Secs. 26 and 27  
 Var. 16° 45' E

40.00 Lava Limestone 15 x 9 x 8 in 10<sup>in</sup>  
 ground, with pits 24 x 18 x 12 in  
 marked 1/4 for 1/4 Sec box at base  
 of Mountains W of N and E of S

80.00 Lava Limestone 20 x 12 x 6 in. 14<sup>in</sup>  
 ground, with pits 24 x 18 x 12 in  
 marked 2 notches on E and 4 notches  
 on N, for box to Secs. 22-23-26 and 27  
 Lava Slope Mountains - Soil & 1<sup>st</sup> note  
 Sagebrush.

+

78

88

T 24 N - R 54 E

North

Between Sects 22 and 23

Var. 16° 45' E

26.00

Dry Channel 18<sup>in</sup> wide N

40.00

Sera Limestone 16x10x10 in 11<sup>in</sup> in

ground in mound of stone with pits

24x18x12<sup>in</sup> marked 1/4 for 1/4 Sec Cor

at base of Mountain bear off E of N

80.00

Sera Limestone 20x6x6 in 14<sup>in</sup> in

ground, with pits 24x18x12 in

marked 3/4 on N and S. for Cor

to Sects 14-15-22 and 23

Sand W slope Mountain Soil 2 1/2 rate

Sagebrush

North

Between Sects 14 and 15

Var. 16° 45' E

20.00

Base of Mountain Top of N and E of S

ascend

40.00

Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide

4

12<sup>in</sup> in ground, with pits 24x18x12 in



80.00

in mound 2<sup>ft</sup> high, marked  
 1/4 E. for 1/4 Sec Cor  
 Bed of limestone 22x10x4 in 15<sup>in</sup> in  
 ground, in stone mound, with pit  
 24x18x12 in marked 4 notches on  
 S and 2 notches on N. for corner to  
 Secs. 10-11-14 and 15. Whence  
 a Spring bears S 55° W 16<sup>du</sup> dist  
 Sand Slope Mountains Soil & water  
 Sage brush

North

Between Secs 33 and 34  
 Var. 16° 45' E

40.00

Bed charred post 4<sup>ft</sup> long, 3<sup>in</sup> wide  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24x18x12<sup>in</sup> marked  
 1/4 E. for 1/4 Sec Cor

80.00

Bed charred post 4<sup>ft</sup> long 3x3 in  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24x18x12<sup>in</sup> marked 4

80

190

T. M. N. P. 54 E

for Cor to Sec: 27<sup>th</sup> 28<sup>th</sup> 33<sup>rd</sup> and 34<sup>th</sup>  
 Leave Meadow N 7<sup>th</sup> and E  
 Sand level - Soil 1/2 rate  
 Meadow

East On sand on ber Sec: 27<sup>th</sup> and 34<sup>th</sup>  
 Var. 16° 45' E

38.50 Spring on line runs N.

38.70 Spring 50<sup>th</sup> S.

40.00 Set temporary 1/4 Sec Cor

55.00 Road N 10° W and S 10° E

64.80 Creek 10<sup>th</sup> wide runs N

79.80 Intersect 30<sup>th</sup> N. of the corner to

Sec: 26<sup>th</sup> 27<sup>th</sup> 34<sup>th</sup> and 35<sup>th</sup>

From which Cor Run

N 89° 47' W. on a true line

Var. 16° 45' E

39.90 Set charred post 4<sup>th</sup> long 3<sup>rd</sup> wide

12<sup>th</sup> in ground, in mound 2<sup>th</sup> high

with pits 24 x 18 x 12<sup>th</sup> worked

1/4 S for 1/4 Sec Cor

79.80

Thebert Secs: 27-28-33 and 34  
 Sand level. Soil 1/2 rate  
 Sage brush and Grass

North

Between Secs 27 and 28

Cor. 16<sup>th</sup> 45<sup>th</sup> E

5.00

Spring runs W.

40.00

Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24x18x12<sup>in</sup> marked  
 1/4 E. for 1/4 Bee Cols

80.00

Set charred post 4<sup>ft</sup> long 3x3 in  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24x18x12<sup>in</sup> marked  
 for Certe Secs: 21-22-27 and 28  
 Sand slope W. Soil 2<sup>in</sup> rate  
 Sage brush and grass

82

92

T 24 N. R 54 E

East

On sandouber Sect. 22<sup>nd</sup> 27  
Var. 16° 45' E

40.00

Set temporary 1/4 Sec Cor

48.40

Road N and S

55.00

Base Diamond Mountain N and S

80.15

Intersect 40<sup>th</sup> N. of the Cor. to  
Sect. 22-23-26<sup>th</sup> 27  
From which Cor D run

N 89° 43' W. On a true line

Var. 16° 45' E.

40.08

Set charred post 4<sup>th</sup> long, 3<sup>rd</sup> wide  
12<sup>th</sup> in ground, in mound 2 high  
with pits 24 x 18 x 12 in. marked  
1/4 S. for 1/4 Sec Cor

80.15

The Cor to Sect. 21-22-27<sup>th</sup> 28  
Land slopes W. Side 2<sup>nd</sup> rate  
Sage brush

October 20<sup>th</sup> 1879

X

North Between Secs. 21 and 22

Var. 16°45' E.

22.00 Dry channel 12<sup>u</sup> wide W

40.00 Set charred post 4<sup>u</sup> long 3<sup>u</sup> wide  
12<sup>u</sup> in ground, in mound & high  
with pits 24x18x12<sup>u</sup> marked  
1/4 Sec for 1/4 Sec Cor

80.00 Set charred post 4<sup>u</sup> long 3x3 in

12<sup>u</sup> in ground, in mound & high  
with pits 24x18x12<sup>u</sup> marked  
for Cor to Secs. 15-16-21 and 22

Sand level - Soil & rate

Sage brush and Grass

East On sand dune bet Secs. 15 and 22

Var. 16°45' E

40.00 Set temporary 1/4 Sec Cor

56.00 Spring 18<sup>u</sup> S.

64.40 Road N and E

+

84

94

J. H. A. P. S. H. E.

80.41 Intersect 35<sup>th</sup> N. of the Cor to  
Secs. 14-15-22 and 23

From which Cor Drum

889' 45" N. On a true line

Cor. 16° 45' E

40.20 Set charred post 4<sup>ft</sup> long, 3<sup>in</sup> wide  
12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
with pits 24x18x12 in. marked  
1/4 Sec Cor

80.41 The Cor to Secs. 15-16-21 and 22  
Said slopes N. Soil 2<sup>ft</sup> gate  
Sage brush

North Between Secs. 15 and 16

Cor. 16° 45' E.

40.00 Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
with pits 24x18x12 in marked  
1/4 Sec Cor

40.70 Creek 10<sup>ft</sup> wide N

80.00 Set charred Post 4<sup>th</sup> long 3 x 3 in  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24 x 18 x 12 in, marked  
 for Cor to Secs. 9-10-15 and 16  
 Sand slopes N. Side 2<sup>rd</sup> rate  
 Sage brush and Grass

East on sandow bet Secs. 10<sup>th</sup> and 15<sup>th</sup>  
 Var. 16° 45' E

12.00 Spring branch 3<sup>rd</sup> wide 6<sup>th</sup> N.

30.00 Spring 17<sup>th</sup> 50<sup>th</sup> N.

36.20 Road N and E

40.00 get temp 1<sup>st</sup> sec cor

46.00 Base Diamond Mountains N and E of S

80.52 Intersect 48<sup>th</sup> N. of the Cor to  
 Secs. 10-11-14 and 15

From which Cor I run

N 89° 39' W. on a true line

Var. 16° 45' E

40.26 Set charred post 4<sup>th</sup> long 3<sup>rd</sup> wide

4

F 24 N - P 54 E

12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24 x 18 x 12<sup>in</sup> marked  
 1/4 S. for 1/4 Sec Cor

Pr. 52 The Cor to Secs. 9-10-15 and 16  
 Sand slopes W. Soil 2<sup>ft</sup> rate  
 Sage brush

North Between Secs. 9 and 10  
 Twp. 16° 45' E

40.00 Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24 x 18 x 12<sup>in</sup> marked  
 1/4 S. for 1/4 Sec Cor

80.00 Set charred post 4<sup>ft</sup> long 3 x 3 in  
 12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
 with pits 24 x 18 x 12<sup>in</sup> marked  
 for Cor to Secs. 3-4-9 and 10  
 Sand slopes W. Soil 2<sup>ft</sup> rate  
 Sage brush and Grass

Handwritten mark



East Between Sects 3 and 10

Var. 16° 45' E

33.30 Road N and E

40.00 Set charred post 4" long 3" wide  
 12" in ground, in mound 2' high  
 with pits 24 x 18 x 12 in marked  
 1/4 Sec. for 1/4 Sec. Cor at base of  
 Diamond Mountain N of N and E.  
 Land slopes N. Side of route  
 Sage brush

North On sandowber Sects 3 and 4

Var. 16° 45' E

40.00 Set temporary 1/4 Sec. Cor

80.52 Intersect N. Boundary 68' W  
 of the Cor to Sects 3 and 4  
 From which Cor I run

80° 29' N. on a true line

Var. 16° 45' E

88

98 T.M.N. - P 54 E

40.52 Set charred post 4' long 3" wide  
12" in ground, in mound 2' high  
with pits 24 x 18 x 12" marked  
1/4 S. for 1/4 Sec Cor

80.52 The Cor to Sec 2 3-4-9 and 10  
Sand slopes W. Side 2' rate  
Sage brush

North Between Sec 2 32 and 33  
Cor. 16° 45' E

40.00 Set charred post 4' long 3" wide  
12" in ground, in mound 2' high  
with pits 24 x 18 x 12" marked  
1/4 S. for 1/4 Sec Cor

80.00 Set charred post 4' long 3 x 3 in  
12" in ground, in mound 2' high  
with pits 24 x 18 x 12" marked  
for Cor to Sec 2 28-29-32 and 33  
Sand level. 1' rate Meadow

\*

East On sand over Sect 28<sup>uu</sup> 33  
Var. 16°45'E

40.00 Set temporary  $\frac{1}{4}$  Sec Cor

80.44 Intersect 46<sup>uu</sup> E. of the Cor. to  
Sect 27-28-33, <sup>uu</sup> 34  
From which Cor I run

89°40' W. on a true line

Var. 16°45'E

40.22 Set charred post 4<sup>uu</sup> long 3<sup>uu</sup> wide  
12<sup>uu</sup> in ground, in mound 2<sup>uu</sup> high  
with pits 24x18x12 in marked  
 $\frac{1}{4}$  E. for  $\frac{1}{4}$  Sec Cor

80.44 The Cor to Sects 28-29-32<sup>uu</sup> 33

Sand level - Soil 15 cts

Meadow

October 21<sup>st</sup> 1879

North Between Sects 28<sup>uu</sup> and 29

Var. 16°45'E

40.00 Set charred post 4<sup>uu</sup> long 3<sup>uu</sup> wide

90 101  
100

Jan. 17 54 E

12<sup>in</sup> in ground, in mound 2<sup>high</sup>  
 with pits 24x18x12<sup>in</sup> marked  
 1/4 Sec. for 1/4 Sec. Cor

80.00 Set charred post 4<sup>high</sup> long 3<sup>in</sup> x 3<sup>in</sup>  
 12<sup>in</sup> in ground, in mound 2<sup>high</sup>  
 with pits 24x18x12<sup>in</sup> marked  
 for Cor to Secs: 20-21-28 and 29  
 Land level - Soil 1<sup>in</sup> rate  
 Meadow

East On meadow bet Secs: 21 and 28  
 Var. 16° 45' E

40.00 Set temporary 1/4 Sec Cor

54.00 Leave meadow 1/4 Sec

80.26 Intersect 18<sup>in</sup> E. of the Cor to  
 Secs: 21-22-27 and 28

From which Cor Run

89° 52' W on a true line

Var. 16° 45' E

X

40.13 Set charred post  $4^{\text{th}}$  long  $3^{\text{rd}}$  wide  
 $12^{\text{th}}$  in ground, in mound & high  
 with pits  $24 \times 18 \times 12^{\text{th}}$  marked  
 $\frac{1}{4}$  S. for  $\frac{1}{4}$  Sec Cor

80.26 The Cor to Secs 20-21-28 and 29  
 Same level - Soil 1.00 to  
 Meadow and Sage brush

North Between Secs 20 and 21

Cor.  $16^{\circ}$   $45'$  E

40.00 Set charred post  $4^{\text{th}}$  long  $3^{\text{rd}}$  wide  
 $12^{\text{th}}$  in ground, in mound & high  
 with pits  $24 \times 18 \times 12^{\text{th}}$  marked  
 $\frac{1}{4}$  S. for  $\frac{1}{4}$  Sec Cor

80.00 Set charred post  $4^{\text{th}}$  long  $3 \times 3$  in  
 $12^{\text{th}}$  in ground, in mound & high  
 with pits  $24 \times 18 \times 12^{\text{th}}$  marked  
 for Cor to Secs 16-17-20 and 21  
 Same level - Soil 1.00 to  
 Meadow

92 1020. T.M.A. - P 54 E

East On sandstone Secs 16<sup>th</sup> and 21  
Var. 16° 45' E

35.00 Leave Meadow N 70° W S E

40.00 Set temporary 1/4 Sec Cor

80.32 Intersect 25<sup>th</sup> S. of the Cor to  
Secs 15-16-21<sup>st</sup> and 22

From which Cor Run

89° 49' N. on a true line

Var. 16° 45' E

40.16 Set cleared Post 4<sup>th</sup> long 3<sup>rd</sup> wide  
12<sup>th</sup> in ground, in mound high  
with pits 24 x 18 x 12 in. worked  
1/4 S. for 1/4 Sec Cor

80.32 The Cor to Secs 16-17-20<sup>th</sup> and 21  
Sand level - Soil 1500 ft  
Meadow and Sage brush

North Between Secs 16<sup>th</sup> and 17

Var. 16° 45' E

14.00 Leave Meadow E and N

- 39.20 Channel 12<sup>ins</sup> wide &
- 40.00 Bercharred post 4<sup>ft</sup> long 3<sup>ins</sup> wide  
12<sup>ins</sup> in ground, in snow & high  
with pits 24x18x12<sup>ins</sup>, marked  
1/4 S for 1/4 Sec Cor
- 80.00 Bercharred post 4<sup>ft</sup> long 3x3 in  
12<sup>ins</sup> in ground, in snow & high  
with pits 24x18x12<sup>ins</sup>, marked  
for Cor to Secs. 8-9-16 and 17  
Land level - Eric 1/2 rate  
Meadow and Sage brush

East Or sandouber Secs. 9 and 16  
Var 16°45' E

- 40.00 Set temporary 1/4 Sec Cor
- 80.20 Intersect 36<sup>ins</sup> S. of the Cor to  
Secs. 9-10-15 and 16  
From which Cor I run  
89°45' N. on a true line  
Var. 16°45' E

+

94 104

Forest N 54 E

40.10 Set charred post 4' long 3" wide  
12" in ground in mound 2' high  
with pits 24x18x12" worked  
1/4 S. for 1/4 Sec Cor

80.20 The Cor to Sec 8, 9, 16 and 17  
Sand level. Soil 1/2 to  
Sage brush and Grass

North Between Sec 8 and 9

Var. 16° 45' E

40.00 Set charred post 4' long 3" wide  
12" in ground in mound 2' high  
with pits 24x18x12" worked  
1/4 S. for 1/4 Sec Cor

51.30 Creek 10" wide N of S. spreads  
out in SE 1/4 Sec 8 forming a  
small marsh

80.00 Set charred post 4' long 3x3 in  
12" in ground in mound 2' high  
with pits 24x18x12 in marked



for Cor to Secs 4-5-8 and  
Land level. Soil 1. rate  
Sage brush and Grass

East on sandown bet Secs 4 and 9  
Cor. 16° 45' E

16.40 Creek 10<sup>u</sup> wide S.

40.00 Set temporary 1/4 Sec Cor

80.35 Intersect 20<sup>u</sup> S. of the corner to  
Secs 3-4-9 and 10

From which Cor I run

89° 51' W. on a true line

Cor. 16° 45' E

40.18 Set charred post 4<sup>u</sup> long 3<sup>u</sup> wide  
12<sup>u</sup> in ground, in mound 2<sup>u</sup> high  
with pits 24 x 18 x 12<sup>u</sup> marked  
1/4 S. for 1/4 Sec Cor

80.35 The Cor to Secs 4-5-8 and 9

Land level. Soil 1. rate

Sage brush and Grass

95  
106

East. P 54 E

North On sand over Sec<sup>s</sup> 4 and 5  
Jan. 16<sup>o</sup> 45' E

40.00 Set temporary 1/4 Sec Cor

80.58 Intersect N. Boundary 60<sup>o</sup> W  
of the Corto Sec<sup>s</sup> 4 and 5  
From which Cor Drum

80<sup>o</sup> 26' W. on a true line

Jan. 16<sup>o</sup> 45' E

40.58 Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
12<sup>in</sup> in ground, in mound & high  
with pits 24 x 18 x 12<sup>in</sup> worked  
1/4 E. for 1/4 Sec Cor

80.58 The Corto Sec<sup>s</sup> 4, 5, 8 and 9  
Sand level - Erie 1/2 onto  
Sage brush and Grass

October 22<sup>d</sup> 1879

North Between Sec<sup>s</sup> 31 and 32  
Jan. 16<sup>o</sup> 45' E

40.00 Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
12<sup>in</sup> in ground, in mound & high

with pits 2 1/4 x 18 x 12 in. marked  
1/4 c. for 1/4 Sec Cor

75.00 Cutover Meadow N W and E C.

80.00 Set charred post 4' long 3" x 3" in  
12" in ground. in mound 2' high  
with pits 2 1/4 x 18 x 12 in marked  
for Cutover Secs 29, 30, 31 and 32  
Land level. Soil 1.5 rate  
Sage brush and Grass

East on sandbar bet Secs 29 and 32  
Var. 16° 45' E

on  
dist

40.00 Set temporary 1/4 Sec Cor

46.30 Creek 18" wide N

80.22 Intersect 32" N. of the Cor. to  
Secs 28 ~ 29 ~ 32 and 33

From which Cor Demu

N 89° 46' W on a true line

Var. 16° 45' E

40.11 Set charred post 4' long 3" x 3" wide

+

98 108

Fort N. W. 4 E

12<sup>in</sup> in ground. in mound & high  
with pits 24x18x12 in square  
1/4 E. for 1/4 Sec Cor

80.22

The Cor to Sec: 29-30-31 and 32  
Land level - Soil 1 to 2  
Meadow

West

On sandow Cor Sec: 30 and 31  
Cor. 16° 45' E

10.00

Leave Meadow N W and S E

40.00

Set temporary 1/4 Sec Cor

78.25

Intersect W. Boundary 62<sup>0</sup> N of  
the Cor to Sec: 30 and 31  
From which Cor Draw

189° 33' E. on a true line

Cor. 16° 45' E

38.25

Set cleared post 4<sup>ft</sup> long 3<sup>in</sup> wide  
12<sup>in</sup> in ground. in mound & high  
with pits 24x18x12 in square  
1/4 E. for 1/4 Sec Cor

78.25 The Corto Sects 29, 30-31<sup>and</sup> 32  
 Sand level - Soil 2/3<sup>to</sup>  
 Sage brush

North Between Sects 29<sup>and</sup> 30  
 Var. 16<sup>to</sup> 45<sup>to</sup> C

40.00 Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
 12<sup>in</sup> in ground, in mound & high  
 with pits 2<sup>ft</sup> x 18 x 12<sup>in</sup> marked  
 1/4 S. for 1/4 bee box

80.00 Set charred post 4<sup>ft</sup> long 3 x 3 in  
 12<sup>in</sup> in ground, in mound & high  
 with pits 2<sup>ft</sup> x 18 x 12 in. marked  
 for box to bee: 19, 20, 29<sup>and</sup> 30  
 Sand level - Soil 1/3<sup>to</sup>  
 Meadow

100

110

East N 54 E

East On sandow bet Secs 20<sup>th</sup> and 29<sup>th</sup>  
Var. 16° 45' E

40.00 Set temporary 1/4 Sec Cor

51.70 Creek 12<sup>th</sup> wide N. W.

79.90 Intersect 10<sup>th</sup> S. of the Cor to  
Secs 20-21-28<sup>th</sup> and 29<sup>th</sup>  
From which Cor I run

89° 56' N. on a true line.

Var. 16° 45' E

39.95 Set charred post 4<sup>th</sup> long 3<sup>rd</sup> wide  
12<sup>th</sup> in ground, in mound 2 high  
with pits 24 x 18 x 12 in marked  
1/4 S. for 1/4 Sec Cor

79.90 The Cor to Secs 19-20 and 29<sup>th</sup> and 30<sup>th</sup>  
Said level a Soil 1<sup>st</sup> rate  
Meadow

West On sandow bet. Secs 19<sup>th</sup> and 30<sup>th</sup>

Var. 16° 45' E

20.00 Leave meadow to N<sup>th</sup> and E of S

40.00 Set temporary  $\frac{1}{4}$  Sec Cor  
 78.10 Intersect W. Boundary  $54^{\text{th}}$  of  
 the Cor to Sec 19 and 20  
 From which Cor I run

$189^{\circ}37' E$ , on a true line

Var.  $16^{\circ}45' E$

38.10 Set cleared post  $4^{\text{th}}$  long  $3^{\text{rd}}$  wide  
 $12^{\text{th}}$  in ground, in mound  $2^{\text{d}}$  high  
 with pits  $24 \times 18 \times 12$  in marked  
 $\frac{1}{4}$  S. for  $\frac{1}{4}$  Sec Cor

78.10 The Cor to Secs 19, 20, 29 and 30  
 Land level - Soil 1. rate  
 Sage brush - Grass and meadow

North Between Secs 19 and 20

Var.  $16^{\circ}45' E$

38.00 Dry channel  $12^{\text{th}}$  wide  $W$

40.00 Set cleared post  $4^{\text{th}}$  long  $3^{\text{rd}}$  wide  
 $12^{\text{th}}$  in ground, in mound  $2^{\text{d}}$  high  
 with pits  $24 \times 18 \times 12^{\text{th}}$  marked

102

112

South of P 54 E

1/4 S. for 1/4 Sec Cor  
 80.00 Bercharred post 4<sup>th</sup> long 3 x 3 in  
 12<sup>th</sup> in ground, in mound 2<sup>nd</sup> high  
 with pits 24 x 18 x 12 in marked  
 for Corts Secs: 17-18-19<sup>th</sup> and 20  
 Sand level - Sec 15 rate  
 Meadow

East Our sand over Secs: 17<sup>th</sup> and 20  
 Var. 16° 45' E

40.00 Set temporary 1/4 Sec Cor  
 80.00 Intersect 12<sup>th</sup> N. of the Corts.  
 Secs: 16-17-20<sup>th</sup> and 21

From which Cor I run  
 N 89° 55' W. on a true line  
 Cor 16° 45' E

40.00 Bercharred post 4<sup>th</sup> long 3<sup>rd</sup> wide  
 12<sup>th</sup> in ground, in mound 2<sup>nd</sup> high  
 with pits 24 x 18 x 12<sup>th</sup> marked  
 1/4 S. for 1/4 Sec Cor

7



N. D. D.

103

113

80.00 The Cor to Sects 17-18-19 and 20  
Same level - Soil 1/2 rate  
Meadow

West our random bearing Sects 18 and 19  
Var.  $16^{\circ}45' E$

40.00 Set temporary 1/4 Sec Cor

62.00 Leave Meadow. N of E and S of W

77.64 Intersect W. Boundary  $33''$  N of  
the Cor to Sects 18 and 19  
From which Cor Run

$N 89^{\circ}46' E$ . on a true line

Var.  $16^{\circ}45' E$

37.64 Set charred post  $4''$  long  $3''$  wide  
 $12''$  in ground, in ground & high  
with pits  $24 \times 18 \times 12''$  marked

77.64 The Cor to Sects 17-18-19 and 20  
Same level - Soil 1/2 rate

Meadow and Sage brush  
October 23<sup>d</sup> 1879

104

114

J. M. A. R. 54 E

North Between Secs 17<sup>ua</sup> and 18

Cor. 16°45' E

20.00 Leave Meadow Bank W

40.00 Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
with pits 24 x 18 x 12<sup>in</sup> marked  
1/4 C. for 1/4 Sec Cor48.60 Channel 12<sup>in</sup> wide W.80.00 Set charred post 4<sup>ft</sup> long 3 x 3 in  
12<sup>in</sup> in ground, in mound 2<sup>ft</sup> high  
with pits 24 x 18 x 12 in marked  
for Cor to Secs 7-8 ~ 17<sup>ua</sup> 18  
Same level - Soil 1<sup>st</sup> rate  
Sagebrush - Grass and Meadow

East On sandou bet Secs 8 and 17

Cor 16°45' E

40.00 Set temporary 1/4 Sec Cor

79.68 Intersect 38<sup>in</sup> N. of the Cor to  
Secs 8 ~ 9 ~ 16<sup>ua</sup> 17

From which Cor I run

N 89° 44' W. on a true line

Var. 16° 45' E

39.84 Searched post 4<sup>th</sup> long 3<sup>rd</sup> wide  
12<sup>th</sup> in ground, in mound 2<sup>nd</sup> high  
with pits 24 x 18 x 12 in, marked  
1/4 S. for 1/4 Sec Cor

79.68 The Cor to Sec. 7<sup>th</sup> 8<sup>th</sup> 17<sup>th</sup> and 18<sup>th</sup>  
Sand level. Soil 1/4 note  
Sage brush and Grass

Nest On sand on Sec. 7<sup>th</sup> and 18<sup>th</sup>

Var. 16° 45' E

40.00 Sec temporary 1/4 Sec Cor

77.82 Intersect N. Boundary 18<sup>th</sup> S. of  
the Cor to Sec. 7<sup>th</sup> and 18<sup>th</sup>

From which Cor I run

N 89° 52' E. on a true line

Var. 16° 45' E

37.82 Searched post 4<sup>th</sup> long 3<sup>rd</sup> wide

5th N - R 5th E

12<sup>in</sup> in ground in mound & high  
with pits 24x18x12<sup>in</sup> marked  
1/4 S. for 1/4 Sec 600

77.82

Tree cut to Secs 7-8-17<sup>and</sup> 18  
Same level - Soil & roots  
Sage brush and Grass

North

Between Secs 7<sup>and</sup> 8

For 16° 45' E

40.00

Set charred post 4<sup>ft</sup> long 3<sup>in</sup> wide  
12<sup>in</sup> in ground, in mound & high  
with pits 24x18x12<sup>in</sup> marked  
1/4 S. for 1/4 Sec 600

80.00

Set charred post 4<sup>ft</sup> long 3x3 in  
12<sup>in</sup> in ground, in mound & high  
with pits 24x18x12 in, marked  
for cut to Secs 5-6-7<sup>and</sup> 8  
Same level - Soil & roots  
Sage brush and Grass

4x

East On sandouber Sect. 5 and 8  
 Var. 16° 45' E

40.00 Set temporary 1/4 Sec Cor

79.60 Intersect 42<sup>ms</sup> of the Cor to  
 Sect. 4-5-8 and 9

From which Cor I run

89° 42' W. on a true line

Var. 16° 45' E

39.80 Set charred post 4<sup>ms</sup> long 3<sup>ms</sup> wide  
 12<sup>ms</sup> in ground, in mound 2<sup>ms</sup> high  
 with pits 24 x 18 x 12<sup>ms</sup> marked  
 1/4 S. for 1/4 Sec Cor

79.60 The Cor to Sect. 5-6-7 and 8  
 Sand level - Soil 2<sup>ms</sup> rate  
 Sage brush and Grass

West On sandouber Sect. 6 and 7  
 Var. 16° 45' E

40.00 Set temporary 1/4 Sec Cor

45.50 Spring branch 3<sup>ms</sup> wide S E

+

108  
118 T 24 N. R 54 E

77.68 Intersect N. Boundary 35<sup>th</sup> N of  
the Cor to Sec. 6 and 7

From which Cor D run

N 89° 45' E. on a true line

Cor. 16° 45' E

37.68 Set charred post 4<sup>th</sup> long 3<sup>rd</sup> wide  
12<sup>th</sup> in ground, in mound 2<sup>nd</sup> high  
with pits 24 x 18 x 12<sup>th</sup> washed  
1/4 C. for 1/4 Sec Cor

77.68 The Cor to Sec. 5-6-7 and 8  
Sand level, Sub. 1<sup>st</sup> rate  
Sage brush and Grass

North on random bet Sec. 5 and 6  
Cor 16° 45' E

40.00 Set temporary 1/4 Sec Cor

So. 40 Intersect N. Boundary 40<sup>th</sup> N  
of the Cor to Sec. 5 and 6

From which Cor D run

S 0° 17' W on a true line

Cor 16° 45' E

40.40 Sectioned post 4<sup>th</sup> long 3<sup>rd</sup> wide -  
 12<sup>th</sup> in ground, in mound 2<sup>nd</sup> high  
 with pits 24 x 18 x 12<sup>th</sup> marked  
 1/4 Sec. for 1/4 Sec Cor

80.40 The Cor to Secs 5-6-7 and 8  
 Land level - Soil 2<sup>nd</sup> rate  
 Sagebrush and Grass

October 24<sup>th</sup> 1879

### General Description

The subdivided portion of this Township  
 is level land, covered with Sage brush  
 and Grass, with considerable rich meadows  
 in the South West part. The soil is nearly  
 good, and suitable for Cultivation and can  
 be irrigated from Creeks and Springs in  
 different parts of the Township  
 The unsubdivided portion is high

rough mountains, with but  
little timber <sup>as</sup> no mines opened

4



We hereby certify that we assisted Edward S. Bridges, Deputy Surveyor in surveying a part of the Exterior boundaries & Subdivision lines in Townships 21-22-23<sup>rd</sup> & 24 North Range 52 East<sup>4th</sup> of Township 24 North Range 54 East N<sup>o</sup> Diablo Base<sup>rd</sup> Meridian and that said Townships have been in all respects, to the best of our knowledge and belief, well & faithfully surveyed & the boundary monuments planted according to the instructions furnished by the Surveyor General.

Subscribed<sup>4th</sup> & Sworn to } Peter Morris Clk<sup>r</sup>  
 before me this 25<sup>th</sup> day } Benjamin Cohen Clk<sup>r</sup>  
 of October 1879 } Ferris & W. Mahon Ass<sup>rs</sup>

J. R. Amund  
 Notary Public  
 Eureka Co.  
 Nevada. f

I, Edward S. Bridges Deputy Surveyor do solemnly swear that in compliance with a Joint Contract between Edward S. Bridges and J. Humboldt Eaton and E. S. Davis United States Surveyor General for the State of Nevada bearing date the 19<sup>th</sup> day of September 1879. I have well faithfully and truly in strict compliance with the laws of the United States and the instructions of the Surveyor General surveyed all those parts or portions of ~~exterior~~ <sup>subdivided</sup> ~~lands~~ <sup>lands</sup> being of Townships 21-22-23 and 24 North Range 52 East and of Township 24 North Range 54 East Mount Diablo Base and Meridian as are represented in the foregoing field notes as having been surveyed under my direction and that the boundary monuments have been established and perpetuated in strict accordance with the instructions of the Surveyor General the Surveying Manual and printed instructions

+

and the descriptions of the corner  
 monuments their dimensions & Mark thereon  
 are correctly & accurately stated in said  
 notes.

Edward S. Bridges  
 Deputy Surveyor

Subscribed and sworn to }  
 before me this 28<sup>th</sup> day of }  
 October A.D. 1879 } 3

Jno S Gilson  
 Notary Public,

f

The foregoing field notes of the  
Survey of the exterior and subdivision  
lines of T<sup>21</sup>, 22, 23 + 24 N R 52 E and T<sup>24</sup> N  
R 54 E of the Mount Diablo Meridian  
executed by Edward L. Bridges Deputy  
Surveyor under his joint contract with  
E. L. Bridges and J. H. Eaton of September  
19<sup>th</sup> 1879 N<sup>o</sup> 91 in the month of October  
1879, having been critically examined  
the necessary corrections and expla-  
nations made, the said field notes  
and the surveys they describe  
are hereby approved.

U.S. Surveyor General's Office  
Virginia City Nevada  
November 4<sup>th</sup> 1879

E. S. Davis  
U.S. Surveyor General  
Nevada