

Appendix 5. Estimates of annual precipitation for hydrographic areas in Nevada based on PRISM and Hardman maps, and associated percent differences

| Hydrographic area number¹ | Hydrographic area name | Hardman average annual precipitation, in inches | PRISM 1961-1990 average annual precipitation, in inches | PRISM 1971-2000 average annual precipitation, in inches | (PRISM 1961-1990) minus Hardman, as percent of Hardman | (PRISM 1971-2000) minus Hardman, as percent of Hardman |
|---|-------------------------------|--|--|--|---|---|
| 1 | Pueblo Valley | 10.2 | 13.5 | 13.2 | 32.4 | 29.4 |
| 2 | Continental Lake Valley | 9.2 | 10.0 | 10.3 | 8.7 | 12.0 |
| 3 | Gridley Lake Valley | 11.4 | 11.1 | 11.7 | -2.6 | 2.6 |
| 4 | Virgin Valley | 11.3 | 9.8 | 10.1 | -13.3 | -10.6 |
| 5 | Sage Hen Valley | 9.9 | 9.1 | 9.5 | -8.1 | -4.0 |
| 6 | Guano Valley | 11.4 | 11.7 | 11.6 | 2.6 | 1.8 |
| 7 | Swan Lake Valley | 12.3 | 12.0 | 12.1 | -2.4 | -1.6 |
| 8 | Massacre Lake Valley | 11.9 | 13.0 | 13.0 | 9.2 | 9.2 |
| 9 | Long Valley | 10.6 | 13.2 | 13.2 | 24.5 | 24.5 |
| 10 | Macy Flat | 9.5 | 12.0 | 11.6 | 26.3 | 22.1 |
| 11 | Coleman Valley | 10.8 | 11.7 | 11.4 | 8.3 | 5.6 |
| 12 | Mosquito Valley | 11.9 | 12.0 | 12.0 | 0.8 | 0.8 |
| 13 | Warner Valley | 10.0 | 12.8 | 12.8 | 28.0 | 28.0 |
| 14 | Surprise Valley | 10.1 | 15.4 | 15.5 | 52.5 | 53.5 |
| 15 | Boulder Valley | 12.7 | 15.8 | 16.0 | 24.4 | 26.0 |
| 16 | Duck Lake Valley | 11.2 | 13.8 | 13.6 | 23.2 | 21.4 |
| 17 | Pilgrim Flat | 9.1 | 16.6 | 16.0 | 82.4 | 75.8 |
| 18 | Painter Flat | 8.4 | 15.7 | 15.2 | 86.9 | 81.0 |
| 19 | Dry Valley | 8.9 | 10.2 | 9.2 | 14.6 | 3.4 |
| 20 | Sano Valley | 6.3 | 9.7 | 9.1 | 54.0 | 44.4 |
| 21 | Smoke Creek Desert | 7.9 | 10.5 | 10.1 | 32.9 | 27.8 |
| 22 | San Emidio Desert | 7.1 | 10.0 | 9.6 | 40.8 | 35.2 |
| 23 | Granite Basin | 14.8 | 16.2 | 15.0 | 9.5 | 1.4 |
| 24 | Hualapai Flat | 10.1 | 10.7 | 10.5 | 5.9 | 4.0 |
| 25 | High Rock Lake Valley | 12.1 | 13.7 | 13.6 | 13.2 | 12.4 |
| 26 | Mud Meadow | 9.3 | 8.5 | 8.8 | -8.6 | -5.4 |
| 27 | Summit Lake Valley | 12.9 | 12.6 | 13.1 | -2.3 | 1.6 |
| 28 | Black Rock Desert | 7.1 | 8.6 | 8.9 | 21.1 | 25.4 |
| 29 | Pine Forest Valley | 9.3 | 11.2 | 11.3 | 20.4 | 21.5 |
| 30A | Kings River Valley | 9.1 | 12.9 | 12.5 | 41.8 | 37.4 |
| 30B | Kings River Valley | 5.9 | 9.5 | 9.9 | 61.0 | 67.8 |
| 31 | Desert Valley | 6.4 | 9.0 | 9.5 | 40.6 | 48.4 |
| 32 | Silver State Valley | 9.4 | 9.9 | 10.6 | 5.3 | 12.8 |
| 33A | Quinn River Valley | 9.7 | 13.4 | 13.9 | 38.1 | 43.3 |
| 33B | Quinn River Valley | 10.5 | 16.7 | 16.2 | 59.0 | 54.3 |

2 Evaluation of Precipitation Estimates from PRISM for the 1961–90 and 1971–2000 Data Sets, Nevada

Appendix 5. Estimates of annual precipitation for hydrographic areas in Nevada based on PRISM and Hardman maps, and associated percent differences—Continued

| Hydrographic area number ¹ | Hydrographic area name | Hardman average annual precipitation, in inches | PRISM 1961-1990 average annual precipitation, in inches | PRISM 1971-2000 average annual precipitation, in inches | (PRISM 1961-1990) minus Hardman, as percent of Hardman | (PRISM 1971-2000) minus Hardman, as percent of Hardman |
|---------------------------------------|--------------------------------|---|---|---|--|--|
| 34 | Little Owyhee River Area | 10.2 | 15.1 | 15.1 | 48.0 | 48.0 |
| 35 | South Fork Owyhee River Area | 10.9 | 14.2 | 14.4 | 30.3 | 32.1 |
| 36 | Independence Valley | 14.0 | 15.2 | 15.4 | 8.6 | 10.0 |
| 37 | Owyhee River Area | 13.8 | 20.6 | 19.6 | 49.3 | 42.0 |
| 38 | Bruneau River Area | 14.2 | 18.8 | 18.1 | 32.4 | 27.5 |
| 39 | Jarbidge River Area | 15.8 | 23.1 | 22.6 | 46.2 | 43.0 |
| 40 | Salmon Falls Creek Area | 12.7 | 15.5 | 14.8 | 22.0 | 16.5 |
| 41 | Goose Creek Area | 11.1 | 13.5 | 13.9 | 21.6 | 25.2 |
| 42 | Marys River Area | 13.3 | 13.4 | 12.9 | 0.8 | -3.0 |
| 43 | Starr Valley Area | 14.5 | 19.6 | 19.5 | 35.2 | 34.5 |
| 44 | North Fork Area | 13.4 | 13.8 | 13.5 | 3.0 | 0.7 |
| 45 | Lamoille Valley | 14.6 | 17.9 | 17.8 | 22.6 | 21.9 |
| 46 | South Fork Area | 17.1 | 24.4 | 24.2 | 42.7 | 41.5 |
| 47 | Huntington Valley | 13.5 | 13.8 | 14.2 | 2.2 | 5.2 |
| 48 | Dixie Creek-Tenmile Creek Area | 13.1 | 13.2 | 13.3 | 0.8 | 1.5 |
| 49 | Elko Segment | 12.3 | 11.9 | 11.7 | -3.3 | -4.9 |
| 50 | Susie Creek Area | 11.5 | 12.2 | 12.1 | 6.1 | 5.2 |
| 51 | Maggie Creek Area | 12.7 | 12.7 | 12.9 | 0.0 | 1.6 |
| 52 | Marys Creek Area | 10.0 | 10.8 | 11.4 | 8.0 | 14.0 |
| 53 | Pine Valley | 12.9 | 12.7 | 12.7 | -1.6 | -1.6 |
| 54 | Crescent Valley | 10.4 | 10.6 | 10.6 | 1.9 | 1.9 |
| 55 | Carico Lake Valley | 12.6 | 11.6 | 11.0 | -7.9 | -12.7 |
| 56 | Upper Reese River Valley | 13.8 | 13.2 | 12.2 | -4.3 | -11.6 |
| 57 | Antelope Valley | 10.5 | 11.5 | 10.9 | 9.5 | 3.8 |
| 58 | Middle Reese River Valley | 10.5 | 10.5 | 10.1 | 0.0 | -3.8 |
| 59 | Lower Reese River Valley | 10.0 | 10.1 | 10.3 | 1.0 | 3.0 |
| 60 | Whirlwind Valley | 10.0 | 10.3 | 10.5 | 3.0 | 5.0 |
| 61 | Boulder Flat | 8.9 | 10.0 | 10.4 | 12.4 | 16.9 |
| 62 | Rock Creek Valley | 9.6 | 10.5 | 11.0 | 9.4 | 14.6 |
| 63 | Willow Creek Valley | 12.5 | 12.5 | 13.0 | 0.0 | 4.0 |
| 64 | Clovers Area | 8.8 | 9.5 | 9.8 | 8.0 | 11.4 |
| 65 | Pumpnickel Valley | 10.2 | 9.9 | 10.1 | -2.9 | -1.0 |
| 66 | Kelley Creek Area | 8.8 | 10.2 | 10.6 | 15.9 | 20.5 |
| 67 | Little Humboldt Valley | 10.8 | 14.4 | 14.5 | 33.3 | 34.3 |
| 68 | Hardscrabble Area | 13.6 | 21.8 | 21.2 | 60.3 | 55.9 |
| 69 | Paradise Valley | 10.4 | 13.2 | 13.3 | 26.9 | 27.9 |
| 70 | Winnemucca Segment | 8.4 | 9.5 | 9.8 | 13.1 | 16.7 |
| 71 | Grass Valley | 10.0 | 10.6 | 10.9 | 6.0 | 9.0 |

Appendix 5. Estimates of annual precipitation for hydrographic areas in Nevada based on PRISM and Hardman maps, and associated percent differences—Continued

| Hydrographic area number ¹ | Hydrographic area name | Hardman average annual precipitation, in inches | PRISM 1961-1990 average annual precipitation, in inches | PRISM 1971-2000 average annual precipitation, in inches | (PRISM 1961-1990) minus Hardman, as percent of Hardman | (PRISM 1971-2000) minus Hardman, as percent of Hardman |
|---------------------------------------|-------------------------|---|---|---|--|--|
| 72 | Imlay Area | 7.5 | 9.3 | 9.7 | 24.0 | 29.3 |
| 73 | Lovelock Valley | 6.4 | 7.9 | 7.8 | 23.4 | 21.9 |
| 73A | Lovelock Valley | 9.1 | 10.5 | 10.9 | 15.4 | 19.8 |
| 74 | White Plains | 5.5 | 6.4 | 6.1 | 16.4 | 10.9 |
| 75 | Bradys Hot Springs Area | 6.8 | 7.6 | 7.0 | 11.8 | 2.9 |
| 76 | Fernley Area | 6.6 | 8.3 | 7.7 | 25.8 | 16.7 |
| 77 | Fireball Valley | 8.9 | 11.6 | 10.6 | 30.3 | 19.1 |
| 78 | Granite Springs Valley | 8.8 | 10.2 | 9.7 | 15.9 | 10.2 |
| 79 | Kumiva Valley | 8.9 | 11.5 | 11.0 | 29.2 | 23.6 |
| 80 | Winnemucca Lake Valley | 8.6 | 9.9 | 9.2 | 15.1 | 7.0 |
| 81 | Pyramid Lake Valley | 8.8 | 10.0 | 9.1 | 13.6 | 3.4 |
| 82 | Dodge Flat | 10.0 | 10.0 | 9.1 | 0.0 | -9.0 |
| 83 | Tracy Segment | 10.0 | 13.2 | 12.1 | 32.0 | 21.0 |
| 84 | Warm Springs Valley | 9.9 | 14.1 | 13.3 | 42.4 | 34.3 |
| 85 | Spanish Springs Valley | 8.2 | 12.0 | 11.5 | 46.3 | 40.2 |
| 86 | Sun Valley | 8.3 | 11.6 | 11.3 | 39.8 | 36.1 |
| 87 | Truckee Meadows | 10.9 | 14.9 | 14.9 | 36.7 | 36.7 |
| 88 | Pleasant Valley | 12.9 | 20.6 | 21.8 | 59.7 | 69.0 |
| 89 | Washoe Valley | 14.7 | 19.2 | 19.4 | 30.6 | 32.0 |
| 90 | Lake Tahoe Basin | 13.3 | 28.6 | 28.4 | 115.0 | 113.5 |
| 91 | Truckee Canyon Segment | 12.8 | 32.5 | 34.1 | 153.9 | 166.4 |
| 92A | Lemmon Valley | 12.3 | 18.4 | 18.1 | 49.6 | 47.2 |
| 92B | Lemmon Valley | 10.7 | 15.8 | 15.4 | 47.7 | 43.9 |
| 93 | Antelope Valley | 11.4 | 16.0 | 15.3 | 40.4 | 34.2 |
| 94 | Bedell Flat | 12.0 | 17.6 | 17.0 | 46.7 | 41.7 |
| 95 | Dry Valley | 11.3 | 17.2 | 16.3 | 52.2 | 44.2 |
| 96 | Newcomb Lake Valley | 11.9 | 17.4 | 16.5 | 46.2 | 38.7 |
| 97 | Honey Lake Valley | 8.0 | 11.7 | 11.0 | 46.3 | 37.5 |
| 98 | Skedaddle Creek Valley | 8.3 | 14.2 | 12.7 | 71.1 | 53.0 |
| 99 | Red Rock Valley | 11.8 | 17.6 | 17.0 | 49.2 | 44.1 |
| 100 | Cold Spring Valley | 11.3 | 18.7 | 18.5 | 65.5 | 63.7 |
| 100A | Cold Spring Valley | 10.7 | 21.1 | 20.8 | 97.2 | 94.4 |
| 101 | Carson Desert | 5.5 | 5.8 | 5.8 | 5.5 | 5.5 |
| 101A | Carson Desert | 6.6 | 8.9 | 8.8 | 34.8 | 33.3 |
| 102 | Churchill Valley | 7.0 | 8.5 | 8.0 | 21.4 | 14.3 |
| 103 | Dayton Valley | 10.6 | 12.5 | 11.8 | 17.9 | 11.3 |
| 104 | Eagle Valley | 13.8 | 17.0 | 16.3 | 23.2 | 18.1 |
| 105 | Carson Valley | 12.8 | 16.8 | 16.8 | 31.3 | 31.3 |

4 Evaluation of Precipitation Estimates from PRISM for the 1961–90 and 1971–2000 Data Sets, Nevada

Appendix 5. Estimates of annual precipitation for hydrographic areas in Nevada based on PRISM and Hardman maps, and associated percent differences—Continued

| Hydrographic area number ¹ | Hydrographic area name | Hardman average annual precipitation, in inches | PRISM 1961-1990 average annual precipitation, in inches | PRISM 1971-2000 average annual precipitation, in inches | (PRISM 1961-1990) minus Hardman, as percent of Hardman | (PRISM 1971-2000) minus Hardman, as percent of Hardman |
|---------------------------------------|----------------------------|---|---|---|--|--|
| 106 | Antelope Valley | 10.8 | 17.7 | 17.9 | 63.9 | 65.7 |
| 107 | Smith Valley | 10.6 | 15.1 | 14.8 | 42.5 | 39.6 |
| 108 | Mason Valley | 6.7 | 8.5 | 8.2 | 26.9 | 22.4 |
| 109 | East Walker Area | 11.0 | 14.3 | 13.9 | 30.0 | 26.4 |
| 110A | Walker Lake Valley | 6.1 | 6.9 | 6.6 | 13.1 | 8.2 |
| 110B | Walker Lake Valley | 8.6 | 9.7 | 9.2 | 12.8 | 7.0 |
| 110C | Walker Lake Valley | 9.9 | 9.6 | 9.1 | -3.0 | -8.1 |
| 111A | Alkali Valley | 15.7 | 13.9 | 13.5 | -11.5 | -14.0 |
| 111B | Alkali Valley | 15.3 | 13.4 | 13.1 | -12.4 | -14.4 |
| 112 | Mono Valley | 16.9 | 13.9 | 13.6 | -17.8 | -19.5 |
| 113 | Huntoon Valley | 12.5 | 9.7 | 9.4 | -22.4 | -24.8 |
| 114 | Teels Marsh Valley | 10.6 | 6.8 | 6.7 | -35.8 | -36.8 |
| 115 | Adobe Valley | 10.9 | 10.4 | 10.3 | -4.6 | -5.5 |
| 116 | Queen Valley | 12.7 | 10.1 | 10.1 | -20.5 | -20.5 |
| 117 | Fish Lake Valley | 9.6 | 7.1 | 7.0 | -26.0 | -27.1 |
| 118 | Columbus Salt Marsh Valley | 6.3 | 6.0 | 6.0 | -4.8 | -4.8 |
| 119 | Rhodes Salt Marsh Valley | 7.8 | 6.6 | 6.6 | -15.4 | -15.4 |
| 120 | Garfield Flat | 10.7 | 8.9 | 8.7 | -16.8 | -18.7 |
| 121A | Soda Spring Valley | 9.2 | 7.4 | 7.4 | -19.6 | -19.6 |
| 121B | Soda Spring Valley | 7.8 | 6.4 | 6.3 | -17.9 | -19.2 |
| 122 | Gabbs Valley | 7.5 | 6.8 | 6.7 | -9.3 | -10.7 |
| 123 | Rawhide Flats | 6.6 | 6.2 | 6.0 | -6.1 | -9.1 |
| 124 | Fairview Valley | 7.7 | 6.3 | 6.3 | -18.2 | -18.2 |
| 125 | Stingaree Valley | 9.5 | 6.0 | 6.1 | -36.8 | -35.8 |
| 126 | Cowkick Valley | 9.7 | 8.6 | 8.3 | -11.3 | -14.4 |
| 127 | Eastgate Valley Area | 10.3 | 8.7 | 8.3 | -15.5 | -19.4 |
| 128 | Dixie Valley | 7.8 | 7.8 | 7.8 | 0.0 | 0.0 |
| 129 | Buena Vista Valley | 7.8 | 9.8 | 9.8 | 25.6 | 25.6 |
| 130 | Pleasant Valley | 10.1 | 11.6 | 11.2 | 14.9 | 10.9 |
| 131 | Buffalo Valley | 9.9 | 10.5 | 10.5 | 6.1 | 6.1 |
| 132 | Jersey Valley | 8.9 | 10.6 | 10.2 | 19.1 | 14.6 |
| 133 | Edwards Creek Valley | 10.7 | 10.1 | 9.6 | -5.6 | -10.3 |
| 134 | Smith Creek | 13.1 | 11.9 | 11.1 | -9.2 | -15.3 |
| 135 | Ione Valley | 10.9 | 8.8 | 8.4 | -19.3 | -22.9 |
| 136 | Monte Cristo Valley | 8.9 | 7.1 | 7.1 | -20.2 | -20.2 |
| 137A | Big Smoky Valley | 7.7 | 7.0 | 6.9 | -9.1 | -10.4 |
| 137B | Big Smoky Valley | 11.4 | 12.6 | 11.9 | 10.5 | 4.4 |
| 138 | Grass Valley | 13.4 | 12.7 | 11.9 | -5.2 | -11.2 |

Appendix 5. Estimates of annual precipitation for hydrographic areas in Nevada based on PRISM and Hardman maps, and associated percent differences—Continued

| Hydrographic area number ¹ | Hydrographic area name | Hardman average annual precipitation, in inches | PRISM 1961-1990 average annual precipitation, in inches | PRISM 1971-2000 average annual precipitation, in inches | (PRISM 1961-1990) minus Hardman, as percent of Hardman | (PRISM 1971-2000) minus Hardman, as percent of Hardman |
|---------------------------------------|-------------------------|---|---|---|--|--|
| 139 | Kobeh Valley | 13.0 | 12.3 | 11.7 | -5.4 | -10.0 |
| 140A | Monitor Valley | 14.1 | 12.8 | 12.1 | -9.2 | -14.2 |
| 140B | Monitor Valley | 14.6 | 13.2 | 12.4 | -9.6 | -15.1 |
| 141 | Ralston Valley | 8.4 | 8.0 | 7.7 | -4.8 | -8.3 |
| 142 | Alkali Spring Valley | 6.0 | 5.9 | 6.0 | -1.7 | 0.0 |
| 143 | Clayton Valley | 7.9 | 6.2 | 6.1 | -21.5 | -22.8 |
| 144 | Lida Valley | 8.9 | 6.2 | 6.3 | -30.3 | -29.2 |
| 145 | Stonewall Flat | 6.9 | 5.9 | 6.0 | -14.5 | -13.0 |
| 146 | Sarcobatus Flat | 7.1 | 6.7 | 6.6 | -5.6 | -7.0 |
| 147 | Gold Flat | 7.3 | 8.4 | 8.1 | 15.1 | 11.0 |
| 148 | Cactus Flat | 6.6 | 7.5 | 7.3 | 13.6 | 10.6 |
| 149 | Stone Cabin Valley | 10.2 | 7.5 | 7.2 | -26.5 | -29.4 |
| 150 | Little Fish Lake Valley | 15.7 | 9.9 | 9.7 | -36.9 | -38.2 |
| 151 | Antelope Valley | 13.8 | 10.4 | 10.2 | -24.6 | -26.1 |
| 152 | Stevens Basin | 15.0 | 16.6 | 15.7 | 10.7 | 4.7 |
| 153 | Diamond Valley | 10.8 | 11.8 | 11.7 | 9.3 | 8.3 |
| 154 | Newark Valley | 11.4 | 12.0 | 12.1 | 5.3 | 6.1 |
| 155A | Little Smoky Valley | 11.7 | 8.6 | 8.7 | -26.5 | -25.6 |
| 155B | Little Smoky Valley | 10.3 | 8.7 | 8.8 | -15.5 | -14.6 |
| 155C | Little Smoky Valley | 9.9 | 6.9 | 6.9 | -30.3 | -30.3 |
| 156 | Hot Creek | 10.5 | 7.3 | 7.0 | -30.5 | -33.3 |
| 157 | Kawich Valley | 9.7 | 9.7 | 9.2 | 0.0 | -5.2 |
| 158A | Emigrant Valley | 8.9 | 9.0 | 8.7 | 1.1 | -2.2 |
| 158B | Emigrant Valley | 7.3 | 9.2 | 8.7 | 26.0 | 19.2 |
| 159 | Yucca Flat | 7.2 | 8.4 | 8.0 | 16.7 | 11.1 |
| 160 | Frenchman Flat | 5.6 | 7.2 | 6.7 | 28.6 | 19.6 |
| 161 | Indian Springs Valley | 6.1 | 8.1 | 7.6 | 32.8 | 24.6 |
| 162 | Pahrump Valley | 7.8 | 8.5 | 8.3 | 9.0 | 6.4 |
| 163 | Mesquite Valley | 6.9 | 7.5 | 7.7 | 8.7 | 11.6 |
| 164A | Ivanpah Valley | 6.1 | 6.6 | 7.0 | 8.2 | 14.8 |
| 164B | Ivanpah Valley | 7.4 | 7.5 | 8.1 | 1.4 | 9.5 |
| 165 | Jean Lake Valley | 5.4 | 5.8 | 6.3 | 7.4 | 16.7 |
| 166 | Hidden Valley | 5.4 | 6.0 | 6.5 | 11.1 | 20.4 |
| 167 | Eldorado Valley | 6.2 | 5.9 | 6.5 | -4.8 | 4.8 |
| 168 | Three Lakes Valley | 5.6 | 8.0 | 8.1 | 42.9 | 44.6 |
| 169A | Tikapoo Valley | 8.0 | 9.0 | 9.0 | 12.5 | 12.5 |
| 169B | Tikapoo Valley | 6.0 | 7.6 | 7.8 | 26.7 | 30.0 |
| 170 | Penoyer Valley | 9.0 | 8.9 | 8.8 | -1.1 | -2.2 |

6 Evaluation of Precipitation Estimates from PRISM for the 1961–90 and 1971–2000 Data Sets, Nevada

Appendix 5. Estimates of annual precipitation for hydrographic areas in Nevada based on PRISM and Hardman maps, and associated percent differences—Continued

| Hydrographic area number ¹ | Hydrographic area name | Hardman average annual precipitation, in inches | PRISM 1961-1990 average annual precipitation, in inches | PRISM 1971-2000 average annual precipitation, in inches | (PRISM 1961-1990) minus Hardman, as percent of Hardman | (PRISM 1971-2000) minus Hardman, as percent of Hardman |
|---------------------------------------|-------------------------|---|---|---|--|--|
| 171 | Coal Valley | 9.1 | 9.9 | 10.1 | 8.8 | 11.0 |
| 172 | Garden Valley | 9.4 | 11.8 | 12.1 | 25.5 | 28.7 |
| 173A | Railroad Valley | 9.3 | 8.3 | 7.9 | -10.8 | -15.1 |
| 173B | Railroad Valley | 9.5 | 9.5 | 9.8 | 0.0 | 3.2 |
| 174 | Jakes Valley | 12.0 | 12.0 | 12.4 | 0.0 | 3.3 |
| 175 | Long Valley | 11.8 | 12.6 | 13.1 | 6.8 | 11.0 |
| 176 | Ruby Valley | 12.4 | 15.7 | 15.8 | 26.6 | 27.4 |
| 177 | Clover Valley | 11.8 | 13.7 | 13.4 | 16.1 | 13.6 |
| 178A | Butte Valley | 12.3 | 13.4 | 13.4 | 8.9 | 8.9 |
| 178B | Butte Valley | 11.4 | 12.8 | 13.2 | 12.3 | 15.8 |
| 179 | Steptoe Valley | 12.4 | 12.5 | 12.9 | 0.8 | 4.0 |
| 180 | Cave Valley | 13.9 | 14.0 | 14.3 | 0.7 | 2.9 |
| 181 | Dry Lake Valley | 8.9 | 11.0 | 12.0 | 23.6 | 34.8 |
| 182 | Delamar Valley | 8.6 | 10.9 | 11.4 | 26.7 | 32.6 |
| 183 | Lake Valley | 11.0 | 14.3 | 15.3 | 30.0 | 39.1 |
| 184 | Spring Valley | 11.2 | 13.2 | 13.6 | 17.9 | 21.4 |
| 185 | Tippett Valley | 10.0 | 11.6 | 11.7 | 16.0 | 17.0 |
| 186A | Antelope Valley | 11.0 | 11.5 | 11.4 | 4.5 | 3.6 |
| 186B | Antelope Valley | 11.6 | 11.3 | 11.3 | -2.6 | -2.6 |
| 187 | Goshute Valley | 10.8 | 11.2 | 11.2 | 3.7 | 3.7 |
| 188 | Independence Valley | 11.8 | 12.1 | 11.9 | 2.5 | 0.8 |
| 189A | Thousand Springs Valley | 12.9 | 12.4 | 12.0 | -3.9 | -7.0 |
| 189B | Thousand Springs Valley | 12.6 | 12.2 | 12.1 | -3.2 | -4.0 |
| 189C | Thousand Springs Valley | 11.5 | 12.1 | 12.2 | 5.2 | 6.1 |
| 189D | Thousand Springs Valley | 9.9 | 11.5 | 11.7 | 16.2 | 18.2 |
| 190 | Grouse Creek Valley | 10.5 | 14.0 | 14.1 | 33.3 | 34.3 |
| 191 | Pilot Creek Valley | 9.5 | 9.3 | 9.4 | -2.1 | -1.1 |
| 192 | Great Salt Lake Desert | 9.5 | 9.9 | 9.8 | 4.2 | 3.2 |
| 193 | Deep Creek Valley | 8.9 | 11.9 | 12.1 | 33.7 | 36.0 |
| 194 | Pleasant Valley | 13.5 | 14.7 | 14.8 | 8.9 | 9.6 |
| 195 | Snake Valley | 11.5 | 14.0 | 14.4 | 21.7 | 25.2 |
| 196 | Hamlin Valley | 9.6 | 13.3 | 13.8 | 38.5 | 43.8 |
| 197 | Escalante Desert | 10.8 | 16.0 | 17.0 | 48.1 | 57.4 |
| 198 | Dry Valley | 11.1 | 14.0 | 15.3 | 26.1 | 37.8 |
| 199 | Rose Valley | 8.6 | 12.7 | 14.2 | 47.7 | 65.1 |
| 200 | Eagle Valley | 10.3 | 14.6 | 15.9 | 41.7 | 54.4 |
| 201 | Spring Valley | 12.7 | 17.0 | 18.2 | 33.9 | 43.3 |
| 202 | Patterson Valley | 10.0 | 14.1 | 16.0 | 41.0 | 60.0 |

Appendix 5. Estimates of annual precipitation for hydrographic areas in Nevada based on PRISM and Hardman maps, and associated percent differences—Continued

| Hydrographic area number ¹ | Hydrographic area name | Hardman average annual precipitation, in inches | PRISM 1961-1990 average annual precipitation, in inches | PRISM 1971-2000 average annual precipitation, in inches | (PRISM 1961-1990) minus Hardman, as percent of Hardman | (PRISM 1971-2000) minus Hardman, as percent of Hardman |
|---------------------------------------|--------------------------|---|---|---|--|--|
| 203 | Panaca Valley | 8.6 | 12.6 | 14.0 | 46.5 | 62.8 |
| 204 | Clover Valley | 9.4 | 14.9 | 15.5 | 58.5 | 64.9 |
| 205 | Lower Meadow Valley Wash | 6.7 | 9.6 | 10.1 | 43.3 | 50.7 |
| 206 | Kane Springs Valley | 6.1 | 10.8 | 11.1 | 77.0 | 82.0 |
| 207 | White River Valley | 10.3 | 11.3 | 11.9 | 9.7 | 15.5 |
| 208 | Pahroc Valley | 8.9 | 10.3 | 10.9 | 15.7 | 22.5 |
| 209 | Pahranagat Valley | 7.6 | 9.0 | 9.2 | 18.4 | 21.1 |
| 210 | Coyote spring Valley | 5.4 | 7.2 | 7.5 | 33.3 | 38.9 |
| 211 | Three Lakes Valley | 6.8 | 8.1 | 8.1 | 19.1 | 19.1 |
| 212 | Las Vegas Valley | 6.1 | 7.3 | 7.7 | 19.7 | 26.2 |
| 213 | Colorado Valley | 7.5 | 5.4 | 5.9 | -28.0 | -21.3 |
| 214 | Piute Valley | 7.6 | 7.1 | 7.8 | -6.6 | 2.6 |
| 215 | Black Mountains Area | 5.9 | 5.2 | 5.7 | -11.9 | -3.4 |
| 216 | Garnet Valley | 5.0 | 5.8 | 6.2 | 16.0 | 24.0 |
| 217 | Hidden Valley | 5.0 | 6.8 | 7.2 | 36.0 | 44.0 |
| 218 | California Wash | 5.0 | 5.5 | 6.1 | 10.0 | 22.0 |
| 219 | Muddy River Springs Area | 5.0 | 5.3 | 5.8 | 6.0 | 16.0 |
| 220 | Lower Moapa Valley | 5.0 | 5.4 | 6.0 | 8.0 | 20.0 |
| 221 | Tule Desert | 5.8 | 12.3 | 12.0 | 112.1 | 106.9 |
| 222 | Virgin River Valley | 6.5 | 9.0 | 9.4 | 38.5 | 44.6 |
| 223 | Gold Butte Area | 7.6 | 6.4 | 7.0 | -15.8 | -7.9 |
| 224 | Greasewood Basin | 7.8 | 7.7 | 8.4 | -1.3 | 7.7 |
| 225 | Mercury Valley | 5.3 | 7.1 | 6.3 | 34.0 | 18.9 |
| 226 | Rock Valley | 5.1 | 6.0 | 5.4 | 17.6 | 5.9 |
| 227A | Fortymile Canyon | 5.8 | 6.7 | 6.3 | 15.5 | 8.6 |
| 227B | Fortymile Canyon | 9.2 | 12.2 | 11.0 | 32.6 | 19.6 |
| 228 | Oasis Valley | 8.0 | 9.1 | 8.5 | 13.8 | 6.3 |
| 229 | Crater Flat | 5.6 | 5.4 | 5.4 | -3.6 | -3.6 |
| 230 | Amargosa Desert | 6.1 | 4.7 | 4.7 | -23.0 | -23.0 |
| 231 | Grapevine Canyon | 8.3 | 7.1 | 7.1 | -14.5 | -14.5 |
| 232 | Oriental Wash | 9.6 | 6.5 | 6.6 | -32.3 | -31.3 |

¹ Rush, F.E., 1968, Index of hydrographic areas in Nevada: Nevada Division of Water resources, Information Report 6, 38 p.