

**UNDERGROUND TEST AREA SUBPROJECT
PHASE I DATA ANALYSIS TASK**

VOLUME IV

**HYDROLOGIC PARAMETER DATA
DOCUMENTATION PACKAGE**

IT CORPORATION
4330 South Valley View Boulevard, Suite 114
Las Vegas, Nevada 89103

September 1996

Appendix A
Hydrologic Parameter Data Set

This Appendix contains the data set that was used to estimate HSU hydraulic conductivities (K) and transmissivities (T). The K and T values in this data set are based on the results of various aquifer tests that have been performed in the Death Valley Basin over a period of decades. There are 989 individual data records and more than 70 data sources provided in the reference list. Aquifer testing techniques that have been used to determine the K and T values presented here include pumping tests, injection tests, recovery tests, bail-down tests, swab tests, and slug tests. For each test, data were analyzed by methods deemed technically most appropriate for the type of test conducted and the field conditions. Fields in this database identify site location, test depth interval, HSU, test type and analysis method, data qualifiers, K, T, data reference, and data source. Each database field is described below, and a printout of the complete database follows. A reference list appended at the end of the database provides complete citations for each reference or source document cited. A cross reference for the citation and the IT library number is also included.

Rec #	Record number in the database
Site ID	Unique site identifier (may or may not be a USGS ID)
Site name	Common well or hole name. REDBOOK reporting name for wells on the NTS.
utm_north	Site north coordinate in UTM, Zone 11
utm_east	Site east coordinate in UTM, Zone 11
DDE_F	Data documentation evaluation flag, defined in the documentation package
LSE	Land surface elevation
TOI Depth	Depth to the top of the tested interval
BOI Depth	Depth to the bottom of the tested interval

HSU Hydrostratigraphic unit tested. HSU codes are provided in the hydrostratigraphic unit organization table provided in the documentation package.

test_type Type of test conducted

Pump pumping test
inj injection test
rec recovery test
swab swab test
bail bailing test
slug slug test

anal_meth Method used to analyze test data

DQE_F Data quality evaluation flag. Flags are defined in the documentation package.

L low quality
M medium quality
H high quality

T Transmissivity of tested interval

K_Qual Hydraulic conductivity qualifier

est estimated
appx approximate
rang range
< less than

K Hydraulic conductivity of tested interval

refer_doc Reference document (Numbers are IT Las Vegas library tracking numbers.)

source_doc Source document for data

Rec #	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TDI Depth	BOI Depth	Thickness	K	K x b = T	well_ave	HSU	test_type	analysis_meth	DOE_F	T	K	refer_doc	source_doc
1	07N03-14abc	686157.26	5	70.1	132.59	62.48	5.80E-01	3.62E+01	LCA	pump	specific capacity	3.62E+01	5.80E-01	4923						
2	07N03-14abc	686157.26	5	70.1	132.59	62.48	5.80E-01	3.62E+01	LCA	pump	drawdown	2.23E+02	3.57E+00	4923						
3	08N03-24aaa	4266053.20	4	48.77	103.63	54.86	4.58E+00	2.51E+02	LCA	pump	specific capacity	2.51E+02	4.58E+00	4923						
4	16S07-09add	4057503.43	5	109.73	128.02	18.29	2.03E+00	3.71E+01	LCA	pump	specific capacity	3.71E+01	2.03E+00	4923						
5	16S06-08 (#2)	4048740.47	5	16.46	175.26	158.8	1.23E+00	1.96E+02	LCA	pump	specific capacity	1.96E+02	1.23E+00	4923						
6	16S08-14a (DR1)	4046912.86	4	265.18	283.46	18.29	1.63E+00	2.98E+01	LCA	pump	specific capacity	2.98E+01	1.63E+00	4923						
7	16S08-14a (DR1)	4046912.86	4	265.18	283.46	18.29	1.63E+00	2.98E+01	LCA	pump	drawdown	1.40E+00	1.40E+00	4923						
8	16S08-14a (DR1)	4046912.86	4	265.18	283.46	18.29	1.63E+00	2.98E+01	LCA	pump	drawdown	1.40E+00	1.40E+00	4923						
9	17S050-23bbb	4035540.64	4	0.00	42.67	42.67	8.06E+00	3.44E+02	LCA	pump	specific capacity	3.44E+02	8.06E+00	4923						
10	17S050-23bbb	4035540.64	4	0.00	42.67	42.67	8.06E+00	3.44E+02	LCA	pump	specific capacity	3.44E+02	8.06E+00	4923						
11	18S03-34caa	4023577.88	5	229.82	387.28	137.46	3.58E+02	4.92E+00	LCA	pump	specific capacity	4.92E+00	3.58E+02	4923						
12	22N07-25cdd	4399842.05	6	146.30	177.70	31.39	5.62E-01	1.78E+01	LCA	pump	specific capacity	1.78E+01	5.62E-01	4923						
13	23S060-24bbb	3978338.09	5	164.59	213.36	48.77	6.10E-02	2.97E+00	LCA	pump	specific capacity	2.97E+00	6.10E-02	4923						
14	23S061-09bbb	3981291.77	6	121.92	158.50	36.58	6.86E-01	2.51E+01	LCA	pump	specific capacity	2.51E+01	6.86E-01	4923						
15	36N02-18	4540851.76	5	42.67	67.06	24.38	3.05E-01	7.43E+00	LCA	pump	specific capacity	7.43E+00	3.05E-01	4923						
16	37N03-06BBA	4654518.03	6	169.16	181.36	12.19	3.05E-01	3.72E+00	LCA	pump	specific capacity	3.72E+00	3.05E-01	4923						
17	Adobe Federal 19-1	4208938.44	5	1153.67	1197.86	44.20	7.36E-01	3.25E+01	LCA	DST	Horner	1.21E+00	7.36E-01	4923						
18	Adobe Federal 19-1	4208938.44	5	1153.67	1197.86	44.20	7.36E-01	3.25E+01	LCA	DST	Horner	1.21E+00	7.36E-01	4923						
19	22 Amargosa Expl. Hole #3	4043545.73	5	733.23	182.62	188.72	6.10	4.98E-03	AA	INJ	Laboratory	8.16E+04	8.16E+04	1513						
20	22 Amargosa Expl. Hole #3	4043545.73	5	733.23	182.62	188.72	6.10	4.98E-03	AA	INJ	Laboratory	8.16E+04	8.16E+04	1513						
21	22 Amargosa Expl. Hole #3	4043545.73	5	733.23	182.62	188.72	6.10	4.98E-03	AA	INJ	Laboratory	8.16E+04	8.16E+04	1513						
22	24 Amargosa Tracer Hole #1	4043609.21	5	733.23	211.89	228.66	16.77	1.93E-01	LCA	INJ	specific capacity	3.23E+02	1.93E+01	1513						
23	21 Amargosa Tracer Hole #2	4043530.57	5	731.71	225.00	236.28	11.28	3.08E-02	LCA	INJ	specific capacity	3.48E+03	3.08E+02	1513						
24	23 Amargosa Tracer Hole #3	4043593.74	5	732.32	189.02	246.04	57.01	2.62E-01	LCA	INJ	specific capacity	1.49E+03	1.49E+03	1513						
25	27 Army #1 Water Well	4049799.34	3	961.59	239.33	356.10	116.77	4.15E+00	LCA	PUMP	Cooper - Jacob	2.18E+00	4.15E+00	0100						
26	27 Army #1 Water Well	4049799.34	3	961.59	239.33	356.10	116.77	4.15E+00	LCA	REC	Cooper - Jacob	1.07E+03	9.15E+00	0100						
27	27 Army #1 Water Well	4049799.34	3	961.59	239.33	356.10	116.77	4.15E+00	LCA	REC	Cooper - Jacob	1.07E+03	9.15E+00	0100						
28	27 Army #1 Water Well	4049799.34	3	961.00	414.63	592.99	178.35	1.20E+00	LCA	PUMP	Cooper - Jacob	2.14E+02	1.20E+00	IT files						
29	27 Army #1 Water Well	4049799.34	3	961.00	414.63	592.99	178.35	1.20E+00	LCA	PUMP	Cooper - Jacob	2.14E+02	1.20E+00	IT files						
30	27 Army #1 Water Well	4049799.34	3	961.00	414.63	592.99	178.35	1.20E+00	LCA	PUMP	Cooper - Jacob	2.14E+02	1.20E+00	IT files						
31	27 Army #1 Water Well	4049799.34	3	961.00	414.63	592.99	178.35	1.20E+00	LCA	PUMP	Cooper - Jacob	2.14E+02	1.20E+00	IT files						
32	27 Army #1 Water Well	4049799.34	3	961.00	414.63	592.99	178.35	1.20E+00	LCA	PUMP	Cooper - Jacob	2.14E+02	1.20E+00	IT files						
33	27 Army #1 Water Well	4049799.34	3	961.00	414.63	592.99	178.35	1.20E+00	LCA	PUMP	Cooper - Jacob	2.14E+02	1.20E+00	IT files						
34	Bacon Flat 1	4258942.12	5	1620.01	1629.46	9.45	4.13E-02	3.90E-01	LCA	DST	Horner	3.90E-01	4.13E-02	4923						
35	Bacon Flat 5	4258942.12	5	1705.36	1766.32	60.96	9.45E-05	5.76E-03	LCA	DST	Horner	5.76E-03	9.45E-05	4923						
36	121 CE-DT-4	4074032.58	4	662.50	15.24	203.96	188.72	1.86E+04	LCA	PUMP	Cooper - Jacob	1.86E+04	9.85E-01	2726						
37	120 CE-DT-5	4073972.59	4	661.28	106.71	191.46	84.76	2.74E+02	LCA	PUMP	Cooper - Jacob	2.74E+02	1.86E+04	2726						
38	120 CE-DT-5	4073972.59	4	661.28	106.71	191.46	84.76	2.74E+02	LCA	PUMP	Cooper - Jacob	2.74E+02	1.86E+04	2726						
39	120 CE-DT-5	4073972.59	4	661.28	106.71	191.46	84.76	2.74E+02	LCA	PUMP	Cooper - Jacob	2.74E+02	1.86E+04	2726						
40	120 CE-DT-5	4073972.59	4	661.28	106.71	191.46	84.76	2.74E+02	LCA	PUMP	Cooper - Jacob	2.74E+02	1.86E+04	2726						
41	118 CE-DT-6	4071193.18	4	693.60	139.33	284.76	145.43	8.31E+00	LCA	PUMP	Cooper - Jacob	1.21E+03	8.31E+00	2726						
42	118 CE-DT-6	4071193.18	4	693.60	139.33	284.76	145.43	8.31E+00	LCA	PUMP	Cooper - Jacob	1.21E+03	8.31E+00	2726						
43	118 CE-DT-6	4071193.18	4	693.60	139.33	284.76	145.43	8.31E+00	LCA	PUMP	Cooper - Jacob	1.21E+03	8.31E+00	2726						
44	118 CE-DT-6	4071193.18	4	693.60	139.33	284.76	145.43	8.31E+00	LCA	PUMP	Cooper - Jacob	1.21E+03	8.31E+00	2726						
45	118 CE-DT-6	4071193.18	4	693.60	139.33	284.76	145.43	8.31E+00	LCA	PUMP	Cooper - Jacob	1.21E+03	8.31E+00	2726						
46	123 CE-VF-2	4082713.11	4	752.13	184.15	372.26	188.11	1.48E+01	LCA	PUMP	Cooper - Jacob	2.79E+02	1.48E+01	3218						
47	123 CE-VF-2	4082713.11	4	752.13	184.15	372.26	188.11	1.48E+01	LCA	PUMP	Cooper - Jacob	2.79E+02	1.48E+01	3218						
48	123 CE-VF-2	4082713.11	4	752.13	184.15	372.26	188.11	1.48E+01	LCA	PUMP	Cooper - Jacob	2.79E+02	1.48E+01	3218						
49	123 CE-VF-2	4082713.11	4	752.13	184.15	372.26	188.11	1.48E+01	LCA	PUMP	Cooper - Jacob	2.79E+02	1.48E+01	3218						
50	123 CE-VF-2	4082713.11	4	752.13	184.15	372.26	188.11	1.48E+01	LCA	PUMP	Cooper - Jacob	2.79E+02	1.48E+01	3218						
51	127 CL-VF-T-1A	4186229.94	5	1562.50	338.72	400.91	62.20	4.78E+00	AA	pump	Neuman	6.58E+00	4.78E+00	3218						
52	127 CL-VF-T-1A	4186229.94	5	1562.50	338.72	400.91	62.20	4.78E+00	AA	pump	Neuman	6.58E+00	4.78E+00	3218						
53	127 CL-VF-T-1A	4186229.94	5	1562.50	338.72	400.91	62.20	4.78E+00	AA	pump	Neuman	6.58E+00	4.78E+00	3218						
54	127 CL-VF-T-1A	4186229.94	5	1562.50	338.72	400.91	62.20	4.78E+00	AA	pump	Neuman	6.58E+00	4.78E+00	3218						
55	122 Coyote Springs Val	4074122.86	5	661.59	106.71	191.46	84.76	2.74E+02	LCA	pump	Cooper - Jacob	1.49E+02	2.32E+04	3218						
56	122 Coyote Springs Val	4074122.86	5	661.59	106.71	191.46	84.76	2.74E+02	LCA	pump	Cooper - Jacob	1.49E+02	2.32E+04	3218						
57	119 CSV-2	4072746.49	4	666.46	119.21	145.73	26.52	5.61E+00	LCA	PUMP	Cooper - Jacob	3.46E+00	5.61E+00	2726						
58	119 CSV-2	4072746.49	4	666.46	119.21	145.73	26.52	5.61E+00	LCA	PUMP	Cooper - Jacob	3.46E+00	5.61E+00	2726						
59	119 CSV-2	4072746.49	4	666.46	119.21	145.73	26.52	5.61E+00	LCA	PUMP	Cooper - Jacob	3.46E+00	5.61E+00	2726						
60	119 CSV-2	4072746.49	4	666.46	119.21</															

Res#	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TOI	Depth	BOI	Depth	Thickness	K	K x b = T	wellave	HSU	testtype	analysis_meth	DQE_F	T	K	refer_doc	source_doc
68	DOC	Federal 5-18	4238854.06	601489.88	5	1728.52	1744.98	16.46	1728.52	1744.98	16.46	4.74E-01	7.80E+00	1.07E+00	LCA	DST	Horner	L	7.80E+00	4.74E-01	4923	1020
69	114	DR-1	4046912.86	642194.31	4	1091.16	265.24	18.29	265.24	263.54	18.29	1.95E+01	1.07E+00	1.07E+00	LCA	pump	Thesis Recovery	L	1.07E+00	1.07E+00	IT files	3142
70	114	DR-1	4046912.86	642194.31	4	1091.16	265.24	18.29	265.24	263.54	18.29	4.07E-01	7.45E+00	1.44E+01	LCA	pump	Thesis Recovery	L	7.45E+00	4.07E-01	IT files	3142
71	60	ER-6-1	4093417.31	589617.46	2	1201.22	554.57	94.51	554.57	649.09	94.51	2.08E+01	1.97E+03	1.97E+03	LCA	Pump	Cooper - Jacob	M	1.97E+03	2.08E+01	IT files	USGS files
72	60	ER-6-1	4093417.31	589617.46	2	1201.22	554.57	94.51	554.57	649.09	94.51	5.72E+00	5.41E+02	5.41E+02	LCA	Pump	Cooper - Jacob	M	5.41E+02	5.72E+00	IT files	USGS files
73	60	ER-6-1	4093417.31	589617.46	2	1201.22	554.57	94.51	554.57	649.09	94.51	1.15E+00	1.09E+02	1.09E+02	LCA	Pump	Cooper - Jacob	M	1.09E+02	1.15E+00	IT files	USGS files
74	60	ER-6-1	4093417.31	589617.46	2	1201.22	554.57	94.51	554.57	649.09	94.51	1.36E+01	1.29E+03	1.29E+03	LCA	Pump	Thesis	M	1.29E+03	1.36E+01	IT files	USGS files
75	60	ER-6-1	4093417.31	589617.46	2	1201.22	554.57	94.51	554.57	649.09	94.51	7.90E-01	7.46E+01	7.46E+01	LCA	Pump	Thesis	L	7.46E+01	7.90E-01	IT files	USGS files
76	60	ER-6-1	4093417.31	589617.46	2	1201.22	554.57	94.51	554.57	649.09	94.51	5.47E+01	5.17E+03	5.17E+03	LCA	rec	Cooper - Jacob	M	5.17E+03	5.47E+01	IT files	USGS files
77	60	ER-6-1	4093417.31	589617.46	2	1201.22	554.57	94.51	554.57	649.09	94.51	4.27E+00	4.04E+02	4.04E+02	LCA	rec	Cooper - Jacob	M	4.04E+02	4.27E+00	IT files	USGS files
78	60	ER-6-1	4093417.31	589617.46	2	1201.22	554.57	94.51	554.57	649.09	94.51	3.04E+00	2.87E+02	2.87E+02	LCA	rec	Cooper - Jacob	L	2.87E+02	3.04E+00	IT files	USGS files
79	122	Garden Valley	4074122.86	687993.63	5	1562.81	244.82	315.24	244.82	560.06	315.24	1.18E-01	3.72E+01	1.18E-01	AA	pump	Neuman	M	3.72E+01	1.18E-01	3218	
80	128	GN-IO-1	4209242.09	626637.36	5	1699.70	250.00	308.23	250.00	308.23	308.23	1.92E+01	1.12E+03	1.92E+01	AA	pump	Thesis	M	1.12E+03	1.92E+01	3218	
81	128	GN-IO-1	4209242.09	626637.36	5	1699.70	250.00	308.23	250.00	308.23	308.23	2.08E+01	1.21E+03	2.08E+01	AA	pump	Thesis	M	1.21E+03	2.08E+01	3218	
82	128	GN-IT-2	4209242.09	626637.36	5	1699.70	182.93	295.73	182.93	295.73	112.80	2.64E+00	2.97E+02	6.67E+00	AA	pump	Cooper - Jacob	M	2.97E+02	2.64E+00	3218	
83	128	GN-IT-2	4209242.09	626637.36	5	1699.70	182.93	295.73	182.93	295.73	112.80	1.21E+03	1.21E+03	1.21E+03	AA	pump	Thesis	M	1.21E+03	1.21E+03	3218	
84	Grant	Canyon 1	4257884.77	624170.17	5	1392.88	1353.62	30.78	1353.62	30.78	2.57E+02	7.91E-01	1.39E+00	1.69E-01	LCA	DST	Horner	L	7.91E-01	2.57E+02	4923	1020
85	Grant	Canyon 3	4257884.77	624170.17	5	1392.88	1353.62	30.78	1353.62	30.78	2.57E+02	7.91E-01	1.39E+00	1.69E-01	LCA	DST	Horner	L	7.91E-01	2.57E+02	4923	1020
86	Grant	Canyon 4	4257490.06	624551.78	5	1229.56	1237.79	8.23	1237.79	8.23	5.76E+00	4.74E+01	4.74E+01	5.76E+00	LCA	DST	Horner	L	4.74E+01	5.76E+00	4923	1020
87	Grant	Canyon 5	4256955.56	623981.20	5	1396.23	1416.71	30.48	1416.71	30.48	1.40E+00	4.27E+01	4.27E+01	1.40E+00	LCA	DST	Horner	L	4.27E+01	1.40E+00	4923	1020
88	131	HC-S-O-2	4244872.46	568737.93	5	1679.27	86.59	132.01	86.59	132.01	45.43	3.27E+00	1.49E+02	8.79E+00	AA	pump	Neuman	M	1.49E+02	3.27E+00	3218	
89	131	HC-S-O-2	4244872.46	568737.93	5	1679.27	86.59	132.01	86.59	132.01	45.43	1.86E+01	8.48E+02	8.48E+02	AA	pump	Thesis	M	8.48E+02	1.86E+01	3218	
90	131	HC-S-T-2	4244872.46	568737.93	5	1683.54	99.09	147.87	99.09	147.87	48.78	4.76E+00	3.32E+02	3.32E+02	AA	pump	Thesis	M	3.32E+02	4.76E+00	3218	
91	132	HC-SO-1	4259377.73	568784.61	5	1708.23	73.17	140.24	73.17	140.24	73.17	1.77E+03	1.80E+01	1.80E+01	AA	pump	Neuman	M	1.77E+03	1.77E+03	3218	
92	132	HC-SO-1	4259377.73	568784.61	5	1708.23	73.17	140.24	73.17	140.24	73.17	1.12E+01	7.53E+02	7.53E+02	AA	pump	Thesis	M	7.53E+02	1.12E+01	3218	
93	11	HTH-1	4275397.78	568542.74	4	1832.00	213.00	259.00	213.00	259.00	46.00	3.15E-01	1.62E+01	8.89E-02	AA	SWAB	Cooper/Bredhoeft/M	M	1.62E+01	3.15E-01	1485	2729/190
94	11	HTH-1	4275397.78	568542.74	4	1832.00	290.00	351.00	290.00	351.00	61.00	5.09E-02	3.11E+00	5.09E-02	AA	SWAB	Cooper/Bredhoeft/M	M	3.11E+00	5.09E-02	1485	2729/190
95	11	HTH-1	4275397.78	568542.74	4	1832.00	427.00	457.00	427.00	457.00	30.00	1.99E-02	5.96E-01	1.99E-02	AA	SWAB	Cooper/Bredhoeft/M	M	5.96E-01	1.99E-02	1485	2729/190
96	11	HTH-1	4275397.78	568542.74	4	1832.00	506.00	524.00	506.00	524.00	18.00	4.07E-03	7.33E-02	4.07E-03	AA	SWAB	Cooper/Bredhoeft/M	M	7.33E-02	4.07E-03	1485	2729/190
97	11	HTH-1	4275397.78	568542.74	4	1832.00	564.00	601.00	564.00	601.00	40.00	2.05E-03	8.20E-02	2.05E-03	AA	SWAB	Cooper/Bredhoeft/M	M	8.20E-02	2.05E-03	1485	2729/190
98	11	HTH-1	4275397.78	568542.74	4	1832.00	671.00	704.00	671.00	704.00	30.00	1.86E-03	6.21E-05	1.86E-03	AA	SWAB	Cooper/Bredhoeft/M	M	6.21E-05	1.86E-03	1485	2729/190
99	11	HTH-1	4275397.78	568542.74	4	1832.62	168.60	350.61	168.60	350.61	182.01	5.60E-01	1.02E+02	5.60E-01	LCA	PUMP	Leaky-artesian	M	1.02E+02	5.60E-01	0190	1485
100	11	HTH-1	4275397.78	568542.74	4	1832.00	895.00	826.00	895.00	826.00	21.00	5.68E-02	1.19E+00	5.68E-02	TS	SWAB	Cooper/Bredhoeft/M	M	1.19E+00	5.68E-02	1485	2729/190
101	11	HTH-1	4275397.78	568542.74	4	1832.00	899.00	917.00	899.00	917.00	18.00	2.69E-01	4.85E+00	2.69E-01	TS	SWAB	Cooper/Bredhoeft/M	M	4.85E+00	2.69E-01	1485	2729/190
102	11	HTH-1	4275397.78	568542.74	4	1832.00	731.00	750.00	731.00	750.00	19.00	1.77E-02	3.35E-01	1.77E-02	VU	SWAB	Cooper/Bredhoeft/M	M	3.35E-01	1.77E-02	1485	2729/190
103	9	HTH-21-1	4271115.80	580377.29	4	1787.00	1109.00	1167.00	1109.00	1167.00	58.00	2.98E-01	1.73E+01	2.98E-01	VU	SWAB	Cooper/Bredhoeft/L	L	1.73E+01	2.98E-01	1485	2668
104	9	HTH-21-1	4271115.80	580377.29	4	1787.00	1358.00	1416.00	1358.00	1416.00	58.00	3.98E-01	2.31E+01	3.98E-01	VU	SWAB	Cooper/Bredhoeft/L	L	2.31E+01	3.98E-01	1485	2668
105	9	HTH-21-1	4271115.80	580377.29	4	1787.00	1418.00	1468.00	1418.00	1468.00	50.00	2.76E-01	1.38E+01	2.76E-01	VU	SWAB	Cooper/Bredhoeft/L	L	1.38E+01	2.76E-01	1485	2668
106	9	HTH-21-1	4271115.80	580377.29	4	1787.00	1471.00	1528.00	1471.00	1528.00	57.00	1.21E-02	6.91E-01	1.21E-02	VU	SWAB	Cooper/Bredhoeft/L	L	6.91E-01	1.21E-02	1485	2668
107	9	HTH-21-1	4271115.80	580377.29	4	1787.00	1535.00	1593.00	1535.00	1593.00	58.00	3.98E-01	2.31E+01	3.98E-01	VU	SWAB	Cooper/Bredhoeft/L	L	2.31E+01	3.98E-01	1485	2668
108	9	HTH-21-1	4271115.80	580377.29	4	1787.00	1608.00	1699.00	1608.00	1699.00	91.00	1.50E-07	1.37E+05	1.50E-07	VU	SWAB	Cooper/Bredhoeft/L	L	1.37E+05	1.50E-07	1485	2668
109	9	HTH-21-1	4271115.80	580377.29	4	1787.00	1703.00	1760.00	1703.00	1760.00	57.00	1.22E-05	6.95E-04	1.22E-05	VU	SWAB	Cooper/Bredhoeft/L	L	6.95E-04	1.22E-05	1485	2668
110	9	HTH-21-1	4271115.80	580377.29	4	1787.00	695.00	707.00	695.00	707.00	12.00	1.93E+00	2.31E+01	1.93E+00	VU	SWAB	Cooper/Bredhoeft/L	L	2.31E+01	1.93E+00	1485	2668
111	9	HTH-21-1	4271115.80	580377.29	4	1787.00	710.00	749.00	710.00	749.00	39.00	5.93E-01	2.31E+01	5.93E-01	VU	SWAB	Cooper/Bredhoeft/L	L	2.31E+01	5.93E-01	1485	2668
112	9	HTH-21-1	4271115.80	580377.29	4	1787.00	695.00	707.00	695.00	707.00	12.00	2.99E-02	2.87E+01	2.99E-02	VU	INJ	Cooper/Bredhoeft/L	L	2.87E+01	2.99E-02	2668	1485
113	3	HTH-23	4262246.59	585203.09	4	1766.00	1413.00	1486.00	1413.00	1486.00	73.00	3.97E-03	2.90E-01	3.97E-03	VU	INJ	Cooper/Bredhoeft/L	L	2.90E-01	3.97E-03	2728	14

Rec #	Site ID	Site Name	utm_north	utm_east	DOD.F	LSE	TOI Depth	BOI Depth	Thickness	K	K x b = T	well_ave	HSU	test_type	analysis_meth	DOE.F	T	K	refer_doc	source_doc
135	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	585.00	646.00	61.00	9.02E-03	5.50E-01	5.50E-01	WTA	INU	L		5.50E-01	9.02E-03	0009		
136	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	640.00	670.00	30.00	8.80E-02	8.80E-02	8.80E-02	WTA	INU	L		8.80E-02	8.80E-02	0009		
137	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	669.00	699.00	30.00	1.60E-02	4.80E-01	4.80E-01	WTA	INU	L		4.80E-01	1.60E-02	0009		
138	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	719.00	750.00	31.00	3.23E-03	1.00E-01	1.00E-01	WTA	INU	L		1.00E-01	3.23E-03	0009		
139	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	773.00	803.00	30.00	5.67E-03	1.70E-01	1.70E-01	WTA	INU	L		1.70E-01	5.67E-03	0009		
140	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	804.00	1010.00	706.00	1.70E-01	1.70E-01	1.70E-01	WTA	PUMP	M	Stallman's Method	1.70E-01	1.70E-01	0009		
141	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	804.00	823.00	119.00	9.00E-01	9.00E-01	9.00E-01	WTA	PUMP	M	Cooper - Jacob	1.10E+02	9.00E-01	0009		
142	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	804.00	423.00	119.00	1.76E+00	1.76E+00	1.76E+00	WTA	PUMP	M	Cooper - Jacob	2.10E+02	1.76E+00	0009		
143	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	807.00	1010.00	703.00	1.99E-01	1.99E-01	1.99E-01	WTA	PUMP	M	Stallman's Method	1.40E+02	1.99E-01	0009		
144	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	471.00	502.00	31.00	5.81E-02	1.80E+00	1.80E+00	WTA	SWAB	L		1.80E+00	5.81E-02	0009		
145	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	471.00	613.00	142.00	1.34E-02	1.90E+00	1.90E+00	WTA	SWAB	L		1.90E+00	1.34E-02	0009		
146	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	471.00	661.00	190.00	1.53E-02	2.90E+00	2.90E+00	WTA	SWAB	L		2.90E+00	1.53E-02	0009		
147	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	471.00	913.00	442.00	8.82E-02	3.90E+00	3.90E+00	WTA	SWAB	L		3.90E+00	8.82E-02	0009		
148	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	501.00	562.00	61.00	2.62E-02	1.60E+00	1.60E+00	WTA	SWAB	L		1.60E+00	2.62E-02	0009		
149	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	505.00	566.00	61.00	6.07E-03	3.70E-01	3.70E-01	WTA	SWAB	M		6.07E-03	6.07E-03	0009		
150	37 J-13 Water Well	4073549.59	554004.09	3	1011.00	820.00	1083.00	243.00	2.59E-03	6.30E-01	6.30E-01	WTA	SWAB	L		2.59E-03	6.30E-01	0009		
151	37 J-13 Water Well	4073549.59	554004.09	5	1011.00	164.00	184.00	3.00E-07	3.00E-07	0.00E+00	0.00E+00	WTA		L	Laboratory	3.00E-07	3.00E-07	0009		
152	37 J-13 Water Well	4073549.59	554004.09	5	1011.00	206.00	206.00	4.00E-03	4.00E-03	0.00E+00	0.00E+00	WTA		L	Laboratory	4.00E-03	4.00E-03	0009		
153	37 J-13 Water Well	4073549.59	554004.09	5	1011.00	207.00	207.00	2.00E-06	2.00E-06	0.00E+00	0.00E+00	WTA		L	Laboratory	2.00E-06	2.00E-06	0009		
154	37 J-13 Water Well	4073549.59	554004.09	5	1011.00	244.00	244.00	3.00E-06	3.00E-06	0.00E+00	0.00E+00	WTA		L	Laboratory	3.00E-06	3.00E-06	0009		
155	37 J-13 Water Well	4073549.59	554004.09	5	1011.00	335.00	335.00	2.00E-04	2.00E-04	0.00E+00	0.00E+00	WTA		L	Laboratory	2.00E-04	2.00E-04	0009		
156	37 J-13 Water Well	4073549.59	554004.09	5	1011.00	364.00	364.00	8.00E-06	8.00E-06	0.00E+00	0.00E+00	WTA		L	Laboratory	8.00E-06	8.00E-06	0009		
157	37 J-13 Water Well	4073549.59	554004.09	5	1011.00	409.00	409.00	8.00E-07	8.00E-07	0.00E+00	0.00E+00	WTA		L	Laboratory	8.00E-07	8.00E-07	0009		
158	37 J-13 Water Well	4073549.59	554004.09	5	1011.00	432.00	432.00	3.00E-07	3.00E-07	0.00E+00	0.00E+00	WTA		L	Laboratory	3.00E-07	3.00E-07	0009		
159	37 J-13 Water Well	4073549.59	554004.09	3	1011.59	282.93	449.70	166.77	5.07E+00	8.45E+02	8.45E+02	WTA	PUMP	H	Cooper - Jacob	5.07E+00	8.45E+02	0100		
160	37 J-13 Water Well	4073549.59	554004.09	3	1011.59	303.66	1032.01	728.35	1.16E+00	8.45E+02	8.45E+02	WTA	PUMP	H	Cooper - Jacob	1.16E+00	8.45E+02	0183		
161	Lone Tree 1-14-43	4248467.47	619157.87	5	1011.59	1332.59	1350.26	17.68	3.26E-01	5.76E-01	5.76E-01	LCA	DST	H	Homert	3.26E-01	5.76E-01	4923	1020	
162	Pad Shaft	4373164.04	587288.78	4	1775.24	312.42	751.33	438.91	6.77E-01	2.97E+02	2.97E+02	LCA	pump	L	specific capacity	6.77E-01	2.97E+02	4923		
163	Pad Shaft	4373164.04	587288.78	4	1775.24	312.42	751.33	438.91	4.66E-01	2.09E+02	2.09E+02	LCA	pump	M	drawdown	4.66E-01	2.09E+02	4923		
164	Pad Shaft	4373164.04	587288.78	4	1775.24	312.42	751.33	438.91	1.95E+02	1.95E+02	1.95E+02	LCA	pump	M	recovery	1.95E+02	1.95E+02	4923		
165	Pad Shaft	4373164.04	587288.78	4	1775.24	312.42	751.33	438.91	6.77E-01	2.97E+02	2.97E+02	LCA	pump	M	drawdown/recovery	6.77E-01	2.97E+02	4923		
166	PM - 3	4217805.60	558106.40	5	1631.10	92.68	123.48	30.79	7.80E-02	3.72E+01	3.72E+01	TFTC	pump	L	Cooper - Jacob	7.80E-02	3.72E+01	IT files	USGS files	
167	PM - 3	4217805.60	558106.40	4	1775.24	443.90	533.54	89.63	1.45E-01	1.30E+01	1.30E+01	TFTC	pump	L	Cooper - Jacob	1.45E-01	1.30E+01	IT files	USGS files	
168	PM - 3	4217805.60	558106.40	5	1631.10	92.68	123.48	30.79	1.51E+01	4.65E+02	4.65E+02	AA	pump	M	Neuman	1.51E+01	4.65E+02	3218		
169	PM - 3	4217805.60	558106.40	5	1631.10	92.68	123.48	30.79	1.51E+01	4.65E+02	4.65E+02	AA	pump	M	Neuman	1.51E+01	4.65E+02	3218		
170	129 RE-VF-O1	4217805.60	558106.40	5	1631.10	92.68	123.48	30.79	1.51E+01	4.65E+02	4.65E+02	AA	pump	M	Neuman	1.51E+01	4.65E+02	3218		
171	129 RE-VF-O1	4217805.60	558106.40	5	1631.10	92.68	123.48	30.79	1.51E+01	4.65E+02	4.65E+02	AA	pump	M	Neuman	1.51E+01	4.65E+02	3218		
172	129 RE-VF-O1	4217805.60	558106.40	5	1631.10	92.68	123.48	30.79	1.51E+01	4.65E+02	4.65E+02	AA	pump	M	Neuman	1.51E+01	4.65E+02	3218		
173	129 RE-VF-O1	4217805.60	558106.40	5	1631.10	201.22	214.02	12.80	7.26E-01	9.29E+02	9.29E+02	AA	pump	M	Neuman	7.26E-01	9.29E+02	3218		
174	129 RE-VF-O1	4217805.60	558106.40	5	1631.10	201.22	214.02	12.80	8.28E-01	1.06E+03	1.06E+03	AA	pump	M	Neuman	8.28E-01	1.06E+03	3218		
175	129 RE-VF-T1	4217805.60	558106.40	5	1672.26	121.34	200.61	79.27	1.31E+01	1.04E+03	1.04E+03	AA	pump	M	Neuman	1.31E+01	1.04E+03	3218		
176	130 RR-S-O-1	4222801.83	580196.29	5	1526.83	99.09	150.91	51.83	1.97E-01	1.02E+01	1.02E+01	AA	pump	M	Neuman	1.97E-01	1.02E+01	3218		
177	130 RR-S-O-1	4222801.83	580196.29	5	1526.83	99.09	150.91	51.83	3.05E-01	1.58E+03	1.58E+03	AA	pump	M	Neuman	3.05E-01	1.58E+03	3218		
178	133 RR-S-O-2	4287551.84	632224.14	5	1562.81	93.90	176.22	82.32	8.82E+00	7.34E+02	7.34E+02	AA	pump	M	Neuman	8.82E+00	7.34E+02	3218		
179	133 RR-S-O-2	4287551.84	632224.14	5	1562.81	93.90	176.22	82.32	2.26E+01	1.86E+03	1.86E+03	AA	pump	M	Neuman	2.26E+01	1.86E+03	3218		
180	130 RR-S-T-1	4287551.84	632224.14	5	1563.42	84.76	170.73	85.98	3.35E-01	1.58E+03	1.58E+03	AA	pump	M	Neuman	3.35E-01	1.58E+03	3218		
181	133 RR-S-T-2	4287551.84	632224.14	5	1563.42	84.76	170.73	85.98	3.35E-01	1.58E+03	1.58E+03	AA	pump	M	Neuman	3.35E-01	1.58E+03	3218		
182	112 SBH-1	4044462.89	643155.15	4	1059.45	177.13	219.51	42.38	8.12E-01	3.44E-03	3.44E-03	LCA		L	Cooper - Jacob	8.12E-01	3.44E-03	2726	3142	
183	112 SBH-1	4044462.89	643155.15	4	1059.45	177.13	219.51	42.38	1.07E+02	4.95E+03	4.95E+03	LCA		L	Cooper - Jacob	1.07E+02	4.95E+03	IT files	3142	
184	112 SBH-1	4044462.89	643155.15	4	1059.45	177.13	219.51	42.38	2.85E+00	1.21E+02	1.21E+02	LCA		L	Cooper - Jacob	2.85E+00	1.21E+02	IT files	3142	
185	112 SBH-1	4044462.89	643155.15	4	1059.45	177.13	219.51	42.38	1.21E+02	5.11E+03	5.11E+03	LCA		L	Cooper - Jacob	1.21E+02	5.11E+03	IT files	3142	
186	112 SBH-1	4044462.89	643155.15	4	1059.45	177.13	219.51	42.38	2.85E+00	1.21E+02	1.21E+02	LCA		L	Cooper - Jacob	2.85E+00	1.21E+02	IT files		

Rec #	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TOI	Depth	BOI	Depth	Thickness	K	K x b = T	well_ave	HSU	test_type	analysis_meth	DOE_F	T	K	refer_doc	source_doc
202	13 UCe-17		4281240.26	568049.79	4	1995.00	1368.00	1429.00	61.00	2.15E-03	1.31E-01	1.31E-01	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.44E-01	2.15E-03	1485/0190	1485/0190	2729	1485/0190		
203	13 UCe-17		4281240.26	568049.79	4	1995.00	1408.00	1470.00	61.00	1.44E-01	8.76E+00	8.76E+00	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.44E-01	1.44E-01	1485/0190	1485/0190	2729	1485/0190		
204	13 UCe-17		4281240.26	568049.79	4	1995.00	1598.00	1670.00	61.00	4.31E-05	2.63E-03	2.63E-03	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	4.31E-05	4.31E-05	1485/0190	1485/0190	2729	1485/0190		
205	13 UCe-17		4281240.26	568049.79	4	1995.00	1868.00	1930.00	61.00	4.31E-05	2.63E-03	2.63E-03	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	4.31E-05	4.31E-05	1485/0190	1485/0190	2729	1485/0190		
206	13 UCe-17		4281240.26	568049.79	4	1995.00	1960.00	2021.00	61.00	1.39E-05	8.47E-04	8.47E-04	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.39E-05	1.39E-05	1485/0190	1485/0190	2729	1485/0190		
207	13 UCe-17		4281240.26	568049.79	4	1995.00	1960.00	2021.00	61.00	1.39E-05	8.47E-04	8.47E-04	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.39E-05	1.39E-05	1485/0190	1485/0190	2729	1485/0190		
208	13 UCe-17		4281240.26	568049.79	4	1995.00	2056.00	2117.00	61.00	1.08E-03	6.57E-02	6.57E-02	Cooper/Bredhoeft/M	Cooper/Bredhoeft/M	1.08E-03	1.08E-03	1485/0190	1485/0190	2729	1485/0190		
209	13 UCe-17		4281240.26	568049.79	4	1995.00	2056.00	2117.00	61.00	1.08E-03	6.57E-02	6.57E-02	Cooper/Bredhoeft/M	Cooper/Bredhoeft/M	1.08E-03	1.08E-03	1485/0190	1485/0190	2729	1485/0190		
210	13 UCe-17		4281240.26	568049.79	4	1995.00	2149.00	2210.00	61.00	3.92E-04	2.39E-02	2.39E-02	Cooper/Bredhoeft/M	Cooper/Bredhoeft/M	3.92E-04	3.92E-04	1485/0190	1485/0190	2729	1485/0190		
211	13 UCe-17		4281240.26	568049.79	4	1995.00	2215.00	2274.00	61.00	2.87E-05	1.75E-03	1.75E-03	Cooper/Bredhoeft/M	Cooper/Bredhoeft/M	2.87E-05	2.87E-05	1485/0190	1485/0190	2729	1485/0190		
212	13 UCe-17		4281240.26	568049.79	4	1995.00	957.00	1018.00	61.00	4.31E-02	2.63E+00	2.63E+00	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	4.31E-02	4.31E-02	1485/0190	1485/0190	2729	1485/0190		
213	8 UCe-18		4270952.61	570423.78	4	1756.00	1237.00	1277.00	40.00	9.32E-05	3.73E-03	3.73E-03	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	9.32E-05	9.32E-05	1485/0190	1485/0190	2729	1485/0190		
214	8 UCe-18		4270952.61	570423.78	4	1756.00	1238.00	1277.00	39.00	8.21E-03	3.20E-01	3.20E-01	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	8.21E-03	8.21E-03	1485/0190	1485/0190	2729	1485/0190		
215	10 UCe-20		4271868.87	568059.77	4	1756.00	213.00	220.00	7.00	1.43E-03	1.00E-02	1.00E-02	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.43E-03	1.43E-03	1485/0190	1485/0190	2729	1485/0190		
216	10 UCe-20		4271868.87	568059.77	4	1756.00	671.00	677.00	6.00	1.04E-04	6.24E-04	6.24E-04	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.04E-04	1.04E-04	1485/0190	1485/0190	2729	1485/0190		
217	10 UCe-20		4271868.87	568059.77	4	1756.00	1238.00	1277.00	39.00	1.03E-04	4.02E-03	4.02E-03	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.03E-04	1.03E-04	1485/0190	1485/0190	2729	1485/0190		
218	10 UCe-20		4271868.87	568059.77	4	1756.00	1481.00	1502.00	21.00	1.18E-05	2.48E-04	2.48E-04	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.18E-05	1.18E-05	1485/0190	1485/0190	2729	1485/0190		
219	10 UCe-20		4271868.87	568059.77	4	1756.00	1481.00	1618.00	137.00	9.85E-04	1.35E-01	1.35E-01	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	9.85E-04	9.85E-04	1485/0190	1485/0190	2729	1485/0190		
220	10 UCe-20		4271868.87	568059.77	4	1756.00	1481.00	1618.00	137.00	9.85E-04	1.35E-01	1.35E-01	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	9.85E-04	9.85E-04	1485/0190	1485/0190	2729	1485/0190		
221	10 UCe-20		4271868.87	568059.77	4	1756.00	1521.00	1538.00	36.00	1.22E-04	4.38E-03	4.38E-03	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.22E-04	1.22E-04	1485/0190	1485/0190	2729	1485/0190		
222	10 UCe-20		4271868.87	568059.77	4	1756.00	1521.00	1540.00	19.00	1.15E-04	2.19E-03	2.19E-03	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.15E-04	1.15E-04	1485/0190	1485/0190	2729	1485/0190		
223	10 UCe-20		4271868.87	568059.77	4	1756.00	1540.00	1558.00	18.00	7.28E-03	1.31E-01	1.31E-01	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	7.28E-03	7.28E-03	1485/0190	1485/0190	2729	1485/0190		
224	10 UCe-20		4271868.87	568059.77	4	1756.00	1540.00	1618.00	78.00	1.20E-03	9.38E-02	9.38E-02	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.20E-03	1.20E-03	1485/0190	1485/0190	2729	1485/0190		
225	10 UCe-20		4271868.87	568059.77	4	1756.00	1579.00	1618.00	39.00	2.24E-05	8.74E-04	8.74E-04	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	2.24E-05	2.24E-05	1485/0190	1485/0190	2729	1485/0190		
226	10 UCe-20		4271868.87	568059.77	4	1756.00	1625.00	1829.00	204.00	2.15E-01	4.38E-01	4.38E-01	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	2.15E-01	2.15E-01	1485/0190	1485/0190	2729	1485/0190		
227	10 UCe-20		4271868.87	568059.77	4	1756.00	1652.00	1671.00	19.00	1.97E-01	3.75E-01	3.75E-01	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.97E-01	1.97E-01	1485/0190	1485/0190	2729	1485/0190		
228	10 UCe-20		4271868.87	568059.77	4	1756.00	1680.00	1829.00	149.00	1.77E-01	2.63E+00	2.63E+00	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	1.77E-01	1.77E-01	1485/0190	1485/0190	2729	1485/0190		
229	10 UCe-20		4271868.87	568059.77	4	1756.00	1799.00	1829.00	30.00	5.77E-04	1.73E-02	1.73E-02	Cooper/Bredhoeft/L	Cooper/Bredhoeft/L	5.77E-04	5.77E-04	1485/0190	1485/0190	2729	1485/0190		
230	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	7.89E+00	9.91E+02	9.91E+02	Cooper - Jacob	Cooper - Jacob	7.89E+00	7.89E+00	IT files	IT files	2729	1485/0190		
231	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	6.66E+00	8.37E+02	8.37E+02	Cooper - Jacob	Cooper - Jacob	6.66E+00	6.66E+00	IT files	IT files	2729	1485/0190		
232	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	2.15E+01	2.70E+03	2.70E+03	Cooper - Jacob	Cooper - Jacob	2.15E+01	2.15E+01	IT files	IT files	2729	1485/0190		
233	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	1.89E+01	2.32E+03	2.32E+03	Cooper - Jacob	Cooper - Jacob	1.89E+01	1.89E+01	IT files	IT files	2729	1485/0190		
234	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	2.08E+01	2.61E+03	2.61E+03	Cooper - Jacob	Cooper - Jacob	2.08E+01	2.08E+01	IT files	IT files	2729	1485/0190		
235	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	1.96E+01	2.46E+03	2.46E+03	Cooper - Jacob	Cooper - Jacob	1.96E+01	1.96E+01	IT files	IT files	2729	1485/0190		
236	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	1.96E+01	2.46E+03	2.46E+03	Cooper - Jacob	Cooper - Jacob	1.96E+01	1.96E+01	IT files	IT files	2729	1485/0190		
237	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	1.46E+01	1.83E+03	1.83E+03	Cooper - Jacob	Cooper - Jacob	1.46E+01	1.46E+01	IT files	IT files	2729	1485/0190		
238	78 UE-10J		4115643.99	581526.09	2	1394.51	670.12	795.73	125.61	1.46E+01	1.83E+03	1.83E+03	Cooper - Jacob	Cooper - Jacob	1.46E+01	1.46E+01	IT files	IT files	2729	1485/0190		
239	69 UE-16D		4102772.92	574292.64	4	1428.00	25.00	648.00	621.00	3.22E-01	2.00E+02	2.00E+02	Cooper - Jacob	Cooper - Jacob	3.22E-01	3.22E-01	USGS files	USGS files	0042	1485/0190		
240	69 UE-16D		4102772.92	574292.64	4	1428.00	262.00	314.00	52.00	9.62E-02	5.00E+00	5.00E+00	Cooper - Jacob	Cooper - Jacob	9.62E-02	9.62E-02	USGS files	USGS files	0042	1485/0190		
241	69 UE-16D		4102772.92	574292.64	4	1428.00	314.00	366.00	52.00	4.81E-01	2.50E+01	2.50E+01	Cooper - Jacob	Cooper - Jacob	4.81E-01	4.81E-01	USGS files	USGS files	0042	1485/0190		
242	69 UE-16D		4102772.92	574292.64	4	1428.00	399.00	465.00	66.00	3.79E-01	5.06E+02	5.06E+02	Cooper - Jacob	Cooper - Jacob	3.79E-01	3.79E-01	USGS files	USGS files	0042	1485/0190		
243	69 UE-16D		4102772.92	574292.64	4	1428.00	645.43	914.63	269.21	1.88E+00	1.77E+02	1.77E+02	Cooper - Jacob	Cooper - Jacob	1.88E+00	1.88E+00	IT files	IT files	0042	1485/0190		
244	69 UE-16D		4102772.92	574292.64	4	1428.00	645.43	914.63	269.21	1.77E+00	4.77E+02	4.77E+02	Cooper - Jacob	Cooper - Jacob	1.77E+00	1.77E+00	IT files	IT files	0042	1485/0190		
245	69 UE-16D		4102772.92	574292.64	4	1428.00	645.43	914.63	269.21	1.24E+00	3.34E+02	3.34E+02	Cooper - Jacob	Cooper - Jacob	1.24E+00	1.24E+00	IT files	IT files	0042	1485/0190		
246	69 UE-16D		4102772.92	574292.64	4	1428.00	645.43	914.63	269.21	1.23E+00	3.31E+02	3.31E+02	Cooper - Jacob	Cooper - Jacob	1.23E+00	1.23E+00	IT files	IT files	0042	1485/0190		

Rec #	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TOI	Depth	BOI	Depth	Thickness	K	K x b = T	wellave	HSU	testType	analysis_meth	DOE_F	T	K	refer_doc	source_doc
336	45 UE-25a #1		4078316.74	549834.40	5	1199.00	761.00	761.00		761.00	14.00	4.16E-04	0.00E+00		WTA	INU	LABORATORY	M	5.50E+01	4.16E-04	1174	0010
337	46 UE-25b #1		4078421.63	549954.45	3	1200.00	477.00	491.00		477.00	102.00	3.93E-00	1.70E+00		WTA	INU	LABORATORY	L	1.70E+00	1.67E-02	0019	0010
338	46 UE-25b #1		4078421.63	549954.45	3	1200.00	477.00	491.00		477.00	102.00	1.67E-02	1.70E+00		WTA	INU	LABORATORY	L	1.70E+00	1.67E-02	0019	0010
339	46 UE-25b #1		4078421.63	549954.45	3	1200.00	491.00	505.00		491.00	14.00	4.93E-01	6.90E+00		WTA	INU	LABORATORY	L	6.90E+00	4.93E-01	0019	0010
340	46 UE-25b #1		4078421.63	549954.45	3	1200.00	504.00	544.00		504.00	40.00	3.90E-02	1.40E+00		WTA	INU	LABORATORY	L	1.40E+00	3.90E-02	0019	0010
341	46 UE-25b #1		4078421.63	549954.45	3	1200.00	505.00	579.00		505.00	74.00	3.65E-02	2.70E+00		WTA	INU	LABORATORY	L	2.70E+00	3.65E-02	0019	0010
342	46 UE-25b #1		4078421.63	549954.45	3	1200.00	514.00	579.00		514.00	65.00	7.54E-02	4.90E+00		WTA	INU	LABORATORY	L	4.90E+00	7.54E-02	0019	0010
343	46 UE-25b #1		4078421.63	549954.45	3	1200.00	581.00	621.00		581.00	40.00	9.25E-01	3.70E+01		WTA	INU	LABORATORY	L	3.70E+01	9.25E-01	0019	0010
344	46 UE-25b #1		4078421.63	549954.45	3	1200.00	603.00	661.00		603.00	40.00	5.25E-02	2.10E+00		WTA	INU	LABORATORY	L	2.10E+00	5.25E-02	0019	0010
345	46 UE-25b #1		4078421.63	549954.45	3	1200.00	713.00	743.00		713.00	40.00	4.50E-03	1.80E-01		WTA	INU	LABORATORY	L	1.80E-01	4.50E-03	0019	0010
346	46 UE-25b #1		4078421.63	549954.45	3	1200.00	743.00	783.00		743.00	40.00	2.48E-03	9.90E-02		WTA	INU	LABORATORY	L	9.90E-02	2.48E-03	0019	0010
347	46 UE-25b #1		4078421.63	549954.45	3	1200.00	779.00	819.00		779.00	40.00	9.75E-01	3.90E+01		WTA	INU	LABORATORY	L	3.90E+01	9.75E-01	0019	0010
348	46 UE-25b #1		4078421.63	549954.45	3	1200.00	820.00	860.00		820.00	40.00	3.25E-01	1.30E+01		WTA	INU	LABORATORY	L	1.30E+01	3.25E-01	0019	0010
349	46 UE-25b #1		4078421.63	549954.45	3	1200.00	1006.00	1220.00		1006.00	214.00	9.81E-05	2.10E-02		WTA,TCU	INU	LABORATORY	L	2.10E-02	9.81E-05	0019	0010
350	46 UE-25b #1		4078421.63	549954.45	3	1200.00	792.00	1220.00		792.00	428.00	1.14E-01	4.90E+01		WTA,TCU	INU	LABORATORY	L	4.90E+01	1.14E-01	0019	0010
351	46 UE-25b #1		4078421.63	549954.45	3	1200.00	792.00	1220.00		792.00	428.00	1.14E-01	4.90E+01		WTA,TCU	INU	LABORATORY	L	4.90E+01	1.14E-01	0019	0010
352	46 UE-25b #1		4078421.63	549954.45	3	1200.00	471.00	1220.00		471.00	749.00	4.54E-01	6.47E+02		WTA,TCU	PUMP	LABORATORY	L	6.47E+02	4.54E-01	0019	0010
353	46 UE-25b #1		4078421.63	549954.45	3	1200.00	471.00	1220.00		471.00	749.00	8.64E-01	6.47E+02		WTA,TCU	PUMP	LABORATORY	L	6.47E+02	8.64E-01	498	10
354	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1297.00	1308.00		1297.00	11.00	2.73E-01	3.00E+00		LCA	INU	LABORATORY	L	3.00E+00	2.73E-01	0064	0011
355	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1297.00	1337.00		1297.00	40.00	1.25E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.25E-01	0064	0011
356	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1297.00	1337.00		1297.00	40.00	1.75E-02	7.00E-01		LCA	INU	LABORATORY	M	7.00E-01	1.75E-02	0064	0011
357	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1341.00	1381.00		1341.00	40.00	1.25E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.25E-01	0064	0011
358	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1381.00	1421.00		1381.00	40.00	1.25E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.25E-01	0064	0011
359	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1423.00	1463.00		1423.00	40.00	1.25E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.25E-01	0064	0011
360	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1463.00	1509.00		1463.00	46.00	1.09E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.09E-01	0064	0011
361	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1509.00	1555.00		1509.00	46.00	1.09E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.09E-01	0064	0011
362	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1554.00	1600.00		1554.00	46.00	1.09E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.09E-01	0064	0011
363	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1558.00	1605.00		1558.00	247.00	2.02E-02	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	2.02E-02	0064	0011
364	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1597.00	1643.00		1597.00	46.00	1.09E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.09E-01	0064	0011
365	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1643.00	1689.00		1643.00	46.00	1.09E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.09E-01	0064	0011
366	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1646.00	1805.00		1646.00	159.00	1.34E-02	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.34E-02	0064	0011
367	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1689.00	1735.00		1689.00	46.00	1.09E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.09E-01	0064	0011
368	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1735.00	1781.00		1735.00	46.00	1.09E-01	5.00E+00		LCA	INU	LABORATORY	L	5.00E+00	1.09E-01	0064	0011
369	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1795.00	1805.00		1795.00	508.00	2.19E-01	1.11E+02		LCA	PUMP	LABORATORY	M	1.11E+02	2.19E-01	0064	0011
370	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1805.00	1805.00		1805.00	508.00	2.58E-01	1.31E+02		LCA	PUMP	LABORATORY	M	1.31E+02	2.58E-01	0064	0011
371	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1805.00	1805.00		1805.00	508.00	2.19E-01	1.11E+02		LCA	PUMP	LABORATORY	M	1.11E+02	2.19E-01	0064	0011
372	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1805.00	1805.00		1805.00	508.00	2.19E-01	1.11E+02		LCA	PUMP	LABORATORY	M	1.11E+02	2.19E-01	0064	0011
373	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1805.00	1805.00		1805.00	508.00	2.58E-01	1.31E+02		LCA	PUMP	LABORATORY	M	1.31E+02	2.58E-01	0064	0011
374	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1805.00	1805.00		1805.00	508.00	2.19E-01	1.11E+02		LCA	PUMP	LABORATORY	M	1.11E+02	2.19E-01	0064	0011
375	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1805.00	1805.00		1805.00	508.00	2.19E-01	1.11E+02		LCA	PUMP	LABORATORY	M	1.11E+02	2.19E-01	0064	0011
376	41 UE-25p #1		4075662.34	551508.39	3	1114.00	904.00	974.00		904.00	70.00	1.29E-02	9.00E-01		TCU	INU	LABORATORY	L	9.00E-01	1.29E-02	0064	0011
377	41 UE-25p #1		4075662.34	551508.39	3	1114.00	974.00	1044.00		974.00	70.00	4.29E-02	3.00E+00		TCU	INU	LABORATORY	L	3.00E+00	4.29E-02	0064	0011
378	41 UE-25p #1		4075662.34	551508.39	3	1114.00	974.00	1044.00		974.00	70.00	7.14E-02	5.00E+00		TCU	INU	LABORATORY	L	5.00E+00	7.14E-02	0064	0011
379	41 UE-25p #1		4075662.34	551508.39	3	1114.00	1163.00	1301.00		1163.00	118.00	4.24E-02	5.00E+00		TCU,LCA	INU	LABORATORY	L	5.00E+00	4.24E-02	0064	0011
380	41 UE-25p #1		4075662.34	551508.39	3	1114.00	384.00	500.00		384.00	116.00	4.31E-02	5.00E+00		WTA	INU	LABORATORY	L	5.00E+00	4.31E-02	0064	0011
381	41 UE-25p #1		4075662.34	551508.39	3	1114.00	550.00	550.00		550.00	50.00	2.00E-03	1.00E-01		WTA	INU	LABORATORY	M	1.00E-01	2.00E-03	0064	0011
382	41 UE-25p #1		4075662.34	551508.39	3	1114.00	550.00	600.00		550.00	50.00	5.60E-02	2.80E+00		WTA	INU	LABORATORY	M	2.80E+00	5.60E-02	0064	0011
383	41 UE-25p #1		4075662.34	551508.39	3	1114.00	600.00	650.00		600.00	50.00	6.00E-02	3.00E+00		WTA	INU	LABORATORY	L	3.00E+00	6.00E-02	0064	0011
384	41 UE-25p #1		4075662.34	551508.39																		

Rec #	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TOI	Depth	BOI	Depth	Thickness	K	K x b = T	well_ave	HSU	test_type	analysis_meth	DQE_F	T	K	refer_doc	source_doc
403	75 USGS HTH #1		4112498.47	568999.89	3	1676.83	1128.05	1279.88	1279.88	151.83	151.83	1.81E-02	1.24E-01	3.38E-01	LCA3	PUMP	Cooper - Jacob	L	1.24E-01	8.18E-02	0100	
404	75 USGS HTH #1		4112498.47	568999.89	3	1676.83	1128.05	1279.88	1279.88	151.83	151.83	2.86E-01	4.35E-01	3.38E-01	LCA3	PUMP	Cooper - Jacob	L	4.35E-01	2.86E-01	0100	
405	75 USGS HTH #1		4112498.47	568999.89	3	1676.83	1131.40	1282.32	1282.32	150.91	150.91	5.20E-01	7.85E-01	3.38E-01	LCA3	PUMP	Cooper - Jacob	M	7.85E-01	5.20E-01	IT files	USGS files
406	75 USGS HTH #1		4112498.47	568999.89	3	1676.83	1131.40	1282.32	1282.32	150.91	150.91	4.09E-01	6.18E-01	3.38E-01	LCA3	PUMP	Cooper - Jacob	M	6.18E-01	4.09E-01	IT files	USGS files
407	75 USGS HTH #1		4112498.47	568999.89	3	1676.83	1131.40	1282.32	1282.32	150.91	150.91	1.89E-02	2.85E-00	3.38E-01	LCA3	pump	Thesis	L	2.85E-00	1.89E-02	IT files	USGS files
408	75 USGS HTH #1		4112498.47	568999.89	3	1676.83	1131.40	1282.32	1282.32	150.91	150.91	4.03E-01	6.08E-01	3.38E-01	LCA3	rec	Cooper - Jacob	M	6.08E-01	4.03E-01	IT files	USGS files
409	75 USGS HTH #1		4112498.47	568999.89	3	1676.83	1131.40	1282.32	1282.32	150.91	150.91	2.90E-02	3.60E-00	3.38E-01	LCA3	PUMP	Cooper - Jacob	L	3.60E-00	2.90E-02	IT files	USGS files
410	28 USGS HTH #10		4049902.44	602666.72	3	1088.11	310.98	396.65	396.65	85.67	85.67	2.90E-00	2.48E-02	3.78E+00	LCA	PUMP	Cooper - Jacob	H	2.48E-02	2.90E+00	0100	
411	28 USGS HTH #10		4049902.44	602666.72	3	1088.11	310.98	396.65	396.65	85.67	85.67	6.98E-02	6.98E-02	3.78E+00	LCA	REC	Cooper - Jacob	H	6.98E-02	7.69E+00	0100	
412	28 USGS HTH #10		4049902.14	602666.72	3	1088.11	303.35	396.65	396.65	93.29	93.29	2.46E+00	2.30E+02	3.78E+00	LCA	PUMP	Cooper - Jacob	M	2.30E+02	2.46E+00	IT files	USGS files
413	28 USGS HTH #10		4049902.14	602666.72	3	1088.11	303.35	396.65	396.65	93.29	93.29	3.37E+00	3.15E+02	3.78E+00	LCA	PUMP	Cooper - Jacob	H	3.15E+02	3.37E+00	IT files	USGS files
414	28 USGS HTH #10		4049902.14	602666.72	3	1088.11	303.35	396.65	396.65	93.29	93.29	4.37E+00	4.08E+02	3.78E+00	LCA	PUMP	Cooper - Jacob	H	4.08E+02	4.37E+00	IT files	USGS files
415	28 USGS HTH #10		4049902.14	602666.72	3	1088.11	303.35	396.65	396.65	93.29	93.29	2.43E-01	2.27E-01	3.78E+00	LCA	PUMP	Cooper - Jacob	L	2.27E-01	2.43E-01	IT files	USGS files
416	28 USGS HTH #10		4049902.14	602666.72	3	1088.11	303.35	396.65	396.65	93.29	93.29	3.03E+00	2.83E+02	3.78E+00	LCA	PUMP	Cooper - Jacob	H	2.83E+02	3.03E+00	IT files	USGS files
417	28 USGS HTH #10		4049902.14	602666.72	3	1088.11	303.35	396.65	396.65	93.29	93.29	6.46E+00	6.03E+02	3.78E+00	LCA	rec	Cooper - Jacob	H	6.03E+02	6.46E+00	IT files	USGS files
418	38 USGS HTH #3		4074015.30	601931.36	3	1060.67	396.28	584.94	584.94	228.66	228.66	2.06E-01	4.72E-01	2.06E-01	LCA	PUMP	Cooper - Jacob	H	4.72E-01	2.06E-01	0100	
419	25 USGS HTH #4		4049446.25	607760.66	3	1060.67	224.70	454.27	454.27	229.57	229.57	9.56E-01	1.37E+02	7.04E-01	LCA	PUMP	Cooper - Jacob	L	1.37E+02	9.56E-01	0100	
420	25 USGS HTH #4		4049446.25	607760.66	3	1060.67	224.70	454.27	454.27	229.57	229.57	1.46E+00	3.35E+02	7.04E-01	LCA	REC	Cooper - Jacob	M	3.35E+02	1.46E+00	0100	
421	26 USGS HTH #4		4049561.15	607586.87	4	1060.67	228.96	454.27	454.27	225.30	225.30	6.40E-01	1.4E+02	7.04E-01	LCA	PUMP	Cooper - Jacob	M	1.4E+02	6.40E-01	IT files	USGS files
422	26 USGS HTH #4		4049561.15	607586.87	4	1060.67	228.96	454.27	454.27	225.30	225.30	1.42E-01	3.21E+01	7.04E-01	LCA	PUMP	Cooper - Jacob	L	3.21E+01	1.42E-01	IT files	USGS files
423	26 USGS HTH #4		4049561.15	607586.87	4	1060.67	228.96	454.27	454.27	225.30	225.30	6.21E-01	1.40E+02	7.04E-01	LCA	PUMP	Cooper - Jacob	M	1.40E+02	6.21E-01	IT files	USGS files
424	26 USGS HTH #4		4049561.15	607586.87	4	1060.67	228.96	454.27	454.27	225.30	225.30	2.19E+01	2.19E+01	7.04E-01	LCA	rec	Cooper - Jacob	M	2.19E+01	9.72E+02	IT files	USGS files
425	26 USGS HTH #4		4049561.15	607586.87	4	1060.67	228.96	454.27	454.27	225.30	225.30	1.25E+00	2.81E+02	7.04E-01	LCA	rec	Thesis	M	2.81E+02	1.25E+00	IT files	USGS files
426	58 USGS Test Well B Ex.		4092814.83	587779.93	4	1197.87	459.45	510.67	510.67	51.22	51.22	4.86E-02	2.48E+00	1.95E+00	TPTA			L	2.48E+00	4.86E-02	0100	
427	58 USGS Test Well B Ex.		4092814.83	587779.93	4	1197.87	459.45	510.67	510.67	51.22	51.22	6.21E-01	1.21E-02	1.95E+00	TPTA	REC	Skitzlike	L	6.21E-01	1.21E-02	0100	
428	71 USGS Test Well D		4103325.48	582223.60	4	1265.24	528.35	544.51	544.51	16.16	16.16	4.23E-02	1.18E+00	3.58E-02	LCA	BAIL	Skitzlike	M	6.83E-01	4.23E-02	1469	
429	71 USGS Test Well D		4103325.48	582223.60	4	1265.24	540.24	573.78	573.78	33.54	33.54	3.52E-02	1.18E+00	3.58E-02	LCA	BAIL	Skitzlike	M	1.18E+00	3.52E-02	1469	
430	71 USGS Test Well D		4103325.48	582223.60	4	1265.24	540.24	573.78	573.78	33.54	33.54	3.33E-02	1.12E+00	3.58E-02	LCA	BAIL	Skitzlike	M	1.12E+00	3.33E-02	1469	
431	63 USGS Water Well A		4099193.44	585711.96	3	1221.34	489.33	570.12	570.12	80.79	80.79	2.03E+00	1.64E+02	1.95E+00	AA	PUMP	Cooper - Jacob	M	1.64E+02	2.03E+00	0100	
432	63 USGS Water Well A		4099193.44	585711.96	3	1221.34	489.33	570.12	570.12	80.79	80.79	1.88E+00	1.52E+02	1.95E+00	AA	REC	Cooper - Jacob	M	1.52E+02	1.88E+00	0100	
433	63 USGS Water Well A		4099193.44	585711.96	3	1221.34	489.33	570.12	570.12	80.79	80.79	6.68E-02	2.49E+00	1.95E+00	AA	BAIL	Cooper - Jacob	L	2.49E+00	6.68E-02	1482	
434	63 USGS Water Well A		4099193.44	585711.96	3	1221.34	489.33	570.12	570.12	80.79	80.79	1.34E-01	4.97E+00	1.95E+00	AA	BAIL	Skitzlike	L	4.97E+00	1.34E-01	1482	
435	63 USGS Water Well A		4099193.44	585711.96	3	1221.34	489.33	570.12	570.12	79.88	79.88	1.24E-01	9.94E+00	1.95E+00	AA	BAIL	Skitzlike	L	9.94E+00	1.24E-01	1482	
436	63 USGS Water Well A		4099193.44	585711.96	3	1221.34	489.33	570.12	570.12	79.88	79.88	1.24E-01	9.94E+00	1.95E+00	AA	PUMP	Cooper - Jacob	L	9.94E+00	1.24E-01	1482	
437	63 USGS Water Well A		4099193.44	585711.96	3	1221.34	489.33	570.12	570.12	80.79	80.79	1.15E-01	9.29E+00	1.95E+00	AA	pump	Neuman delayed	y/L	9.30E+00	1.15E-01	IT files	100
438	55 USGS Water Well C		4086123.94	588214.10	3	1195.43	469.51	518.60	518.60	49.09	49.09	2.56E-02	1.12E+04	1.95E+00	LCA	PUMP		L	1.12E+04	2.56E-02	0100	
439	55 USGS Water Well C		4086123.94	588214.10	3	1195.43	470.43	518.60	518.60	48.17	48.17	2.56E-01	1.24E+03	1.95E+00	LCA	PUMP		L	1.24E+03	2.56E-01	1484	
440	52 USW G-1		4080017.45	548298.22	5	1325.92	365.24	365.24	365.24	365.24	365.24	7.95E-07	0.00E+00	0.00E+00	WTA		LABORATORY	L	7.95E-07	7.95E-07	2724	
441	52 USW G-1		4080017.45	548298.22	5	1325.92	365.24	365.24	365.24	365.24	365.24	1.30E-07	0.00E+00	0.00E+00	WTA		LABORATORY	L	1.30E-07	1.30E-07	2724	
442	52 USW G-1		4080017.45	548298.22	5	1325.92	368.17	368.17	368.17	368.17	368.17	3.20E-06	0.00E+00	0.00E+00	WTA		LABORATORY	L	3.20E-06	3.20E-06	2724	
443	52 USW G-1		4080017.45	548298.22	5	1325.92	414.33	414.33	414.33	414.33	414.33	2.07E-06	0.00E+00	0.00E+00	WTA		LABORATORY	L	2.07E-06	2.07E-06	2724	
444	52 USW G-1		4080017.45	548298.22	5	1325.92	422.87	422.87	422.87	422.87	422.87	6.74E-05	0.00E+00	0.00E+00	WTA		LABORATORY	L	6.74E-05	6.74E-05	2724	
445	52 USW G-1		4080017.45	548298.22	5	1325.92	457.32	457.32	457.32	457.32	457.32	1.30E-06	0.00E+00	0.00E+00	WTA		LABORATORY	L	1.30E-06	1.30E-06	2724	
446	52 USW G-1		4080017.45	548298.22	5	1325.92	499.09	499.09	499.09	499.09	499.09	1.12E-06	0.00E+00	0.00E+00	WTA		LABORATORY	L	1.12E-06	1.12E-06	2724	
447	52 USW G-1		4080017.45	548298.22	5	1325.92	534.45	534.45	534.45	534.45	534.45	1.21E-06	0.00E+00	0.00E+00	WTA		LABORATORY	L	1.21E-06	1.21E-06	2724	
448	52 USW G-1		4080017.45	548298.22	5	1325.92	542.68	542.68	542.68	542.68	542.68	1.81E-07	0.00E+00	0.00E+00	WTA		LABORATORY	L	1.81E-07	1.81E-07	2724	
449	52 USW G-1		4080017.45	548298.22	5	1325.92	545.73	545.73	545.73	545.73	545.73	4.49E-07	0.00E+00	0.00E+00	W							

Rec #	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TOI Depth	BOI Depth	Thickness	K	K x b = T	well_ave	HSU	testType	analysis_meth	DOE_F	T	K	refer_doc	source_doc	
470	47 USW G-4		4078589.64	548937.63	3	1270.00	529.57	529.57	529.57	1.10E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	1.16E+00	1.10E-06	0087			
471	47 USW G-4		4078589.64	548937.63	3	1270.00	539.33	539.33	539.33	1.98E-07	0.00E+00	0.00E+00	WTA	Laboratory	M	2.90E-02	1.98E-07	0087			
472	47 USW G-4		4078589.64	548937.63	3	1270.00	542.07	542.07	542.07	1.29E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	5.10E-01	1.29E-06	0087			
473	47 USW G-4		4078589.64	548937.63	3	1270.00	542.07	542.07	542.07	5.62E-07	0.00E+00	0.00E+00	WTA	Laboratory	M	1.07E-01	5.62E-07	0087			
474	47 USW G-4		4078589.64	548937.63	3	1270.00	544.82	544.82	544.82	6.99E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	6.30E-01	6.99E-06	0087			
475	47 USW G-4		4078589.64	548937.63	3	1270.00	578.96	578.96	578.96	6.74E-04	0.00E+00	0.00E+00	WTA	Laboratory	M	1.15E+00	6.74E-04	0087			
476	47 USW G-4		4078589.64	548937.63	3	1270.00	611.59	611.59	611.59	1.73E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	6.30E-01	1.73E-06	0087			
477	47 USW G-4		4078589.64	548937.63	3	1270.00	63.41	63.41	63.41	2.07E-01	0.00E+00	0.00E+00	WTA	Laboratory	M	2.30E-02	2.07E-01	0087			
478	47 USW G-4		4078589.64	548937.63	3	1270.00	640.55	640.55	640.55	3.80E-05	0.00E+00	0.00E+00	WTA	Laboratory	M	5.70E-02	3.80E-05	0087			
479	47 USW G-4		4078589.64	548937.63	3	1270.00	732.01	732.01	732.01	1.99E-04	0.00E+00	0.00E+00	WTA	Laboratory	M	4.90E-02	1.99E-04	0087			
480	47 USW G-4		4078589.64	548937.63	3	1270.00	733.84	733.84	733.84	5.44E-04	0.00E+00	0.00E+00	WTA	Laboratory	M	1.12E-04	5.44E-04	0087			
481	47 USW G-4		4078589.64	548937.63	3	1270.00	75.30	75.30	75.30	7.43E-08	0.00E+00	0.00E+00	WTA	Laboratory	M	6.83E-03	7.43E-08	0087			
482	47 USW G-4		4078589.64	548937.63	3	1270.00	13.11	13.11	13.11	8.38E-07	0.00E+00	0.00E+00	WTA	Laboratory	M	8.38E-07	8.38E-07	0087			
483	47 USW G-4		4078589.64	548937.63	3	1270.00	263.41	263.41	263.41	1.51E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	1.51E-06	1.51E-06	0087			
484	47 USW G-4		4078589.64	548937.63	3	1270.00	263.41	263.41	263.41	1.51E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	1.51E-06	1.51E-06	0087			
485	47 USW G-4		4078589.64	548937.63	3	1270.00	263.41	263.41	263.41	3.37E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	3.37E-06	3.37E-06	0087			
486	47 USW G-4		4078589.64	548937.63	3	1270.00	263.41	263.41	263.41	3.37E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	3.37E-06	3.37E-06	0087			
487	47 USW G-4		4078589.64	548937.63	3	1270.00	615.00	615.00	615.00	2.90E-02	1.16E+00	1.32E+00	WTA	Laboratory	M	1.16E+00	2.90E-02	0012			
488	47 USW G-4		4078589.64	548937.63	3	1270.00	655.00	655.00	655.00	1.11E-02	5.10E-01	5.10E-01	WTA	Cooper, Bredshoett, L	M	5.10E-01	1.11E-02	0195			
489	47 USW G-4		4078589.64	548937.63	3	1270.00	696.00	696.00	696.00	24.00	1.07E-01	1.07E-01	WTA	Cooper, Bredshoett, L	M	1.07E-01	24.00	0012			
490	47 USW G-4		4078589.64	548937.63	3	1270.00	722.00	722.00	722.00	25.00	4.46E-03	4.46E-03	WTA	Cooper, Bredshoett, L	M	4.46E-03	25.00	0012			
491	47 USW G-4		4078589.64	548937.63	3	1270.00	747.00	747.00	747.00	25.00	2.52E-02	2.52E-02	WTA	Cooper, Bredshoett, L	M	2.52E-02	25.00	0012			
492	47 USW G-4		4078589.64	548937.63	3	1270.00	747.00	747.00	747.00	45.00	1.15E+00	1.15E+00	WTA	Cooper, Bredshoett, L	M	1.15E+00	45.00	0012			
493	47 USW G-4		4078589.64	548937.63	3	1270.00	792.00	792.00	792.00	46.00	1.65E-02	1.65E-02	WTA	Cooper, Bredshoett, L	M	1.65E-02	46.00	0012			
494	47 USW G-4		4078589.64	548937.63	3	1270.00	802.00	802.00	802.00	24.00	2.63E-02	2.63E-02	WTA	Cooper, Bredshoett, L	M	2.63E-02	24.00	0012			
495	47 USW G-4		4078589.64	548937.63	3	1270.00	826.00	826.00	826.00	24.00	3.29E-02	3.29E-02	WTA	Cooper, Bredshoett, L	M	3.29E-02	24.00	0012			
496	47 USW G-4		4078589.64	548937.63	3	1270.00	850.00	850.00	850.00	24.00	9.58E-02	9.58E-02	WTA	Cooper, Bredshoett, L	M	9.58E-02	24.00	0012			
497	47 USW G-4		4078589.64	548937.63	3	1270.00	915.00	915.00	915.00	374.00	1.66E+00	6.22E+02	WTA	PUMP		6.22E+02	374.00	0195			
498	47 USW G-4		4078589.64	548937.63	3	1270.00	941.00	941.00	941.00	374.00	1.80E+00	6.75E+02	WTA	PUMP		6.75E+02	374.00	0012			
499	47 USW G-4		4078589.64	548937.63	3	1270.00	941.00	941.00	941.00	374.00	1.80E+00	6.75E+02	WTA	REC	Thesis Recovery	M	5.70E-02	1.80E+00	0195		
500	47 USW G-4		4078589.64	548937.63	4	1270.43	353.05	353.05	353.05	374.00	1.31E+00	4.90E+02	WTA	REC	Thesis Recovery	M	4.90E+02	1.31E+00	0195		
501	47 USW G-4		4078589.64	548937.63	4	1270.43	353.35	353.35	353.35	374.00	1.61E-06	0.00E+00	WTA	LABORATORY	M	1.61E-06	374.00	2724			
502	47 USW G-4		4078589.64	548937.63	4	1270.43	41.46	41.46	41.46	1.64E-06	0.00E+00	0.00E+00	WTA	LABORATORY	M	1.64E-06	41.46	2724			
503	47 USW G-4		4078589.64	548937.63	4	1270.43	428.35	428.35	428.35	2.42E-02	0.00E+00	0.00E+00	WTA	LABORATORY	M	2.42E-02	428.35	2724			
504	47 USW G-4		4078589.64	548937.63	4	1270.43	428.35	428.35	428.35	2.58E-07	0.00E+00	0.00E+00	WTA	LABORATORY	M	2.58E-07	428.35	2724			
505	47 USW G-4		4078589.64	548937.63	4	1270.43	471.65	471.65	471.65	2.58E-07	0.00E+00	0.00E+00	WTA	LABORATORY	M	2.58E-07	471.65	2724			
506	47 USW G-4		4078589.64	548937.63	4	1270.43	471.95	471.95	471.95	1.21E-06	0.00E+00	0.00E+00	WTA	LABORATORY	M	1.21E-06	471.95	2724			
507	47 USW G-4		4078589.64	548937.63	4	1270.43	526.83	526.83	526.83	3.91E-07	0.00E+00	0.00E+00	WTA	LABORATORY	M	3.91E-07	526.83	2724			
508	47 USW G-4		4078589.64	548937.63	4	1270.43	529.27	529.27	529.27	2.25E-07	0.00E+00	0.00E+00	WTA	LABORATORY	M	2.25E-07	529.27	2724			
509	47 USW G-4		4078589.64	548937.63	4	1270.43	529.57	529.57	529.57	2.27E-07	0.00E+00	0.00E+00	WTA	LABORATORY	M	2.27E-07	529.57	2724			
510	47 USW G-4		4078589.64	548937.63	4	1270.43	542.07	542.07	542.07	1.00E-06	0.00E+00	0.00E+00	WTA	LABORATORY	M	1.00E-06	542.07	2724			
511	47 USW G-4		4078589.64	548937.63	4	1270.43	544.82	544.82	544.82	2.46E-06	0.00E+00	0.00E+00	WTA	LABORATORY	M	2.46E-06	544.82	2724			
512	47 USW G-4		4078589.64	548937.63	4	1270.43	578.96	578.96	578.96	3.35E-04	0.00E+00	0.00E+00	WTA	LABORATORY	M	3.35E-04	578.96	2724			
513	47 USW G-4		4078589.64	548937.63	4	1270.43	63.41	63.41	63.41	2.03E-01	0.00E+00	0.00E+00	WTA	LABORATORY	M	2.03E-01	63.41	2724			
514	47 USW G-4		4078589.64	548937.63	4	1270.43	263.41	263.41	263.41	1.64E-06	0.00E+00	0.00E+00	WTA	LABORATORY	M	1.64E-06	263.41	2724			
515	47 USW G-4		4078589.64	548937.63	4	1270.43	263.41	263.41	263.41	1.64E-06	0.00E+00	0.00E+00	WTA	LABORATORY	M	1.64E-06	263.41	2724			
516	47 USW G-4		4078589.64	548937.63	3	1270.00	345.12	345.12	345.12	1.12E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	1.12E-06	345.12	0087			
517	40 USW GU-3		4074587.84	547555.67	4	1480.79	364.94	364.94	364.94	1.30E-07	0.00E+00	0.00E+00	WTA	Laboratory	M	1.30E-07	364.94	0087			
518	40 USW GU-3		4074587.84	547555.67	4	1480.79	364.94	364.94	364.94	1.30E-06	0.00E+00	0.00E+00	WTA	Laboratory	M	1.30E-06	364.94	0087			
519	40 USW GU-3		4074587.84	547555.67	4	1480.79	36.89	36.89	36.89	6.05E-08	0.00E+00	0.00E+00	WTA	Laboratory	M	6.05E-08	36.89	0087			
520	40 USW GU-3		4074587.84	547555.67	4	1480.79	36.89	36.89	36.89	6.05E-08	0.00E+00	0.00E+00	WTA	Laboratory	M	6.05E-08	36.89	0087			
521	40 USW GU-3		4074587.84	547555.67	4	1480.79	379.88	379.88	379.88	1.30E-07	0.00E+00	0.00E+00	WTA	Laboratory	M	1.30E-07	379.88	0087			
522	40 USW GU-3		4074587.84	547555.67	4	1480.79															

Rec.#	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TOI	Depth	BOI	Depth	Thickness	K	K.x.b = T	well_sve	HSU	test_type	analysis_meth	DOE_LF	T	K	refer_doc	source_doc
537	40 USW GU-3		4074587.84	547555.67	4	1480.79		36.89		36.89	2.01E+03	0.00E+00	0.00E+00	WTA	WTA	Laboratory	L		2.01E+03	0805		
538	40 USW GU-3		4074587.84	547555.67	4	1480.79		36.89		36.89	6.05E-07	0.00E+00	0.00E+00	WTA	WTA	Laboratory	M		6.05E-07	2724		
539	40 USW GU-3		4074587.84	547555.67	4	1480.79		178.35		178.35	1.21E-06	0.00E+00	0.00E+00	WTA	WTA	Laboratory	M		6.05E-07	2724		
540	40 USW GU-3		4074587.84	547555.67	4	1480.79		209.45		209.45	1.04E-07	0.00E+00	0.00E+00	WTA	WTA	Laboratory	M		1.21E-06	2724		
541	40 USW GU-3		4074587.84	547555.67	4	1480.79		269.51		269.51	6.22E-06	0.00E+00	0.00E+00	WTA	WTA	Laboratory	M		6.22E-06	2724		
542	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		1829.00		1829.00	2.25E-06	9.50E-04	7.68E-06	TCU	TCU	Papadopoulos - CoopM	M		9.50E-04	0016		
543	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		1407.00		1407.00	1.01E-06	2.10E-04		TCU	TCU	Papadopoulos - CoopM	M		2.25E-06	0016		
544	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		1621.00		1621.00	1.32E-05	6.41E-03		TCU	TCU	NUMERIC MODEL M	M		1.01E-06	0016	0171/0827	
545	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		1829.00		1829.00	1.20E-02	1.20E-01	1.65E+00	WTA	WTA	Papadopoulos - CoopM	M		1.01E-05	2725	0171/0827	
546	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.35E+00	1.57E+02		WTA	WTA	Cooper - Jacob	M		1.35E+00	0016		
547	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		572.00		572.00	1.58E+00	1.51E+02		WTA	WTA	Cooper - Jacob	M		1.57E+02	0016		
548	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		688.00		688.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.51E+02	0016		
549	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		688.00		688.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
550	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		688.00		688.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
551	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
552	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
553	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
554	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
555	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
556	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
557	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
558	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
559	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
560	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
561	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
562	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
563	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
564	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
565	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
566	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
567	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
568	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
569	51 USW H-1/Inst.		4079943.97	548721.42	3	1302.00		687.00		687.00	1.30E+00	1.30E+02		WTA	WTA	Cooper - Jacob	M		1.30E+00	0016		
570	42 USW H-3		4075761.54	547536.65	3	1483.00		1126.00		1126.00	93.00	1.00E-02	5.67E-03	TCU	TCU	Cooper - Jacob	M		1.00E-02	0017	0171/0827	
571	42 USW H-3		4075761.54	547536.65	3	1483.00		792.00		792.00	850.00	2.07E-02	1.20E+00	TCU	TCU	Papadopoulos - CoopM	M		1.00E-02	0017	0171/0827	
572	42 USW H-3		4075761.54	547536.65	3	1483.00		651.00		651.00	66.00	3.08E-04	2.00E-02	TCU	TCU	Cooper - Jacob	M		2.07E-02	0017	0172	
573	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	51.00	3.92E-04	2.00E-02	WTA	WTA	Cooper - Jacob	L		3.08E-04	0017	0172	
574	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		3.92E-04	0017	0172	
575	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
576	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
577	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
578	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
579	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
580	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
581	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
582	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
583	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
584	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
585	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
586	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
587	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
588	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02	WTA	WTA	Cooper - Jacob	L		6.00E-02	0017	0172	
589	42 USW H-3		4075761.54	547536.65	3	1483.00		1069.00		1069.00	23.00	3.48E-03	6.00E-02									

Rec #	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TD	Depth	BOI	Depth	Thickness	K	K x b = T	web_ave	NSU	test_type	analysis_meth	DOE_F	T	K	refr_doc	source_doc	
604	42 USWH-3	Virgin River USA 1-A	4075761.54	547536.65	3	1483.00	1063.00	1124.00	61.00	61.00	1.00E-01	1.00E-01	1.00E-01	1.00E-01	WTA,TCU	INJ	Cooper - Jacob	M	1.00E-01	1.00E-01	1.00E-01	1.00E-01	1.00E-01
605	42 USWH-3	Virgin River USA 1-A	4075761.54	547536.65	3	1483.00	972.00	1219.00	247.00	247.00	2.99E-02	2.99E-02	2.99E-02	2.99E-02	WTA,TCU	INJ	Cooper - Jacob	M	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02
606	42 USWH-3	Virgin River USA 1-A	4075761.54	547536.65	3	1483.00	972.00	1219.00	247.00	247.00	1.00E-01	1.00E-01	1.00E-01	1.00E-01	WTA,TCU	INJ	Cooper - Jacob	M	1.00E-01	1.00E-01	1.00E-01	1.00E-01	1.00E-01
607	42 USWH-3	Virgin River USA 1-A	4075761.54	547536.65	3	1483.00	822.00	1219.00	397.00	397.00	1.00E-00	1.00E-00	1.00E-00	1.00E-00	WTA,TCU	PUMP	Thesis	H	1.00E-00	1.00E-00	1.00E-00	1.00E-00	1.00E-00
608	42 USWH-3	Virgin River USA 1-A	4075761.54	547536.65	3	1483.00	754.00	1219.00	465.00	465.00	4.00E-01	4.00E-01	4.00E-01	4.00E-01	WTA,TCU	PUMP	Cooper - Jacob	M	4.00E-01	4.00E-01	4.00E-01	4.00E-01	4.00E-01
609	42 USWH-3	Virgin River USA 1-A	4075761.54	547536.65	3	1483.00	754.00	1219.00	465.00	465.00	5.00E-01	5.00E-01	5.00E-01	5.00E-01	WTA,TCU	REC	Brown's Method	M	5.00E-01	5.00E-01	5.00E-01	5.00E-01	5.00E-01
610	42 USWH-3	Virgin River USA 1-A	4075761.54	547536.65	3	1483.00	1063.00	1124.00	61.00	61.00	1.00E-01	1.00E-01	1.00E-01	1.00E-01	WTA,TCU	SWAB	Cooper - Jacob	M	1.00E-01	1.00E-01	1.00E-01	1.00E-01	1.00E-01
611	42 USWH-3	Virgin River USA 1-A	4075761.54	547536.65	3	1483.00	792.00	1219.00	427.00	427.00	2.59E-03	1.10E-00	1.10E-00	1.10E-00	WTA,TCU	SWAB	Cooper - Jacob	M	1.10E-00	1.10E-00	1.10E-00	1.10E-00	1.10E-00
612	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	1181.00	1184.00	13.00	13.00	1.57E-00	2.04E-01	6.13E-01	2.04E-01	TCU	PUMP	SEE COMMENTS	M	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01
613	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	1194.00	1213.00	19.00	19.00	6.84E-02	1.30E-00	6.84E-02	1.30E-00	TCU	PUMP	SEE COMMENTS	M	1.30E-00	1.30E-00	1.30E-00	1.30E-00	1.30E-00
614	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	1213.00	1218.00	6.00	6.00	2.67E-01	1.60E-00	6.33E-01	1.60E-00	TCU	PUMP	SEE COMMENTS	M	1.60E-00	1.60E-00	1.60E-00	1.60E-00	1.60E-00
615	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	1213.00	1218.00	6.00	6.00	5.00E-01	1.15E-00	6.33E-01	1.15E-00	TCU	PUMP	SEE COMMENTS	M	1.15E-00	1.15E-00	1.15E-00	1.15E-00	1.15E-00
616	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	834.00	639.00	589.00	589.00	1.16E-00	1.86E-01	6.33E-01	1.86E-01	WTA	PUMP	SEE COMMENTS	M	1.86E-01	1.86E-01	1.86E-01	1.86E-01	1.86E-01
617	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	643.00	669.00	26.00	26.00	2.68E-01	6.90E-00	6.33E-01	6.90E-00	WTA	PUMP	SEE COMMENTS	M	6.90E-00	6.90E-00	6.90E-00	6.90E-00	6.90E-00
618	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	800.00	707.00	707.00	707.00	4.07E-02	1.10E-00	4.07E-02	1.10E-00	WTA	PUMP	SEE COMMENTS	M	1.10E-00	1.10E-00	1.10E-00	1.10E-00	1.10E-00
619	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	707.00	733.00	27.00	27.00	2.19E-00	5.99E-01	6.33E-01	5.99E-01	WTA	PUMP	SEE COMMENTS	M	5.99E-01	5.99E-01	5.99E-01	5.99E-01	5.99E-01
620	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	707.00	733.00	27.00	27.00	1.90E-00	1.10E-00	6.33E-01	1.90E-00	WTA	PUMP	SEE COMMENTS	M	1.10E-00	1.10E-00	1.10E-00	1.10E-00	1.10E-00
621	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	779.00	785.00	6.00	6.00	1.37E-00	8.20E-00	6.33E-01	8.20E-00	WTA	PUMP	SEE COMMENTS	M	8.20E-00	8.20E-00	8.20E-00	8.20E-00	8.20E-00
622	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	820.00	834.00	14.00	14.00	4.07E-01	5.70E-00	6.33E-01	5.70E-00	WTA	PUMP	SEE COMMENTS	M	5.70E-00	5.70E-00	5.70E-00	5.70E-00	5.70E-00
623	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	834.00	852.00	18.00	18.00	1.89E-01	3.40E-00	6.33E-01	3.40E-00	WTA	PUMP	SEE COMMENTS	M	3.40E-00	3.40E-00	3.40E-00	3.40E-00	3.40E-00
624	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	863.00	876.00	13.00	13.00	1.49E-00	1.86E-01	6.33E-01	1.86E-01	WTA	PUMP	SEE COMMENTS	M	1.86E-01	1.86E-01	1.86E-01	1.86E-01	1.86E-01
625	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	876.00	882.00	5.00	5.00	2.40E-01	1.20E-00	6.33E-01	1.20E-00	WTA	PUMP	SEE COMMENTS	M	1.20E-00	1.20E-00	1.20E-00	1.20E-00	1.20E-00
626	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	882.00	882.00	11.00	11.00	2.09E-01	2.30E-00	6.33E-01	2.30E-00	WTA	PUMP	SEE COMMENTS	M	2.30E-00	2.30E-00	2.30E-00	2.30E-00	2.30E-00
627	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	892.00	905.00	13.00	13.00	1.52E-00	1.98E-01	6.33E-01	1.98E-01	WTA	PUMP	SEE COMMENTS	M	1.98E-01	1.98E-01	1.98E-01	1.98E-01	1.98E-01
628	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	911.00	922.00	11.00	11.00	1.08E-00	1.16E-01	6.33E-01	1.16E-01	WTA	PUMP	SEE COMMENTS	M	1.16E-01	1.16E-01	1.16E-01	1.16E-01	1.16E-01
629	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	922.00	928.00	6.00	6.00	2.00E-01	1.20E-00	6.33E-01	1.20E-00	WTA	PUMP	SEE COMMENTS	M	1.20E-00	1.20E-00	1.20E-00	1.20E-00	1.20E-00
630	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	957.00	1013.00	46.00	46.00	3.04E-02	1.40E-00	6.33E-01	1.40E-00	WTA	PUMP	SEE COMMENTS	M	1.40E-00	1.40E-00	1.40E-00	1.40E-00	1.40E-00
631	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	519.00	1219.00	700.00	700.00	2.86E-01	2.00E-02	7.07E-01	2.00E-02	WTA,TCU	PUMP	Cooper - Jacob	M	2.00E-02	2.00E-02	2.00E-02	2.00E-02	2.00E-02
632	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	519.00	1219.00	700.00	700.00	2.68E-01	2.00E-02	7.07E-01	2.00E-02	WTA,TCU	PUMP	Cooper - Jacob	M	2.00E-02	2.00E-02	2.00E-02	2.00E-02	2.00E-02
633	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	519.00	1219.00	700.00	700.00	1.13E-00	7.90E-02	7.07E-01	7.90E-02	WTA,TCU	REC	Cooper - Jacob	M	7.90E-02	7.90E-02	7.90E-02	7.90E-02	7.90E-02
634	43 USWH-4	Virgin River USA 1-A	4077321.69	549194.66	3	1249.00	519.00	1219.00	700.00	700.00	1.13E-00	7.90E-02	7.07E-01	7.90E-02	WTA,TCU	REC	Cooper - Jacob	M	7.90E-02	7.90E-02	7.90E-02	7.90E-02	7.90E-02
635	48 USWH-5	Virgin River USA 1-A	4078639.98	547675.52	3	1479.00	704.00	1218.00	516.00	516.00	6.99E-02	3.80E-01	9.08E-02	3.80E-01	WTA	PUMP	Cooper - Jacob/Thesis	M	3.80E-01	3.80E-01	3.80E-01	3.80E-01	3.80E-01
636	48 USWH-5	Virgin River USA 1-A	4078639.98	547675.52	3	1479.00	704.00	1218.00	516.00	516.00	1.11E-01	5.72E-01	9.08E-02	5.72E-01	WTA	REC	Cooper - Jacob/Thesis	M	5.72E-01	5.72E-01	5.72E-01	5.72E-01	5.72E-01
637	44 USWH-6	Virgin River USA 1-A	4077805.21	543148.60	3	1302.00	1155.00	1220.00	65.00	65.00	4.62E-05	3.00E-03	4.62E-05	3.00E-03	TCU	INJ	Cooper - Jacob	M	3.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03
638	44 USWH-6	Virgin River USA 1-A	4077805.21	543148.60	3	1302.00	581.00	807.00	26.00	26.00	1.15E-02	3.00E-01	4.62E-05	3.00E-01	WTA	INJ	Cooper - Jacob	M	3.00E-01	3.00E-01	3.00E-01	3.00E-01	3.00E-01
639	44 USWH-6	Virgin River USA 1-A	4077805.21	543148.60	3	1302.00	606.00	640.00	34.00	34.00	1.47E-01	5.00E-00	4.62E-05	5.00E-00	WTA	INJ	Cooper - Jacob	M	5.00E-00	5.00E-00	5.00E-00	5.00E-00	5.00E-00
640	44 USWH-6	Virgin River USA 1-A	4077805.21	543148.60	3	1302.00	649.00	683.00	34.00	34.00	2.94E-04	1.00E-02	4.62E-05	1.00E-02	WTA	INJ	Cooper - Jacob	M	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02
641	44 USWH-6	Virgin River USA 1-A	4077805.21	543148.60	3	1302.00	649.00	683.00	34.00	34.00	5.89E-04	2.00E-02	4.62E-05	2.00E-02	WTA	INJ	Cooper - Jacob	M	2.00E-02	2.00E-02	2.00E-02	2.00E-02	2.00E-02
642	44 USWH-6	Virgin River USA 1-A	4077805.21	543148.60	3	1302.00	649.00	683.00	34.00	34.00	2.99E-03	2.00E-01	4.62E-05	2.00E-01	WTA	INJ	Cooper - Jacob	M	2.00E-01	2.00E-01	2.00E-01	2.00E-01	2.00E-01
643	44 USWH-6	Virgin River USA 1-A	4077805.21	543148.60	3	1302.00	753.00	753.00	67.00	67.00	1.47E-01	5.00E-00	4.62E-05	5.00E-00	WTA	INJ	Cooper - Jacob	M	5.00E-00	5.00E-00	5.00E-00	5.00E-00	5.00E-00
644	44 USWH-6	Virgin River USA 1-A	4077805.21	543148.60	3	1302.00	753.00	787.00	34.00	34.00	1.47E-01	5.00E-00	4.62E-05	5.00E-00	WTA	INJ	Cooper - Jacob	M	5.00E-00	5.00E-00	5.00E-00	5.00E-00	5.00E-00
645	44 USWH-6	Virgin River USA 1-A																					

Rec #	Site ID	Site Name	utm_north	utm_east	DOD_F	LSE	TOI Depth	BOI Depth	Thickness	K	K x b = T	well_sve	HSU	test_type	analysis_meth	DOE_F	T	K	refer_doc	source_doc
671	36	Water Well 5B	4073118.22	591977.78	3	942.66	208.23	274.39	96.16	1.45E+00	9.57E+01	1.68E+00	AA	PUMP	Cooper - Jacob	M	9.57E+01	1.45E+00	0100	
672	35	Water Well 5B	4073118.22	591977.78	3	942.66	208.23	274.39	96.16	2.07E+00	1.37E+02	1.68E+00	AA	REC	Cooper - Jacob	M	1.37E+02	2.07E+00	0100	
673	36	Water Well 5B	4073118.22	591977.78	3	942.66	208.23	274.39	96.16	1.52E+00	9.24E+01	1.68E+00	AA	PUMP	Thels	M	9.24E+01	1.52E+00	0754	
674	36	Water Well 5B	4073118.22	591977.78	3	942.66	213.41	274.39	60.96	5.01E+01	3.06E+01	1.68E+00	AA	PUMP	Thels	L	3.06E+01	5.01E+01	0754	
675	36	Water Well 5B	4073118.22	591977.78	3	942.66	213.41	274.39	60.96	1.12E+01	1.90E+01	1.68E+00	AA	REC	Thels	L	1.12E+01	1.90E+01	0754	
676	34	Water Well 5C	4071748.99	592477.73	3	939.33	210.06	365.95	155.79	1.91E+01	2.98E+01	2.75E+01	AA	PUMP	Cooper - Jacob	H	2.98E+01	1.91E+01	0100	
677	34	Water Well 5C	4071748.99	592477.73	3	939.33	210.06	365.95	155.79	1.96E+01	3.11E+01	1.68E+00	AA	PUMP	Cooper - Jacob	H	3.11E+01	1.96E+01	0100	
678	34	Water Well 5C	4071748.99	592477.73	3	939.33	210.06	365.95	155.79	1.36E+01	2.11E+01	1.68E+00	AA	REC	Cooper - Jacob	L	2.11E+01	1.36E+01	0100	
679	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	3.41E+01	3.12E+01	1.68E+00	AA	PUMP	Thels	M	3.12E+01	3.41E+01	0754	
680	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	3.06E+01	2.86E+01	1.68E+00	AA	PUMP	Thels	M	2.86E+01	3.06E+01	0754	
681	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	4.63E+01	4.24E+01	1.68E+00	AA	PUMP	Thels	M	4.24E+01	4.63E+01	0754	
682	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	8.84E+02	8.82E+00	1.68E+00	AA	PUMP	Thels	M	8.82E+00	8.84E+02	0754	
683	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	1.14E+01	1.04E+01	1.68E+00	AA	PUMP	Thels	M	1.04E+01	1.14E+01	0754	
684	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	2.92E+01	2.67E+01	1.68E+00	AA	REC	Thels	M	2.67E+01	2.92E+01	0754	
685	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	8.42E+01	7.00E+01	1.68E+00	AA	REC	Thels	M	7.00E+01	8.42E+01	0754	
686	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	1.12E+01	1.02E+01	1.68E+00	AA	REC	Thels	M	1.02E+01	1.12E+01	0754	
687	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	3.66E+01	3.53E+01	1.68E+00	AA	REC	Thels	M	3.53E+01	3.66E+01	0754	
688	34	Water Well 5C	4071748.99	592477.73	3	939.33	270.43	361.89	91.46	4.82E+02	4.41E+00	1.68E+00	AA	REC	Thels	L	4.41E+00	4.82E+02	0754	
689	66	Water Well 8	4113274.02	563112.68	3	1736.28	895.12	1673.78	778.66	2.86E+00	2.30E+03	4.33E+03	BAQ	PUMP	Thels	L	2.30E+03	2.86E+00	0018	USGS files
690	76	Water Well 8	4113274.02	563112.68	3	1736.28	619.21	1673.78	1054.57	4.27E+03	4.50E+00		BAQ	Pump	Thels	H	4.50E+00	4.27E+03	IT files	USGS files
691	76	Water Well 8	4113274.02	563112.68	3	1736.28	619.21	1673.78	1054.57	4.27E+03	4.50E+00		BAQ	Pump	Thels	H	4.50E+00	4.27E+03	IT files	USGS files
692	76	Water Well 8	4113274.02	563112.68	3	1736.28	619.21	1673.78	1054.57	4.66E+03	4.91E+00		BAQ	pump	Cooper - Jacob	M	4.91E+00	4.66E+03	IT files	USGS files
693	76	Water Well 8	4113274.02	563112.68	3	1736.28	619.21	1673.78	1054.57	4.66E+03	4.91E+00		BAQ	pump	Cooper - Jacob	M	4.91E+00	4.66E+03	IT files	USGS files
694	76	Water Well 8	4113274.02	563112.68	3	1736.28	619.21	1673.78	1054.57	4.07E+03	4.29E+00		BAQ	pump	Cooper - Jacob	H	4.29E+00	4.07E+03	IT files	USGS files
695	76	Water Well 8	4113274.02	563112.68	3	1736.28	619.21	1673.78	1054.57	4.07E+03	4.29E+00		BAQ	pump	Cooper - Jacob	H	4.29E+00	4.07E+03	IT files	USGS files
696	76	Water Well 8	4113274.02	563112.68	3	1736.28	619.21	1673.78	1054.57	4.07E+03	4.29E+00		BAQ	pump	Cooper - Jacob	H	4.29E+00	4.07E+03	IT files	USGS files
697	76	Water Well 8	4113274.02	563112.68	3	1736.28	325.00	619.21	294.21	3.91E+00	1.18E+03	7.42E+00	TBAQ,BAQ	PUMP	Cooper - Jacob	M	1.18E+03	3.91E+00	IT files	USGS files
698	76	Water Well 8	4113274.02	563112.68	3	1736.28	325.00	619.21	294.21	1.22E+01	3.60E+03		TBAQ,BAQ	PUMP	Thels	M	3.60E+03	1.22E+01	IT files	USGS files
699	76	Water Well 8	4113274.02	563112.68	3	1736.28	325.00	619.21	294.21	1.07E+03	1.07E+03		TBAQ,BAQ	PUMP	Thels	M	1.07E+03	1.07E+03	IT files	USGS files
700	76	Water Well 8	4113274.02	563112.68	3	1736.28	325.00	619.21	294.21	1.10E+01	3.24E+03		TBAQ,BAQ	PUMP	Thels	M	3.24E+03	1.10E+01	IT files	USGS files
701	54	Water Well C-1	4086102.38	588235.81	3	1195.43	469.51	503.05	33.54	6.27E+00	1.85E+03		TBAQ,BAQ	PUMP	Cooper - Jacob	M	1.85E+03	6.27E+00	IT files	USGS files
702	54	Water Well C-1	4086102.38	588235.81	3	1195.43	469.51	503.05	33.54	2.22E+00	7.40E+01		LCA	PUMP	Cooper - Jacob	L	7.40E+01	2.22E+00	0100	
703	54	Water Well C-1	4086102.38	588235.81	3	1195.43	469.51	503.05	33.54	2.22E+00	7.40E+01		LCA	PUMP	Cooper - Jacob	L	7.40E+01	2.22E+00	0100	
704	54	Water Well C-1	4086102.38	588235.81	3	1195.43	469.51	503.05	33.54	3.05E+00	1.27E+02		LCA	pump	O/S	L	1.27E+02	3.05E+00	IT files	0100
705	54	Water Well C-1	4086102.38	588235.81	3	1195.43	469.51	503.05	33.54	5.46E+01	1.68E+01		LCA	pump	Cooper - Jacob	L	1.68E+01	5.46E+01	IT files	0100
706	88	WATERTOWN 1	4122436.70	605604.95	4	1353.60	145.39	204.27	54.86	4.19E+02	2.30E+00	4.19E+02	VU	pump	Cooper - Jacob	M	2.30E+00	4.19E+02	IT files	0100
707	88	WATERTOWN 1	4122436.70	605604.95	4	1353.60	145.39	204.27	54.86	4.19E+02	2.30E+00	4.19E+02	VU	pump	Cooper - Jacob	M	2.30E+00	4.19E+02	IT files	0100
708	89	WATERTOWN 2	4122444.45	606420.68	4	1392.40	273.17	332.82	89.45	4.53E+02	2.48E+00		VU		Cooper - Jacob	L	2.48E+00	4.53E+02	0100	
709	93	WATERTOWN 3	4124240.18	603381.07	4	1355.79	32.62	113.11	90.49	3.17E+00	4.16E+02	4.38E+00	AA	REC	Cooper - Jacob	M	4.16E+02	3.17E+00	0100	
710	93	WATERTOWN 3	4124240.18	603381.07	4	1355.79	48.78	92.07	43.29	7.92E+00	3.43E+02		AA	PUMP	Cooper - Jacob	M	3.43E+02	7.92E+00	0100	
711	93	WATERTOWN 3	4124240.18	603381.07	4	1355.79	48.78	92.07	43.29	1.87E+00	8.10E+01		AA	PUMP	Cooper - Jacob	M	8.10E+01	1.87E+00	IT files	USGS files
712	92	WATERTOWN 4	4124240.18	603381.07	4	1355.79	48.78	92.07	43.29	8.10E+01	8.10E+01		AA	PUMP	Thels	M	8.10E+01	1.87E+00	IT files	USGS files
713	92	WATERTOWN 4	4124240.18	603381.07	4	1355.79	48.78	92.07	43.29	2.86E+00	3.79E+02		AA		Thels	M	3.79E+02	2.86E+00	0100	
714	39	WELL 1	4074403.10	597789.34	3	945.12	21.69	265.24	47.56	2.09E+01	9.94E+00		AA		Cooper - Jacob	M	9.94E+00	2.09E+01	0100	
715	105	WELL 10	4010178.87	556187.62	3	610.00	12.00	12.00	12.00	2.50E+04	0.00E+00		AA	INU		L	2.50E+03	2.50E+04	0163	
716	105	WELL 10	4010178.87	556187.62	3	610.00	12.00	12.00	12.00	3.40E+03	0.00E+00		AA	INU		L	3.40E+02	3.40E+03	0163	
717	107	WELL 14	4010266.03	555363.30	3	611.00	18.00	18.00	18.00	3.95E+00	0.00E+00	3.03E+00	AA	INU		M	6.40E+01	3.95E+00	0163	
718	107	WELL 14	4010266.03	555363.30	3	611.00	18.00	18.00	18.00	2.70E+00	0.00E+00		AA	REC	Cooper - Jacob	M	4.95E+01	2.70E+00	0163	
719	61	WELL 3	4094553.48	583827.33	3	1210.06	513.72	548.78	35.06	6.01E+05	2.11E+03	1.13E+04	AA	PUMP	Cooper - Jacob	M	1.82E+01	4.61E+01	0100	
720	61	WELL 3	4094553.48	583827.33	3	1210.06	513.72	548.78	35.06	6.01E+05	2.11E+03		AA	REC	Cooper - Jacob	M	2.61E+01	7.44E+01	0100	
721	61	WELL 3	4094553.48	583827.33	4	1210.06	467.99	538.11	70.12	1.20E+04	8.42E+03		AA	PUMP	Thels	M	1.57E+01	2.23E+01	0754	
722	61	WELL 3	4094553.48	583827.33	4	1210.06	467.99	538.11	70.12	1.20E+04	8.42E+03		AA	PUMP	Thels	M	6.46E+00	9.21E+02	0754	
723	61	WELL 3	4094553.48	583827.33	4	1210.06	467.99	538.11	70.12	1.20E+04	8.42E+03	</								

Cross Reference List

(Page 1 of 4)

ITLV Ref No.	Author(s)	Report Date	Publisher	Report No.
0009	Thordarson	1983	USGS	WRI-83-4171
0010	Lobmeyer, Whitfield, Lahoud, Bruckheimer	1983	USGS	OFR-83-855
0011	Craig, Johnson	1984	USGS	OFR-84-450
0012	Bentley	1984	USGS	OFR-84-063
0013	Bentley, Robison, Spengler	1983	USGS	OFR-83-853
0014	Craig, Reed, Spengler	1983	USGS	OFR-83-856
0015	Weir, Hodson	1979	USGS	USGS-1543-4
0016	Rush, Thordarson, Pyles	1984	USGS	WRI-84-4032
0017	Thordarson, Rush, Waddell	1985	USGS	WRI-84-4272
0018	Blankennagel, Weir	1973	USGS	GSPP-712-B
0019	Lahoud, Lobmeyer, Whitfield	1984	USGS	WRI-84-4253
0031	Waddell, Robison, Blankennagel	1984	USGS	WRI-84-4267
0042	Dinwiddie, Weir	1979	USGS	USGS-1543-3
0064	Craig, Robison	1984	USGS	WRI-84-4248
0077	Anderson	1981	USGS	OFR-81-1337
0082	Garber	1971	USGS	USGS-474-105
0087	Peters, Klavetter, Hall, Blair	1984	Sandia National Laboratories	SAND84-1471
0092	Claassen	1973	USGS	USGS-474-158
0100	Winograd, Thordarson	1975	USGS	GSPP-712-C
0108	Whitfield, Eshom, Thordarson, Schaefer	1985	USGS	WRI-85-4030

Cross Reference List
(Page 2 of 4)

ITLV Ref No.	Author(s)	Report Date	Publisher	Report No.
0157	Kume, Hammermeister	1990	USGS	OFR-88-465
0163	Czarnecki	1990	USGS	OFR-90-356
0171	Weeks, Wilson	1984	USGS	WRI-84-4193
0172	Thordarson, Rush, Spengler, Waddell	1984	USGS	OFR-84-149
0173	Whitfield, Thordarson	1990	USGS	OFR-90-354
0174	Thordarson, Howells	1987	USGS	WRI-86-4359
0175	Robison, Craig	1991	USGS	WRI-88-4168
0178	Whitfield, Thordarson, Eshom	1984	USGS	OFR-84-449
0181	Waddell	1985	USGS	OFR-84-142
0183	Young	1972	USGS	GSWSP-1938
0189	Dinwiddie	1970	USGS	USGS-474-78
0190	Dinwiddie	1970	USGS	USGS-474-80
0191	Dinwiddie	1970	USGS	USGS-474-79
0195	Lobmeyer	1986	USGS	WRI-86-4015
0274	Smith, Doyle	1962	USGS	NTS-36
0320	Walker	1962	USGS	TEI-813
0346	Meyer, Young	1962	USGS	NTS-30
0347	Norvitch, Smith	1963	USGS	NTS-49
0754	Hood	1961	USGS	TEI-788
0755	Moore, Garber	1962	USGS	TEI-808
0802	Thompson, Bayhurst, Hawkins	1993	Los Alamos National Labs	LA-12498-PR
0805	Klavetter, Peters	1985	Sandia National Labs	SAND85-0855C
0827	Rush, Thordarson, Bruckheimer	1983	USGS	OFR-83-141

Cross Reference List
(Page 3 of 4)

ITLV Ref No.	Author(s)	Report Date	Publisher	Report No.
0902	Wilmarth, Healy, Clebsch, Winograd, Leitz, Oliver	1959	USGS	TEI-358
1121	West, Thordarson	1963	USGS	TL NTS-437
1174	Anderson	1981	USGS	OFR-81-1338
1175	Anderson	1984	USGS	OFR-84-552
1467	Norvitch	1962	USGS	TL YUCCA-1 Sup. 4
1469	Thordarson, Garber, Walker	1962	USGS	TEI-803
1472	Young, Doyle	1962	USGS	TL NTS-3, SUP. 1
1473	Schoff	1962	USGS	TL NTS-33
1475	Dudley, Blankennagel	1973	USGS	USGS-474-163
1480	Garber, Thordarson	1962	USGS	TEI-818
1482	Price, Thordarson	1961	USGS	TEI-800
1484	Schoff, Winograd	1961	USGS	TEI-787
1485	Dinwiddie, Schroder	1971	USGS	USGS-474-90
1513	Johnston	1968	USGS	OFR-68-152
1528	Blankennagel	1968	USGS	Groundwater, vol.6 no. 4
1548	Craig, Reed	1991	USGS	WRI-89-4025
1599	Spengler, Livermore	1979	USGS	OFR-79-1244
2600	Daily, Lin, Buscheck	1985	Lawrence Livermore National Labs	UCRL-94363
2668	Dinwiddie	1968	USGS	USGS-474-81
2721	Dinwiddie	1970	USGS	USGS-474-31
2722	Dinwiddie	1970	USGS	USGS-474-77
2723	Dinwiddie	1970	USGS	USGS-474-34

Cross Reference List
(Page 4 of 4)

ITLV Ref No.	Author(s)	Report Date	Publisher	Report No.
2724	Klavetter, Peters	1987	Sandia National Labs	SAND86-0286
2725	Barr	1985	Sandia National Labs	SAND84-0637
2726	Dettinger	1989	USGS	USGS Summary Report No. 1
2727	Dinwiddie	1970	USGS	USGS-474-39
2728	Dinwiddie	1970	USGS	USGS-474-23
2729	Dinwiddie	1968	USGS	TL Central NV-23
2730	Geldon	1992	USGS	WRI-92-4016
3142	Schaeffer, Morris, Dettinger	1992	USGS	OFR-89-425
3143	Berger, Kilroy, Schaefer	1988	USGS	OFR-87-679
3218	Bunch, Harrill	1984	USGS	OFR-84-702
4923	Dettinger, Harrill Schmidt	1991	USGS	WRI-91-4146

Attachment to Appendix A
Hydrologic Parameter Database References

- Anderson, L.A. 1984. *Rock Property Measurements on Large-Volume Core Samples from Yucca Mountain USW GU-3/G3 and USW G-4 Boreholes, Nevada Test Site, Nevada*, U.S. Geological Survey Open-File Report 84-552. (IT Corporation Library Data Base Reference No. L1175.)
- Anderson, L.A. 1981. *Rock Property Analysis of Core Samples from the Calico Hills UE-25a #3 Borehole, Nevada Test Site, Nevada*, U.S. Geological Survey Open-File Report 81-1337. (IT Corporation Library Data Base Reference No. L0077.)
- Anderson, L.A. 1981. *Rock Property Analysis of Core Samples from the Yucca Mountain UE-25a-1 Borehole, Nevada Test Site, Nevada*, U.S. Geological Survey Report OFR-81-1338. (IT Corporation Library Data Base Reference No. L1174.)
- Barr, G.E. 1985. *Reduction of the Well Test Data for Test Well USW H-1, Adjacent to Nevada Test Site, Nye County, Nevada*, Sandia National Laboratory SAND84-0637. (IT Corporation Library Data Base Reference No. L2725.)
- Bentley, C.B. 1984. *Geohydrologic Data for Test Well USW G-4, Yucca Mountain Area, Nye County, Nevada*, U.S. Geological Survey Open-File Report 84-063. (IT Corporation Library Data Base Reference No. L0012.)
- Bentley, C.B., J.H. Robison, and R.W. Spengler. 1983. *Geohydrologic Data for Test Well USW H-5, Yucca Mountain Area, Nye County, Nevada*, U.S. Geological Survey Open-File Report 83-853. (IT Corporation Library Data Base Reference No. L0013.)
- Berger, D.L., C. Kilroy, and D.H. Schaefer. 1988. *Geophysical Logs and Hydrologic Data for Eight Wells in the Coyote Spring Valley Area, Clark and Lincoln Counties, Nevada*, U.S. Geological Survey OFR-87-679. (IT Corporation Library Data Base Reference No. L3143.)
- Blankennagel, R.K. and J.E. Weir, Jr. 1973. *Geohydrology of the Eastern Part of Pahute Mesa, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey USGS-712-B. (IT Corporation Library Data Base Reference No. L0018.)
- Blankennagel, R.K. 1968. "Geophysical Logging and Hydraulic Testing, Pahute Mesa, Nevada Test Site," U.S. Geological Survey Journal Ground Water, Vol. 6, No. 4. (IT Corporation Library Data Base Reference No. L1528.)
- Bunch, R.L. and R. Harrill. 1984. *Compilation of Selected Hydrologic Data from the MX Missile-Siting Investigation, East-Central Nevada and Western Utah*, U.S. Geological Survey OFR-84-702. (IT Corporation Library Data Base Reference No. L3218.)

- Claassen, H.C. 1973. *Water Quality and Physical Characteristics of Nevada Test Site Water-Supply Wells*, U.S. Geological Survey USGS-474-158. (IT Corporation Library Data Base Reference No. L0092.)
- Craig, R.W. and R.L. Reed. 1991. *Geohydrology of Rocks Penetrated by Test Well USW H-6, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey WRIR-89-4025. (IT Corporation Library Data Base Reference No. L1548.)
- Craig, R.W. and J.H. Robison. 1984. *Geohydrology of Rocks Penetrated by Test Well UE-25p #1, Yucca Mountain Area, Nye County, Nevada*, U.S. Geological Survey Open-File Report WRIR-84-4248. (IT Corporation Library Data Base Reference No. L0064.)
- Craig, R.W. and K.A. Johnson. 1984. *Geohydrologic Data for Test Well UE-25p #1, Yucca Mountain Area, Nye County, Nevada*, U.S. Geological Survey Open-File Report 84-450. (IT Corporation Library Data Base Reference No. L0011.)
- Craig, R.W., R.I. Reed, and R.W. Spengler. 1983. *Geohydrologic Data for Test Well USW H-6, Yucca Mountain Area, Nye County, Nevada*, U.S. Geological Survey Open-File Report 83-856. (IT Corporation Library Data Base Reference No. L0014.)
- Czarnecki, J.B. 1990. *Geohydrology and Evapotranspiration at Franklin Lake Playa, Inyo County, California*, U.S. Geological Survey Open-File Report 90-356. (IT Corporation Library Data Base Reference No. L0163.)
- Daily, W., W. Lin, and T. Buscheck. 1985. *Hydrological Properties of Topopah Spring Tuff Laboratory Measurements*, Lawrence Livermore National Laboratory UCRL-94363. (IT Corporation Library Data Base Reference No. L2600.)
- Dettinger, M.D., J.R. Harrill, D.L. Schmidt. 1995. *Distribution of Carbonate-Rock Aquifers and the Potential for Their Development, Southern Nevada and Adjacent Parts of California, Arizona, and Utah*, U.S. Geological Survey Water-Resources Investigation Report 91-4146. (IT Corporation Library Data Base Reference No. L4923.)
- Dettinger, M.D. 1989. *Distribution of Carbonate Rock Aquifers in Southern Nevada and the Potential for Their Development - Summary Findings, 1985-1988*, U.S. Geological Survey Summary Report No. 1. (IT Corporation Library Data Base Reference No. L2726.)
- Dinwiddie, G.A. 1979. *Hydraulic Testing of Well HTH-3 in Central Nevada*, U.S. Geological Survey USGS-474-34, NTS-448. (IT Corporation Library Data Base Reference No. L2723.)
- Dinwiddie, G.A. and J.E. Weir, Jr. 1979. *Summary of Hydraulic Tests and Hydrologic Data for Holes UE-16d and UE-16f, Syncline Ridge Area, Nevada Test Site*, U.S. Geological Survey USGS-1543-3. (IT Corporation Library Data Base Reference No. L0042.)
- Dinwiddie, G.A. and L.J. Schroder. 1971. *Summary of Hydraulic Testing and Chemical Analyses of Water Samples from Deep Exploratory Holes in Little Fish Lake, Monitor, Hot*

- Creek, Little Smoky Valleys, Nevada*, U.S. Geological Survey USGS-474-90. (IT Corporation Library Data Base Reference No. L1485.)
- Dinwiddie, G.A. 1970. *Hydraulic Testing of Wells in Central Nevada*, U.S. Geological Survey USGS-474-80. (IT Corporation Library Data Base Reference No. L0190.)
- Dinwiddie, G.A. 1970. *Hydraulic Testing and Sampling of Hole Ue-3, in Central Nevada*, U.S. Geological Survey USGS-474-79. (IT Corporation Library Data Base Reference No. L0191.)
- Dinwiddie, G.A. 1970. *Hydraulic Testing of Well HTH-5 June 1970 Open File Report in Central Nevada*, U.S. Geological Survey USGS-474-39. (IT Corporation Library Data Base Reference No. L2727.)
- Dinwiddie, G.A. 1970. *Hydraulic Testing of Well HTH-23 in Central Nevada*, U.S. Geological Survey USGS-474-23, NTS-444. (IT Corporation Library Data Base Reference No. L2728.)
- Dinwiddie, G.A. 1970. *Hydraulic Testing of Well HTH-4 June 1970 Open File Report in Central Nevada*, U.S. Geological Survey USGS-474-31. (IT Corporation Library Data Base Reference No. L2721.)
- Dinwiddie, G.A. 1970. *Hydraulic Testing and Sampling of Hole Ue-1, in Central Nevada*, U.S. Geological Survey USGS-474-77. (IT Corporation Library Data Base Reference No. L2722.)
- Dinwiddie, G.A. 1970. *Hydraulic Testing and Sampling of Hole Ue-2, in Central Nevada*, U.S. Geological Survey USGS-474-78. (IT Corporation Library Data Base Reference No. L0189.)
- Dinwiddie, G.A. 1968. *Hydraulic Testing of Well HTH-21-1 in Central Nevada*, U.S. Geological Survey Technical Letter Central NV-22, USGS-474-81. (IT Corporation Library Data Base Reference No. L2668.)
- Dinwiddie, G.A. 1968. *Analysis of Hydraulic Tests in Hot Creek Valley, Nevada*, U.S. Geological Survey Technical Letter Central NV-23. (IT Corporation Library Data Base Reference No. L2729.)
- Dudley, W.W. and R.K. Blankennagel. No Date. "Hydrologic Background and Hydraulic Testing." In U.S. Geological Survey *Geology*, Vol. 92: p. 11. (IT Corporation Library Data Base Reference No. L1475.)
- Garber, M.S. 1971. *Hydraulic-Test and Quality-of-Water Data from Hole U-3cn PS 32, BILBY Site, Nevada Test Site*, U.S. Geological Survey USGS-474-105. (IT Corporation Library Data Base Reference No. L0082.)

- Garber, M.S. and W. Thordarson. 1962. *Ground Water Test Well C, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey TEI-818. (IT Corporation Library Data Base Reference No. L1480.)
- Geldon, A.L. 1992. *Preliminary Hydrogeologic Assessment of Boreholes UE-25c #1, UE-5c #2, and UE-25c #3, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey WRIR-92-4016. (IT Corporation Library Data Base Reference No. L2730.)
- Hood, J.W. 1961. *Water Wells in Frenchman and Yucca Valleys, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey TEI-788. (IT Corporation Library Data Base Reference No. L0754.)
- Johnston, R.H. 1968. *U.S. Geological Survey Tracer Study Amargosa Desert, Nye County, Part I: Exploratory Drilling, Tracer Well Construction and Testing, and Preliminary Findings*, U.S. Geological Survey OFR-474-98. (IT Corporation Library Data Base Reference No. L1513.)
- Klavetter, E.A., and R.R. Peters. 1987. *An Evaluation of the Use of Mercury Porosimetry in Calculating Hydrologic Properties of Tuffs from Yucca Mountain, Nevada*, Sandia National Laboratory SAND86-0286, DRI-12. (IT Corporation Library Data Base Reference No. L2724.)
- Klavetter, E.A. and R.R. Peters. 1985. *Fluid Flow in a Fractured Rock Mass*, Sandia National Laboratory SAND85-0855C. (IT Corporation Library Data Base Reference No. L0805.)
- Kume, J., and D.P. Hammermeister. 1990. *Geohydrologic Data from Test Hole USW UZ-7, Yucca Mountain Area, Nye County, Nevada*, U.S. Geological Survey OFR-88-465. (IT Corporation Library Data Base Reference No. L0157.)
- Lahoud, R.G., D.H. Lobmeyer, and M.S. Whitfield, Jr. 1984. *Geohydrology of Volcanic Tuff Penetrated by Test Well UE-25b #1, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey WRIR-84-4253. (IT Corporation Library Data Base Reference No. L0019.)
- Lobmeyer, D.H. 1986. *Geohydrology of Rocks Penetrated by Test Well USW G-4, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey WRIR-86-4015. (IT Corporation Library Data Base Reference No. L0195.)
- Lobmeyer, D.H., M.S. Whitfield, Jr., R.R. Lahoud, and L. Bruckheimer. 1983. *Geohydrologic Data for Test Well UE-25b #1, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey Open-File Report 83-855. (IT Corporation Library Data Base Reference No. L0010.)
- Meyer, G.L. and R.A. Young. 1962. *Summary of Hydraulic Data and Abridged Log for Ground-Water Test Well 3, Frenchman Flat, Nevada Test Site, Nevada*, U.S. Geologic Survey Technical Letter NTS-30. (IT Corporation Library Data Base Reference No. L0346.)

- Moore, J.E. and M.S. Garber. 1962. *Ground Water Test Well B, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey TEI-808. (IT Corporation Library Data Base Reference No. L0755.)
- Norvitch, R.F. and R.E. Smith. 1963. *Yield of Quality of Water from Test Well Drilled at the Aurora Site, Clark County, Nevada*, U.S. Geological Survey Technical Letter NTS-49. (IT Corporation Library Data Base Reference No. L0347.)
- Norvitch, R.F. 1962. *Hydraulic Tests of Strata Penetrated in Drill Hole UE-15d, Nevada Test Site*, U.S. Geological Survey Technical Letter Yucca-1, Sup. 4. (IT Corporation Library Data Base Reference No. L1467.)
- Peters, R.R., E.A. Klavetter, I.J. Hall, and S.C. Blair. 1984. *Fracture and Matrix Hydrologic Characteristics of Tuffaceous Materials from Yucca Mountain, Nye County, Nevada*, Sandia National Laboratory SAND84-1471. (IT Corporation Library Data Base Reference No. L0087.)
- Price, C.E. and W. Thordarson. 1961. *Ground Water Test Well A, Nevada Test Site, Nye County, Nevada: A Summary of Lithologic Data, Aquifer Tests, and Construction Site*, U.S. Geological Survey TEI-800. (IT Corporation Library Data Base Reference No. L1482.)
- Robison, J.H. and R.W. Craig. 1991. *Geohydrology of Rocks Penetrated by Test Well USW H-5, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey WRI-88-4168. (IT Corporation Library Data Base Reference No. L0175.)
- Rush, F.E., W. Thordarson, and D.G. Pyles. 1984. *Geohydrology of Test Well USW H-1, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey WRIR-84-4032. (IT Corporation Library Data Base Reference No. L0016.)
- Rush, F.E., W. Thordarson, and L. Bruckheimer. 1983. *Geohydrologic and Drill-Hole Data for Test Well USW H-1, Adjacent to Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey OFR-83-141. (IT Corporation Library Data Base Reference No. L0827.)
- Schaefer, D.H., T.M. Morris, and M.D. Dettinger. 1992. *Hydrogeologic and Geophysical Data for Selected Wells and Springs in the Sheep Range Area, Clark and Lincoln Counties, Nevada*, U.S. Geological Survey OFR-89-425. (IT Corporation Library Data Base Reference No. L3142.)
- Schoff, S.L. 1962. *Pumping Test and Other Data on Well Watertown-3, Lincoln County, Nevada*, U.S. Geological Survey Technical Letter NTS-33. (IT Corporation Library Data Base Reference No. L1473.)
- Schoff, S.L. and I.J. Winograd. 1961. *Hydrologic Significance of Six Core Holes in Carbonate Rocks of the Nevada Test Site*, U.S. Geological Survey, TEI-787. (IT Corporation Library Data Base Reference No. L1484.)

- Smith, R.E. and A.C. Doyle. 1962. *Summary of Hydraulic Data and Abridged Log for Ground-Water Test Well 4, Indian Springs Valley, Clark County, Nevada*, U.S. Geological Survey Technical Letter NTS-36. (IT Corporation Library Data Base Reference No. L0274.)
- Spengler, R.W. and R.B. Livermore. 1979. *Preliminary Report on the Geology and Geophysics of Drill Hole UE-25a-1, Yucca Mountain, Nevada Test Site*, U.S. Geological Survey OFR-79-1244. (IT Corporation Library Data Base Reference No. L1599.)
- Thompson, J.L., G.K. Bayhurst, and W.L. Hawkins. 1993. *Laboratory and Field Studies Related to the Hydrology/Radionuclide Migration Project: October 1, 1991-September 30, 1992*, Los Alamos National Laboratory LA-12398-PR. (IT Corporation Library Data Base Reference No. L0802.)
- Thordarson, W. and L. Howells. 1987. *Hydraulic Tests and Chemical Quality of Water at Well UW VH-1, Crater Flat, Nye County, Nevada*, U.S. Geological Survey WRIR-86-4359. (IT Corporation Library Data Base Reference No. L0174.)
- Thordarson, W., F.E. Rush, and S.J. Waddell. 1985. *Geohydrology of Test Well USW H-3, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey WRIR-84-4272. (IT Corporation Library Data Base Reference No. L0017.)
- Thordarson, W., F.E. Rush, R.W. Spengler, and S.J. Waddell. 1984. *Geohydrologic and Drill-Hole Data for Test Well USW H-3, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey Open-File Report 84-149. (IT Corporation Library Data Base Reference No. L0172.)
- Thordarson, W. 1983. *Geohydrologic Data and Test Results from Well J-13, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey WRIR-83-4171. (IT Corporation Library Data Base Reference No. L0009.)
- Thordarson, W., M.S. Garber, and G.E. Walker. 1962. *Ground Water Test Well D, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey TEI-803. (IT Corporation Library Data Base Reference No. L1469.)
- Waddell, R.K. 1985. *Hydrologic and Drill-Hole Data for Test Wells UE-29a #1 and UE-29a #2, Fortymile Canyon, Nevada Test Site*, U.S. Geological Survey Open-File Report 83-142. (IT Corporation Library Data Base Reference No. L0181.)
- Waddell, R.K., J.H. Robison, and R.H. Blankennagel. 1984. *Hydrology of Yucca Mountain and Vicinity, Nevada-California -- Investigative Results Through Mid-1983*, U.S. Geological Survey WRIR-84-4267. (IT Corporation Library Data Base Reference No. L0031.)
- Walker, G.E. 1962. *Ground Water in the Climax Stock, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey TEI-813. (IT Corporation Library Data Base Reference No. L0320.)

- Weeks, E.P. and W.E. Wilson. 1984. *Preliminary Evaluation of Hydrologic Properties of Cores of Unsaturated Tuff, Test Well WSW H-1, Yucca Mountain, Nevada*, U.S. Geological Survey WRI-84-4193. (IT Corporation Library Data Base Reference No. L0171.)
- Weir, Jr., J.E. and J.N. Hodson. 1979. *Geohydrology of Hole UE-17a, Syncline Ridge area, Nevada Test Site*, U.S. Geological Survey USGS-1543-4. (IT Corporation Library Data Base Reference No. L0015.)
- West, L.R. and W. Thordarson. 1963. *Summary of Hydraulic Data, Water Chemistry, and Abridged Lithologic Log of Ground-Water Test Well 8, Nye County, Nevada*, U.S. Geological Survey Technical Letter NTS-437. (IT Corporation Library Data Base Reference No. L1121.)
- Whitfield, Jr., M.S. and W. Thordarson. 1990. *Drilling and Geohydrologic Data for Test Hole USW UZ-1, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey Open-File Report 90-354. (IT Corporation Library Data Base Reference No. L0173.)
- Whitfield, Jr., M.S., E.P. Eshom, W. Thordarson, and D.H. Schaefer. 1985. *Geohydrology of Rocks Penetrated by Test Well USW H-4, Yucca Mountain, Nye County Nevada*, U.S. Geological Survey WRIR-85-4030. (IT Corporation Library Data Base Reference No. L0108.)
- Whitfield, Jr., M.S., W. Thordarson, and E.P. Eshom. 1984. *Geohydrologic and Drill-Hole Data for Test Well USW H-4, Yucca Mountain, Nye County, Nevada*, U.S. Geological Survey Open-File Report 84-449. (IT Corporation Library Data Base Reference No. L0178.)
- Wilmarth, V.R., D.L. Healy, A. Clebsch, Jr., I.J. Winograd, I. Leitz, and H.W. Oliver. 1959. *A Summary Interpretation of Geologic Hydrologic, and Geophysical Data for Yucca Valley, Nevada Test Site, Nye County, Nevada*, U.S. Geological Survey TEI-358. (IT Corporation Library Data Base Reference No. L0902.)
- Winograd, I.J. and W. Thordarson. 1975. *Hydrogeologic and Hydrochemical Framework, South-Central Great Basin, Nevada-California, with Special Reference to the Nevada Test Site*, U.S. Geological Survey Professional Paper 712-C. (IT Corporation Library Data Base Reference No. L0100.)
- Young, R.A. 1972. *Water Supply for the Nuclear Rocket Development Station at the U.S. Atomic Commission, Nevada Test Site*, U.S. Geological Survey Water Supply Paper 1938. (IT Corporation Library Data Base Reference No. L0183.)
- Young, R.A. and A.C. Doyle. 1962. *Summary of Hydrologic Data and Abridged Log for Ground-Water Test Well 2, Yucca Flat, Nevada Test Site, Nevada*, U.S. Geological Survey Technical Letter NTS-3, Supp. #1. (IT Corporation Library Data Base Reference No. L1472.)