

Spring Discharges after 75 years, 2000 years, and Final Steady State

Spring	First Steady State (cfs)	75 years (cfs)	Difference (cfs)	Difference (%)	2000 years (cfs)	Difference (cfs)	Difference (%)	SS-D/L/C (cfs)	Difference (cfs)	Difference (%)
ArnoldsonSp (45B)	3.59	3.59	0.00	0.00	3.59	0.00	0.00	3.59	0.00	0.00
Cold Sp (45B)	1.32	1.32	0.00	0.00	1.32	0.00	0.00	1.32	0.00	0.00
Preston Big Sp (45B)	7.96	7.96	0.00	0.00	7.93	-0.29	-0.29	7.93	-0.02	-0.29
Lund Sp (45C)	7.73	7.73	0.00	0.00	7.69	-0.05	-0.60	7.69	-0.05	-0.60
Moorman Sp(45A)	0.60	0.60	0.00	0.00	0.57	-0.03	-4.47	0.55	-0.05	-7.57
Butterfield Sp (41)	2.73	2.73	0.00	0.00	1.71	-1.02	-37.29	1.62	-1.22	-44.49
Flag 1 Sp-41	2.26	2.26	0.00	0.00	1.92	-0.34	-14.87	1.86	-0.39	-17.44
Flag 2 Sp-41	2.84	2.84	0.00	0.00	2.49	-0.35	-12.24	2.42	-0.42	-14.69
Flag 3 Sp-41	2.14	2.14	0.00	0.00	1.83	-0.31	-14.59	1.77	-0.37	-17.30
Hardy Sp (45C)	0.45	0.45	0.00	0.00	0.35	-0.10	-22.48	0.33	-0.12	-27.39
Williams Hot Sp (49)	0.16	0.16	0.00	0.00	0.16	0.00	0.00	0.16	0.00	0.00
Douglas Sp-49	0.27	0.27	0.00	0.00	0.27	0.00	-0.43	0.27	0.00	-0.43
Hot CreekSp (45A)	10.93	10.93	0.00	0.00	10.67	-0.36	-3.28	10.17	-0.75	-6.89
Hilko Sp (23)	6.47	6.48	0.01	0.18	6.08	-0.39	-6.08	5.93	-0.54	-8.41
Crystal Sp-22	9.27	9.27	0.00	0.00	9.20	-0.07	-0.75	9.17	-0.10	-1.12
Ash Sp (23)	15.28	15.28	0.00	0.00	15.16	-0.12	-0.76	15.05	-0.23	-1.52
Baldwin Sp(15B)	1.00	1.00	0.00	0.00	1.00	0.00	-0.23	1.00	0.00	-0.46
Big MuddySp (15B)	7.04	7.04	0.00	0.00	7.04	0.00	0.00	7.03	-0.01	-0.16
Jones Sp (15B)	1.00	1.00	0.00	0.00	0.99	-0.01	-0.58	0.99	-0.01	-0.93
M-11 Spring (15B)	1.22	1.22	0.00	0.00	1.22	0.00	0.00	1.22	0.00	0.00
M-12 Spring (15B)	0.24	0.24	0.00	0.00	0.24	0.00	-0.48	0.24	0.00	-0.48
M-13 Spring (15B)	0.61	0.61	0.00	0.00	0.61	0.00	-0.19	0.61	0.00	-0.38
M-15 Spring (15B)	1.00	1.00	0.00	0.00	1.00	0.00	-0.12	1.00	0.00	-0.12
M-16 Spring (15B)	1.00	1.00	0.00	0.00	1.00	0.00	-0.12	1.00	0.00	-0.12
M-19 Spring (15B)	0.92	0.92	0.00	0.00	0.92	0.00	-0.13	0.92	0.00	-0.25
M-20 Spring (15B)	1.00	1.00	0.00	0.00	1.00	0.00	-0.12	1.00	0.00	-0.12
Pederson Esp (15B)	0.18	0.18	0.00	0.00	0.18	0.00	0.00	0.18	0.00	-0.64
Pederson Sp (15B)	0.15	0.15	0.00	0.00	0.15	0.00	-0.78	0.15	0.00	-0.78
Rox Sp (15B)	2.75	2.75	0.00	0.00	2.73	-0.02	-0.84	2.72	-0.03	-1.26
Rogers Sp(16A)	1.72	1.72	0.00	0.00	1.72	0.00	0.00	1.72	0.00	0.00
Blue PointSp (16A)	0.50	0.50	0.00	0.00	0.50	0.00	-0.23	0.50	0.00	-0.23

All wells P.V. out

GRUN 'S EXHIBITS 267
 DATE: _____

Applicant 'S EXHIBIT 1212
 DATE: 2/12/08

DDC