



SOUTHERN NEVADA  
WATER AUTHORITY

## Water Resources Division

# 2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status and Data Report

March 2014

Prepared by  
Southern Nevada Water Authority  
Water Resources Division  
P.O. Box 99956  
Las Vegas, Nevada 89193-9956

Submitted to the  
Nevada State Engineer and the  
Spring Valley Stipulation  
Executive Committee

This document's use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the Southern Nevada Water Authority. Although trademarked names are used, a trademark symbol does not appear after every occurrence of a trademarked name. Every attempt has been made to use proprietary trademarks in the capitalization style used by the manufacturer.

Suggested citation:

Southern Nevada Water Authority, 2014, 2013 Spring Valley hydrologic monitoring, management, and mitigation plan status and data report: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0025, 161 p.

## CONTENTS

List of Figures .....	iii
List of Tables .....	v
List of Acronyms and Abbreviations .....	ix
1.0 Introduction.....	1-1
1.1 Background.....	1-1
1.2 Major Activities Performed in 2013.....	1-3
1.3 Report Scope.....	1-3
2.0 SVMM Plan Status and Data .....	2-1
2.1 Monitoring Well Network .....	2-1
2.1.1 Well Network Hydrologic Data .....	2-3
2.1.2 Current Well Network .....	2-3
2.1.2.1 Exploratory- and Production-Well Monitoring .....	2-3
2.1.2.2 Existing-Well Monitoring Network .....	2-6
2.1.2.3 Two Monitor Wells near Shoshone Ponds .....	2-6
2.1.2.4 Cleveland Ranch Hydrologic Monitoring .....	2-6
2.1.3 Future Monitor Wells.....	2-8
2.1.3.1 Interbasin Monitoring Zone Network .....	2-8
2.1.3.2 Two Monitor Wells between the Zone and Closest Production Well .....	2-10
2.2 Aquifer Testing.....	2-10
2.3 Spring Monitoring Network .....	2-10
2.4 Stream Discharge Measurements .....	2-12
2.4.1 Discharge Sites at Big Springs Creek and Cleve Creek.....	2-14
2.4.1.1 Cleve Creek .....	2-14
2.4.1.2 Big Springs Creek .....	2-15
2.4.2 Synoptic-Discharge Study of Big Springs and Lake Creeks .....	2-15
2.5 Precipitation Station Network.....	2-17
2.6 Water-Chemistry-Sampling Program .....	2-17
2.7 Reporting .....	2-21
2.8 Proposed Schedule of Groundwater Withdrawals .....	2-21
3.0 Anticipated 2014 SNWA SVMM Plan Activities .....	3-1
4.0 References.....	4-1
Appendix A - Periodic Water-Level Measurement Data from the Spring Valley Monitor Well Network	
Appendix B - Continuous Water-Level Measurement Data from the Spring Valley Existing-Well Monitoring Network	
Appendix C - Spring-Monitoring Program Hydrologic and Field Chemistry Data	



**CONTENTS (CONTINUED)**

Appendix D - SNWA and USGS Discharge Measurements and Hydrographs for Big Springs Creek and Cleve Creek

Appendix E - Regional and High-Altitude Precipitation Data

**FIGURES**

<b>NUMBER</b>	<b>TITLE</b>	<b>PAGE</b>
1-1	Spring Valley Hydrographic Area 184. ....	1-2
2-1	Spring Valley Monitor Well Network . . . . .	2-2
2-2	Location of Monitor Wells near Shoshone Ponds . . . . .	2-7
2-3	Monitoring Locations Associated with Cleveland Ranch . . . . .	2-9
2-4	Spring and Stream Hydrologic Monitoring Locations . . . . .	2-11
2-5	Big Springs Synoptic-Discharge Measurement Study Area, Snake Valley . . . . .	2-16
2-6	Precipitation Station Locations. . . . .	2-20



**This Page Left Intentionally Blank**

**TABLES**

<b>NUMBER</b>	<b>TITLE</b>	<b>PAGE</b>
2-1	Spring Valley Monitor Well Network (arranged from north to south). . . . .	2-4
2-2	Spring Discharge Monitoring Locations. . . . .	2-12
2-3	Spring Piezometer Location and Completion Information. . . . .	2-13
2-4	Staff Plate Locations. . . . .	2-14
2-5	Cleve Creek and Big Springs Monitoring Locations . . . . .	2-14
2-6	High-Altitude and Regional Precipitation Monitoring Station Locations . . . . .	2-18
A-1	Periodic Water-Level Measurement Data from the Spring Valley Monitor Well Network . . . . .	A-1
B-1	Spring Valley Well 383704114225001, Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-2
B-2	Spring Valley Well 384039114232701, Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-4
B-3	Spring Valley Well 384831114314301, Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-6
B-4	Spring Valley Well 384745114224401, Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-8
B-5	Spring Valley Well 390352114305401, Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-10
B-6	Spring Valley Well 390803114251001, Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-12
B-7	Spring Valley Robison Crooked Well (Formerly 393211114320701), Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-14
B-8	Hamlin Valley Well 383023114115302, Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-16
B-9	Spring Valley Well 184W502M Calendar Year 2013 Water-Level Data, Daily Mean Values . . . . .	B-18



**TABLES (CONTINUED)**

<b>NUMBER</b>	<b>TITLE</b>	<b>PAGE</b>
B-10	Spring Valley Well 184W504M, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-20
B-11	Spring Valley Well 184W506M, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-22
B-12	Spring Valley Well 184W508M, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-24
B-13	Spring Valley Well SPR7006M, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-26
B-14	Spring Valley Well SPR7007M, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-28
B-15	Spring Valley Well SPR7005M, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-30
B-16	Spring Valley Well SPR7008M, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-32
B-17	Spring Valley Well SPR7024M, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-34
B-18	Spring Valley Well SPR7024M2, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	B-36
C-1	Spring Valley Miscellaneous Discharge Data .....	C-1
C-2	Periodic Water-Level Measurement Data from the Spring Valley Spring-Piezometer Monitoring Network .....	C-5
C-3	Station Number 1847301 - Rock Spring near Osceola, NV, Water Year 2013 Mean Daily Discharge Values .....	C-8
C-4	Station Number 1846203 - Swallow Springs South near Minerva, NV, Water Year 2013 Mean Daily Discharge Values .....	C-10
C-5	Minerva Spring Piezometer SPR7007Z, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	C-12
C-6	Blind Spring Piezometer SPR7011Z, Calendar Year 2013 Water-Level Data, Daily Mean Values .....	C-14



**TABLES (CONTINUED)**

<b>NUMBER</b>	<b>TITLE</b>	<b>PAGE</b>
C-7	Four Wheel Drive Spring Piezometer SPR7012Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-16
C-8	The Seep Piezometer SPR7014Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-18
C-9	West Spring Valley Complex Piezometer SPR7015Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-20
C-10	Unnamed Spring Five Piezometer SPR7016Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-22
C-11	South Millick Spring Piezometer SPR7018Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-24
C-12	Layton Spring Piezometer SPR7019Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-26
C-13	Stonehouse Spring Piezometer SPR7020Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-28
C-14	Keegan Spring Piezometer SPR7021Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-30
C-15	Willow Spring Piezometer SPR7022Z, Calendar Year 2013 Water-Level Data, Daily Mean Values. . . . .	C-32
D-1	USGS Discharge Measurements at Big Springs Creek near Baker, Nevada . . . . .	D-1
D-2	10243700 - Cleve Creek near Ely, Nevada (Discharge Measurements) . . . . .	D-4
E-1	2013 Regional Precipitation Data . . . . .	E-1
E-2	2013 High-Altitude Precipitation Data . . . . .	E-7



**This Page Left Intentionally Blank**

## **ACRONYMS**

BLM	Bureau of Land Management
BWG	Biological Work Group
CPB	Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-Day Saints
DOI	U.S. Department of the Interior
EC	Executive Committee
GBNP	Great Basin National Park
HA	hydrographic area
MOU	Memorandum of Understanding
NDWR	Nevada Division of Water Resources
NSE	Nevada State Engineer
NWIS	National Water Information System
SNPLMA	Southern Nevada Public Lands Management Act
SNWA	Southern Nevada Water Authority
SVMM	Spring Valley Monitoring and Mitigation
TRP	Technical Review Panel
USGS	U.S. Geological Survey
UTM	Universal Transverse Mercator
WY	water year

## **ABBREVIATIONS**

°C	degrees Celsius
afy	acre-feet per year
amsl	above mean sea level
bgs	below ground surface
cfs	cubic feet per second
ft	foot
gpm	gallons per minute
in.	inch
m	meter
mi	mile
mi <sup>2</sup>	square mile



**This Page Left Intentionally Blank**

## 1.0 INTRODUCTION

This report was prepared by the Southern Nevada Water Authority (SNWA) in satisfaction of monitoring and reporting requirements set forth in the *Hydrologic Monitoring and Mitigation Plan for Spring Valley (Hydrographic Area 184)* (SVMM Plan) (SNWA, 20011a). The location of Spring Valley is presented in [Figure 1-1](#). This is the seventh annual status and data report in a series of reports associated with the Spring Valley hydrologic monitoring, management and mitigation program. The reports document historic hydrologic conditions and plan status since 2007 (SNWA, 2008, 2009b, 2010, 2011b, 2012, and 2013).

This report provides the Nevada State Engineer (NSE) hydrologic data collected in 2013 and the current status of each element of the SVMM plan. The report also satisfies the hydrologic data reporting requirements of the U.S. Department of the Interior (DOI) and SNWA Stipulation Agreement. The SVMM Plan contains all the hydrologic monitoring elements of the Stipulation Agreement as well as monitoring required by the NSE that relate to existing non-federal water-rights.

### 1.1 Background

On September 8, 2006, prior to the NSE hearing for applications 54003 through 54020, a Stipulation for Withdrawal of Protests (Stipulation) was established between SNWA and DOI on behalf of the Bureau of Indian Affairs, the Bureau of Land Management (BLM), the National Park Service, and the U.S. Fish and Wildlife Service (USFWS) (Stipulation, 2006). Exhibits A and B of the Stipulation require the development of biologic and hydrologic monitoring plans. As part of the Stipulation, an Executive Committee (EC) was established to oversee the implementation of the agreement. The Technical Review Panel (TRP), composed of technical expert representatives of parties to the Stipulation, was established to develop and oversee implementation of the Stipulation related portions of the hydrologic monitoring, management and mitigation plan. A Biological Working Group (BWG) was also establish to oversee the development and implementation of the biological monitoring plan.

On April 16, 2007, SNWA was granted groundwater rights in Spring Valley hydrographic area (HA) 184 for municipal and domestic purposes under permits 54003 through 54015, inclusive, as well as 54019 and 54020. Ruling 5726 required the development of biologic and hydrologic monitoring plans. The hydrologic SVMM plan associated with this ruling was approved by the NSE on February 9, 2009.

Since the issuance of Ruling 5726, an opinion by the Nevada Supreme Court (NSC) concluded that the NSE must re-notice SNWA's original groundwater applications and reopen the protest period (Great Basin Water Network, et. al. v. NSE, et. al., June 17, 2010) (NSC, 2010). A second hearing was held by the NSE in regard to the water-right applications in September through November, 2011. On March 22, 2012, the NSE issued Ruling 6164 granting SNWA Spring Valley Application




Figure 1-1  
Spring Valley Hydrographic Area 184

Numbers 54003 through 54015, and 54019 and 54020. Ruling 6164 also approved the SNWA Hydrologic Monitoring and Mitigation Plan for Spring Valley and required annual data reports be submitted to the NSE.

On September 15, 2011, a Stipulation for Withdrawal of Protests was established between SNWA and the United States Forest Service (USFS) (Stipulation, 2011). The SNWA/USFS Stipulation required hydrologic monitoring and water-chemistry sampling of two additional spring locations in Spring Valley with biological monitoring at one of the sites. SNWA and USFS have selected the locations and are proceeding with the access permit application.

## **1.2 Major Activities Performed in 2013**

Major activities associated with the SVMM Plan performed in 2013 were as follows:

- Continued the implementation of the SVMM Plan including data collection efforts and maintenance of the monitoring network.
- Identified two spring monitoring sites with USFS to fulfill requirements of SNWA/USFS stipulation agreement. Access permits applications for the sites were prepared and submitted to USFS for review.
- Prepared a draft work plan for performing a synoptic discharge study of Big Springs / Lake Creek.
- Maintained the SNWA data-exchange web site accessible by the NSE, EC, TRP, and BWG. The web site contains project reports, monitoring network attributes, and hydrologic data.
- Provided technical assistance to the BWG with implementation of the biological monitoring plan.

## **1.3 Report Scope**

[Section 2.0](#) presents the status and data collected for each major element of the SVMM Plan. [Section 3.0](#) discusses the planned activities for 2014, and [Section 4.0](#) provides a list of references. Lastly, [Appendix A](#) through [Appendix F](#) present tables and graphs of the various data discussed in the report.



**This Page Left Intentionally Blank**



## 2.0 SVMM PLAN STATUS AND DATA

The current status of each major element of the SVMM Plan is presented in this section. Hydrologic data collected in 2013 associated with monitoring groundwater conditions, spring and stream discharge, precipitation, and water-chemistry are presented. No aquifer testing was performed on program wells during 2013.

### 2.1 Monitoring Well Network

The SVMM Plan identifies the specific number and distribution of monitor wells to meet program objectives. Existing wells along with appropriate new well locations were selected through consensus of the TRP and/or NSE and incorporated into the monitoring network.

The monitor well network, including current and future planned program wells, is presented in [Figure 2-1](#). Each well-identification number on the figure includes a Q or C designation for quarterly or continuous measurement frequency.

The plan elements which have been implemented are summarized below:

- The selection of 25 existing wells was completed by the TRP in 2007. Groundwater level monitoring frequency of these wells consist of 15 locations monitored continuously (one hour intervals) and 10 monitored quarterly. These wells are described in [Section 2.1.2.2](#).
- Installation of two monitor wells southeast of Shoshone Ponds (SPR7024M and SPR7024M2). The monitoring frequency of the two wells is continuous. These wells are described in [Section 2.1.2.3](#).
- Installation of three new monitor wells associated with Cleveland Ranch (SPR7029M, SPR7029M2 and SPR7030M2). One additional new well, SPR7030M, was constructed to replaced the Old Cleve well as part of the existing well network. The monitoring frequency is quarterly. These wells are described in [Section 2.1.2.4](#).
- Groundwater level monitoring of all SNWA exploratory wells in the program area at a minimum quarterly measurement frequency. This is described in [Section 2.1.2.1](#).
- Installation of shallow piezometers near 12 springs in spring valley. Continuous monitoring is performed at 11 locations. The piezometers are discussed in [Section 2.3](#).

Additional elements of the well network planned for future implementation are presented below:

**This Page Intentionally Left Blank**




Figure 2-1  
Spring Valley Monitor Well Network



- Installation of five additional monitor wells in the Interbasin Monitoring Zone (Zone) to evaluate groundwater conditions between Spring, Hamlin, and Snake Valleys. The locations have been identified by the TRP and right-of way access approved by BLM. These wells are described in [Section 2.1.3.1](#).
- Installation of two near-zone monitor wells between the two closest production sites and the Interbasin Monitoring Zone (Zone), as described in [Section 2.1.3.2](#). Well locations and completion specifications will be selected in consensus with the TRP and NSE after the production well configuration is determined.
- Installation of one carbonate or basin-fill monitor well located one mile north of the northern most production well on the east side of the valley. The well location will be selected after the production well configuration is determined.
- Continuous groundwater level monitoring of all future project production wells.

An attribute table of all program monitor wells including well-construction attribute information, location coordinates, ground-surface elevation, completion hydrogeologic unit, and monitoring frequency is presented in [Table 2-1](#). A professional-grade survey of location coordinates and ground-surface and top-of-casing measuring-point elevations was performed for each well in the network.

### **2.1.1 Well Network Hydrologic Data**

The periodic water-level data collected in 2013 for each monitor well are presented in [Appendix A](#). Historic water-level data are also presented on hydrographs for the wells which are not continuously monitored. [Appendix B](#) presents the 2013 daily mean values derived from continuous data collection at wells where continuous groundwater-level data collection is required. Hydrographs present both periodic and continuous data for 2013 and all historical data. Some of the early historical data collected prior to establishment of the SNWA monitoring program at certain well locations are approximate or are omitted because of the uncertainty associated with collection methods and procedures, or variations in the reference point used for the measurement at the time of collection.

### **2.1.2 Current Well Network**

The current well network consists of monitoring at exploratory and production wells, the existing well network (as specified in the SVMM Plan), two monitor wells near Shoshone Ponds, and wells associated with monitoring at the Cleveland Ranch. Details regarding the current well network are provided in the following sections.

#### **2.1.2.1 Exploratory- and Production-Well Monitoring**

The SVMM Plan states that SNWA shall record discharge and groundwater levels in all completed SNWA production wells on a continuous basis and quarterly measurements of groundwater levels in



**Table 2-1**  
**Spring Valley Monitor Well Network (arranged from north to south)**  
(Page 1 of 2)

SNWA Site Number	NDWR Station Local Number <sup>b</sup>	Location		Surface <sup>c</sup> Elevation (ft amsl)	Completion Date	Drill Depth (ft bgs)	Well Depth (ft bgs)	Well Casing Diameter (in.)	Screened Interval (ft bgs)	Open Interval	Aquifer	Monitoring Frequency
		UTM <sup>a</sup> Northing (m)	UTM <sup>a</sup> Easting (m)									
184 N20 E66 13AB 1	184 N20 E66 13BADA1	4,386,884.19	714,871.84	5,774.93	6/26/1966	907	296	16	135 to 296	---	Basin Fill	Quarterly
393442114231801	184 N20 E67 26ABBD1	4,383,955.15	723,240.35	5,708.77	Unknown	130	130	6	---	50 to 130	Basin Fill	Quarterly
Robison Crooked (formerly 393211114320701)	184 N19 E66 11B 1	4,378,627.03	713,381.69	5,698.43	4/22/1960	---	400	---	---	50 to 400	Basin Fill	Continuous
392703114230501	184 N18 E67 01CCAA1	4,369,956.56	724,523.82	5,587.78	1934-36?	45	42	38	---	---	Basin Fill	Quarterly
SPR7029M2	184 N16 E66 25DBCA1	4,344,123.42	716,052.20	5,876.66	4/18/2011	437	422.6	12	382.14 to 422.1	360 to 430	Basin Fill	Quarterly
SPR7029M	184 N16 E66 25DBCD1	4,344,090.03	716,054.99	5,876.83	4/29/2011	275	260.34	4	219.75 to 260.04	213 to 261.75	Basin Fill	Quarterly
SPR7030M	184 N16 E67 32ABAB1	4,343,631.40	719,460.97	5,617.15	2/19/2011	98	96.67	4	53.67 to 96.37	53.67 to 98	Basin Fill	Quarterly
SPR7030M2	184 N16 E67 32ABAB2	4,343,620.29	719,454.00	5,617.79	2/11/2011	240	236.42	4	194.17 to 236.12	173.8 to 237	Basin Fill	Quarterly
391224114293601	184 N16 E66 36DBAD1	4,342,683.25	716,362.90	5,870.25	Unknown	---	---	---	---	---	Basin Fill	Quarterly
390803114251001	184 N15 E67 26CA 1	4,334,740.47	722,963.02	5,727.21	Unknown	---	200	2	---	50 to 200	Basin Fill	Continuous
SPR7008X	---	4,334,727.66	722,847.72	5,702.99	11/27/2007	970	960	20	240 to 940	102 to 970	Basin-Fill	Quarterly
SPR7008M	184 N15 E67 26CDAB1	4,334,702.61	722,865.27	5,704.86	7/25/2007	960	946	8	226 to 926	54 to 960	Basin Fill	Continuous
SPR7005X	---	4,330,506.86	710,356.78	6,397.56	4/11/2008	1,395	1,350	20	669 to 1,330	511 to 1,395	Carbonate	Quarterly
SPR7005M	184 N14 E66 09ABCA1	4,330,471.51	710,372.44	6,395.68	7/10/2007	1,412	1,404	8	663 to 1,383	439 to 1,412	Carbonate	Continuous
SPR7006M	---	4,328,163.49	723,872.61	6,525.18	9/20/2007	1,720	1,701	8	980 to 1,680	167 to 1,720	Carbonate	Continuous
390352114305401	184 N14 E66 24BDDD1	4,326,894.19	714,873.84	5,846.04	1980	---	160	2	---	50 to 160	Basin Fill	Continuous
385636114265501	184 N13 E67 33DDA 1	4,313,590.54	721,086.82	5,769.73	Unknown	---	---	36	---	---	Basin Fill	Quarterly
SPR7024M2	184 N12 E67 01CCCD2	4,311,765.99	724,560.80	5,863.08	3/27/2011	720	699.38	4	661.13 to 669.08	650.08 to 720	Basin Fill	Continuous
SPR7024M	184 N12 E67 01CCCD1	4,311,753.95	724,554.55	5,861.10	3/30/2011	260	249.76	4	209.3 to 249.46	200.5 to 260	Basin Fill	Continuous
184 N12 E66 21CD 1	184 N12 E66 21DCCB1	4,306,700.53	710,871.15	6,370.31	9/13/1966	631	631	6	3 to 631	3 to 631	Carbonate	Quarterly
184W506M	184 N12 E66 26BADC1	4,306,214.21	713,939.81	6,014.04	10/19/2006	1,160	1,140	8	430 to 1,120	80 to 1,160	Carbonate	Continuous
184W105	---	4,306,176.07	713,991.23	6,007.30	11/7/2006	1,160	1,135	20	418 to 1,114	60 to 1,160	Carbonate	Quarterly
SPR7007X	---	4,303,152.00	727,946.17	6,017.53	1/24/2008	1,040	1,020	20	299 to 1,000	155 to 1,040	Basin-Fill	Quarterly
SPR7007M	184 N11 E68 05BCBC1	4,303,146.59	727,976.03	6,017.73	8/17/2007	1,040	1,020	8	300 to 1,000	101 to 1,040	Basin Fill	Continuous
384831114314301	184 N11 E66 23AB 1	4,298,411.13	714,633.01	5,842.94	Unknown	102	102	2	---	50 to 102	Basin Fill	Continuous

**Table 2-1  
Spring Valley Monitor Well Network (arranged from north to south)  
(Page 2 of 2)**

SNWA Site Number	NDWR Station/Local Number <sup>b</sup>	Location		Surface <sup>c</sup> Elevation (ft amsl)	Completion Date	Drill Depth (ft bgs)	Well Depth (ft bgs)	Well Casing Diameter (in.)	Screened Interval (ft bgs)	Open Interval	Aquifer	Monitoring Frequency
		UTM <sup>a</sup> Northing (m)	UTM <sup>a</sup> Easting (m)									
384745114224401	184 N11 E68 19DCDC1	4,297,304.22	727,554.19	5,900.18	Unknown	200	200	2	---	50 to 200	Basin Fill	Continuous
184W504M	184 N11 E66 35CCCC1	4,293,712.49	713,647.12	5,900.11	11/17/2006	1,040	1,020	8	309 to 999	61 to 1,040	Carbonate	Continuous
184W103	---	4,293,693.03	713,697.74	5,899.06	12/6/2006	1,046	1,017	20	296 to 996	60 to 1,046	Carbonate	Quarterly
384310114261401	184 N10 E67 22AA 1	4,289,331.34	722,826.33	5,853.54	Unknown	---	100	2	---	50 to 100	Basin Fill	Quarterly
384039114232701	184 N10 E68 31CD 1	4,284,275.68	726,871.51	5,896.49	Unknown	---	150	2	---	50 to 150	Basin Fill	Continuous
184W502M	184 N09 E68 11BDBD1	4,282,116.35	733,294.42	6,189.72	1/25/2007	1,828	1,799	8	495 to 1,779	58 to 1,828	Carbonate	Continuous
184W101	---	4,282,062.02	733,297.65	6,190.90	2/24/2007	1,760	1,749	20	796 to 1,728	135 to 1,760	Carbonate	Quarterly
184W508M	184 N09 E67 11DBCD1	4,281,308.68	724,070.89	6,056.19	12/15/2006	1,180	1,160	8	376 to 1,140	241 to 1,180	Volcanic	Continuous
383704114225001	184 N09 E68 30AAAB1	4,277,594.57	727,759.99	6,002.52	8/7/1980	700	679	11	559 to 679	50 to 700	Basin Fill	Continuous
383533114102901	196 N08 E70 06B 1	4,275,166.91	747,014.36	5,676.76	7/22/1947	---	164	6	111 to 115/ 152 to 164	---	Basin Fill	Quarterly
383325114134901	196 N08 E69 15B 1	4,271,103.41	741,539.28	5,729.98	Unknown	---	110	6	---	50 to 110	Basin Fill	Quarterly
383351114180201	184 N08 E68 14A 1	4,269,504.76	733,845.43	6,184.22	Unknown	---	495	6	50 to 495	50 to 495	Basin Fill	Quarterly
383023114115302	196 N08 E69 35DC 2	4,265,403.02	743,597.36	5,837.67	8/7/1980	520	435	2	320 to 420	35 to 520	Basin Fill	Continuous
HAM1005M	196 N10 E69 02 BBA 1	4,284,588 <sup>d</sup>	742,819 <sup>d</sup>	6,397 <sup>d</sup>	Future	---	---	---	---	---	Basin Fill	Continuous
HAM1006M	196 N95 E70 32 AAD 1	4,285,699 <sup>d</sup>	748,554 <sup>d</sup>	5,797 <sup>d</sup>	Future	---	---	---	---	---	Basin Fill	Continuous
SPR7009M	184 N10 E68 36 ACC 1	4,285,242 <sup>d</sup>	735,445 <sup>d</sup>	6,494 <sup>d</sup>	Future	---	---	---	---	---	Carbonate	Continuous
HAM1007M	196 N09 E69 20 BCB 1	4,279,203 <sup>d</sup>	737,774 <sup>d</sup>	6,025 <sup>d</sup>	Future	---	---	---	---	---	Carbonate	Continuous
SPR7010M	184 N08 E69 29 CBB 1	4,267,545 <sup>d</sup>	738,113 <sup>d</sup>	6,458 <sup>d</sup>	Future	---	---	---	---	---	Carbonate	Continuous
Near Zone Well 1	---	---	---	---	Future	---	---	---	---	---	Carbonate	Continuous
Near Zone Well 2	---	---	---	---	Future	---	---	---	---	---	Basin Fill	Continuous
Northeast Well	---	---	---	---	Future	---	---	---	---	---	---	Continuous

<sup>a</sup>Universal Transverse Mercator, North American Datum, 1983, Zone 11.

<sup>b</sup>Station Local Numbers provided by the Nevada Department of Water Resources.

<sup>c</sup>Elevations are North American Vertical Datum of 1988 (NAVD88).

<sup>d</sup>Coordinates and Elevation are approximate and will be updated upon a professional survey of the well location.

<sup>e</sup>To be determined.



all SNWA exploratory wells. SNWA does not currently have any production wells associated with this project; however, continuous measurements will be collected from all future production wells.

Fourteen test and exploratory wells were installed by SNWA in Spring Valley between 2006 and 2008 (SNWA, 2009a). Eight of the wells were instrumented with continuous monitoring equipment and incorporated into the monitoring network. Water levels at the other six locations, which are 24 in. diameter test wells located near exploratory wells are measured quarterly.

### **2.1.2.2 Existing-Well Monitoring Network**

The SVMM Plan states that SNWA shall monitor groundwater levels quarterly in 10 representative existing monitor wells and continuously in 15 representative existing monitor wells in the Spring Valley and Hamlin Valley HAs at locations agreed upon by the TRP and NSE.

In 2007, the TRP, in consultation with the NSE, selected 25 wells to include in the existing-well monitoring network. Wells were selected based upon integrity of construction, spatial distribution, and completion information. Wells included in the network are completed in carbonate-rock, volcanic, and basin-fill aquifers. Well ownership and access of the sites are discussed in SNWA, (2012). The TRP is currently reviewing the total number and locations of existing continuous wells currently used within the program.

The Cleve Creek Well (site number 391224114293601), as agreed to by the TRP and NSE, has been replaced with new paired shallow and deeper monitor wells, SPR7029M and SPR7029M2, located approximately 1 mi to the north of the existing Cleve Creek Well. The construction details of the existing Cleve Creek well are not available and the new monitor wells provide higher-quality data as well as better information on the lithologic and hydrogeologic characteristics of the basin-fill aquifer including vertical hydraulic gradient. Hydrologic data is still being collected from both locations until a comparison record is established. The Cleve Creek Well measurements will be discontinued with consensus approval of the NSE and TRP. SPR7029M and SPR7029M2 were completed in April 2011 and are discussed further in [Section 2.1.2.4](#).


### **2.1.2.3 Two Monitor Wells near Shoshone Ponds**

The SVMM Plan states that SNWA shall construct and equip two monitor wells between Shoshone Ponds and the nearest production site. The locations for these new wells, SPR7024M and SPR7024M2, were selected with consensus of the TRP and NSE southeast of Shoshone Pond outside the Area of Critical Environmental Concern. The well locations are presented in [Figure 2-2](#). The wells were completed in March, 2011 in the basin-fill to depths of 260 and 720 ft bgs, respectively.

### **2.1.2.4 Cleveland Ranch Hydrologic Monitoring**

Monitoring locations in the vicinity of Cleveland Ranch consist of two spring and five groundwater sites. These include a flume and shallow piezometer at the North Cleveland Ranch Spring, a flume and two monitor wells near the South Cleveland Ranch Spring and two monitor wells west of Cleveland Ranch. Well SPR7029M is the replacement well of Old Cleve well and is part of the





**Figure 2-2**  
**Location of Monitor Wells near Shoshone Ponds**



existing network as described in [Section 2.1.2.2](#). The gage and well locations were selected in consensus with the NSE and The Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-Day Saints (CPB). Monitoring locations are presented in [Figure 2-3](#). The two spring discharge monitoring sites are discussed in [Section 2.3](#).

Two monitor wells, SPR7030M and SPR7030M2, located near the South Cleveland Ranch Spring were completed in February 2011 in separate units at depths of 98 and 240 ft bgs, respectively. Both wells encountered flowing artesian conditions. Two additional clustered shallow and deep monitor wells, SPR7029M and SPR7029M2, were completed in April, 2011 in the basin fill at depths of 275 and 437 ft bgs, respectively. The objective of the clustered wells is to determine and monitor changes of the vertical hydraulic gradient and compare groundwater elevations with discharge at the south spring.


### **2.1.3 Future Monitor Wells**

The SVMM Plan requires the installation of new monitor wells at specific locations. New monitor well locations and specifications not yet determined will be developed with the consensus of the NSE and TRP. This section presents a description and the current status of the new wells.

#### **2.1.3.1 Interbasin Monitoring Zone Network**

The Stipulation established the Zone and requires data collection intended to characterize the hydraulic gradient from Spring Valley to Snake Valley via Hamlin Valley. In the fall of 2007, the TRP selected six wells to comprise the Zone network as part of the monitoring program. The wells include carbonate monitor well 184W502M, which was installed in 2006, and five additional future well locations. The future locations will include three carbonate and two basin-fill wells. The locations of these future well sites and Zone boundaries are presented in [Figure 2-1](#). In addition to these future wells, there are four other existing basin-fill wells located within the Zone which are part of the program and monitored quarterly.

Right-of-way applications for the SNWA well sites in the Zone were submitted in 2007 and were approved by BLM in late 2009. Construction of the five new wells is currently delayed until the project is approved and permitted for construction. Wells will be installed to meet monitoring timeframe requirements ahead of groundwater withdrawals as required by the Stipulation and SVMM Plan. No target date for Zone well installations has been set as of the date of this report. After construction, a short-term aquifer test will be performed, and water-chemistry samples will be collected at each of the new sites. Each well will then be equipped with a datalogger and pressure transducer to collect continuous water-level data. A professional survey of location coordinates, ground-surface elevation, and top-of-casing measuring-point elevations will also be performed after construction.



**Figure 2-3**  
**Monitoring Locations Associated with Cleveland Ranch**



### **2.1.3.2 Two Monitor Wells between the Zone and Closest Production Well**

The SVMM Plan states that SNWA shall construct and equip two monitor wells in conjunction with the construction of two SNWA production wells in Spring Valley that are closest to the Zone boundary, unless alternative sites are recommended by the TRP and approved by the EC and NSE.

Well locations and hydrogeologic units in which the monitor wells will be completed will be determined after the location of the production wells closest to the Zone are identified. After installation, the monitor wells will be equipped with dataloggers and pressure transducers to collect continuous water-level data.

## **2.2 Aquifer Testing**

The SVMM Plan requires that two constant-rate tests be performed in Spring Valley, at the closest production well completed in basin-fill and carbonate-rock aquifers nearest to the Zone. To date, six 72- to 120-hour constant-rate tests have been performed on SNWA test wells in Spring Valley. Test summaries and results have been reported in previous annual reports and the specific hydrologic analysis reports associated with each well test. A summary of parameters and results for the tests are summarized in the 2011 annual monitoring report (SNWA, 2012). Aquifer tests are planned for future carbonate and basin-fill production wells closest to the Zone once they are completed.

## **2.3 Spring Monitoring Network**

The spring monitoring network is spatially distributed across Spring Valley and includes locations on the valley floor, range-front and mountain-block areas. Spring monitoring locations are presented on [Figure 2-4](#). The springs are monitored by performing periodic or continuous discharge measurements, using spring-pool elevation staff plates, and/or measuring water levels in spring piezometers.

The SVMM Plan states that SNWA shall install, equip, and maintain a piezometer near 12 spring locations. In 2007, the TRP, in conjunction with the BWG and NSE, reviewed and conducted a field visit to potential spring monitoring locations. At that time, the group agreed to add an additional spring to the network for a total of 13 spring locations. Later, the NSE required Turnley Spring and two springs located on Cleveland Ranch to be added to the network for discharge monitoring.

Currently, a total of 16 representative springs located in Spring Valley comprise the spring monitoring network. Of the 16 springs, 11 sites have continuous monitoring of water levels at associated piezometers. Four locations are monitored for discharge only and one location, the North Cleveland Ranch Spring, is monitored quarterly for discharge and piezometer groundwater level. Spring discharge monitoring locations are listed in [Table 2-2](#). Location and construction attribute information of the 12 piezometers are presented in [Table 2-3](#). Springs with staff plates installed to monitor pool elevations are presented in [Table 2-4](#).

Ten piezometers utilized in the spring network were installed in 2010 and equipped in 2011 with integrated datalogger and pressure transducer instrumentation to collect continuous water-level data. One piezometer (SPR7007Z) located on SNWA property at Minerva Spring was installed in 2008. A




Figure 2-4  
Spring and Stream Hydrologic Monitoring Locations



professional survey of location coordinates, ground-surface, and top-of-casing measuring-point elevation was performed for each piezometer. Continuous groundwater level data from the piezometers is presented in [Appendix C](#).

**Table 2-2  
Spring Discharge Monitoring Locations**

Site Number	Spring Name	Location <sup>a</sup>		Physiographic Setting
		UTM Northing (m)	UTM Easting (m)	
1848401	Cleveland Ranch Spring North	4,345,297	718,646	Basin Fill/Valley Floor
1848501	Cleveland Ranch Spring South	4,343,655	719,532	Basin Fill/Valley Floor
1845501	Willow Spring	4,397,069	713,756	Basin Fill/Valley Floor
1845702	South Millick Spring	4,353,754	725,031	Basin Fill/Valley Floor
1845901	Layton Spring	4,331,794	720,204	Basin Fill/Valley Floor
1846201	Swallow Springs	4,302,920	728,597	Basin Fill/Range Front
1847101	Keegan Spring	4,369,664	715,050	Basin Fill/Fan Margin
1847301	Rock Spring	4,340,204	726,798	Carbonate/Mountain Block
1848001	Turnley Spring	4,338,050	728,695	Carbonate/Mountain Block

<sup>a</sup>Coordinates are approximate. All coordinates are Universal Transverse Mercator, North American Datum, 1983, Zone 11.

On the Cleveland Ranch, a shallow piezometer (SPR7031Z) and a flume were installed in March 2011 in the immediate vicinity of two small springs located in the southwest part of Section 20, T16, R67E. The purpose of these monitoring sites is to measure shallow groundwater levels and discharge associated with these springs. A flume to measure the discharge of the South Cleveland Ranch Spring was installed in 2010. Discharge data from South and North Cleveland Ranch Springs are presented in [Appendix C](#).

Turnley, Rock, and Swallow springs are monitored for discharge only due to hydrogeologic conditions at the sites. Rock and Swallow spring discharges are monitored continuously. The 2013 mean-daily discharge values for Rock and Swallow spring monitoring stations are presented in [Appendix C](#) along with the associated hydrographs.

Discharge measurements are also being performed at four other spring locations where measuring of flow is physically possible. These springs are Layton, South Millick, Keegan, and Willow. Hydrologic and field water-quality data collected at Swallow, Layton, South Millick, Keegan, Willow, Rock, and Turnley springs are presented in [Appendix C](#).

## 2.4 Stream Discharge Measurements

This section presents the current status and data associated with the stream monitoring program at Cleve Creek, Big Springs, and the Big Springs Creek - Lake Creek Complex.



**Table 2-3  
Spring Piezometer Location and Completion Information**

Site Number	Associated Spring	Location <sup>a</sup>		Surface <sup>b</sup> Elevation (ft amsl)	Completion Date	Drill Depth (ft bgs)	Well Depth (ft bgs)	Well Diameter (in.)	Open Interval (ft bgs)	Screened Interval (ft bgs)	Aquifer
		UTM Northing (m)	UTM Easting (m)								
SPR7007Z	Minerva Spring	4,301,057.50	726,134.41	5,828.66	1/18/2008	35	31	4	12 to 31.3	16 to 31	Basin Fill
SPR7011Z	Blind Spring	4,297,998.80	724,727.36	5,769.71	5/6/2010	31.3	31.3	2	13 to 31.3	16.1 to 31.1	Basin Fill
SPR7012Z	4WD Spring	4,335,263.36	716,235.95	5,756.22	5/8/2010	25	25	2	4 to 25	9.8 to 24.8	Basin Fill
SPR7014Z	The Seep	4,306,272.49	724,093.39	5,778.54	5/7/2010	31	30.7	2	6 to 30.7	15.5 to 30.5	Basin Fill
SPR7015Z	West Spring Valley Complex	4,353,816.21	717,284.37	5,602.90	5/8/2010	40	38.2	2	8 to 38.2	23 to 38	Basin Fill
SPR7016Z	Unnamed Spring 5	4,340,637.10	718,885.72	5,645.67	5/4/2010	35	32	2	15 to 32.0	16.8 to 31.8	Basin Fill
SPR7018Z	S. Millick Spring	4,353,623.95	725,156.47	5,587.16	5/4/2010	31	25.2	2	8 to 25.2	10 to 25	Basin Fill
SPR7019Z	Layton Spring	4,331,753.27	720,064.21	5,686.63	5/7/2010	35.3	35.3	2	9 to 35.3	20.1 to 35.1	Basin Fill
SPR7020Z	Stonehouse Spring	4,406,416.78	710,617.88	6,264.62	5/5/2010	9.3	9.3	2	2 to 9.3	4.1 to 9.1	Basin Fill
SPR7021Z	Keegan Spring	4,369,693.31	714,898.91	5,613.12	5/8/2010	20.7	20.7	2	4 to 20.7	5.5 to 20.5	Basin Fill
SPR7022Z	Willow Spring	4,397,090.42	713,752.68	5,987.54	5/5/2010	35	33.5	2	7 to 33.5	18.3 to 33.3	Basin Fill
SPR7031Z	North Cleveland Ranch Spring	4,345,295.85	718,622.45	5,637.32	3/3/2011	11.5	10.3	2	4 to 10.3	5 to 10	Basin Fill

<sup>a</sup>All coordinates are Universal Transverse Mercator, North American Datum, 1983, Zone 11.

<sup>b</sup>Elevations are North American Vertical Datum of 1988 (NAVD88).



**Table 2-4**  
**Staff Plate Locations**

Site Number	Spring Name	Location <sup>a</sup>		Elevation <sup>b</sup>
		UTM Northing (m)	UTM Easting (m)	
1846401	Blind Spring	4,298,001.24	724,711.44	---
1847001	Four Wheel Drive Spring	4,335,264.12	716,242.93	---
1847501	The Seep	4,306,283.33	724,074.65	---
1845702	South Millick Spring	4,353,656.91	725,127.28	5,578.24

<sup>a</sup>Coordinates are approximate. All coordinates are Universal Transverse Mercator, North American Datum, 1983, Zone 11.

<sup>b</sup>Elevations are North American Vertical Datum of 1988 (NADV88).

### 2.4.1 Discharge Sites at Big Springs Creek and Cleve Creek

The SVMM Plan states that a discharge monitoring site shall be operated and maintained on Big Springs and Cleve Creeks. The gaging stations are identified as Cleve Creek near Ely, Nevada, in Spring Valley, SNWA Station Number 1841611 (USGS Station Number 10243700) and the north and south channels of Big Springs Creek near Baker, Nevada in Snake Valley, SNWA Station Number 1951901 (USGS Station numbers 102432241 and 10243224). The station locations are presented in [Figure 2-4](#) and [Table 2-5](#).

**Table 2-5**  
**Cleve Creek and Big Springs Monitoring Locations**

SNWA Station Number	Station Name	Basin Number	Stream Number	Location <sup>a</sup>		Watershed (mi <sup>2</sup> )
				UTM Northing (m)	UTM Easting (m)	
1841611	Cleve Creek near Ely	184	18416	4,343,423	712,669	32.0
1951901	Big Springs at Gaging Station	195	19519	4,287,293	749,422	N/A

<sup>a</sup>All coordinates are Universal Transverse Mercator, North American Datum, 1983, Zone 11.

N/A = Not applicable

Data collected in 2013 from these locations are presented in [Appendix D](#). All USGS data from 2013 are considered preliminary. The continuous discharge data for 2013 are presented in hydrographs with miscellaneous discharge-measurement data and mean daily-discharge data for the entire period of record. Discharge data are also available through the National Water Information System (NWIS) (USGS, 2014).

#### 2.4.1.1 Cleve Creek

Cleve Creek is located on the eastern slope of the Schell Creek Range. Stream flow is measured by the Cleve Creek near the Ely, Nevada, gaging station. The drainage area encompasses approximately



32 mi<sup>2</sup>, making it the largest drainage area in Spring Valley. The USGS has maintained the gaging station intermittently since 1914. The complete period of record of Cleve Creek follows: June 1914 to December 1916; October 1959 to September 1967; October 1976 to September 1981; December 1982 to September 1987; and March 1990 through the present year (2013). A crest-stage partial record exists for the station from October 1967 to September 1976 (USGS, 2014).

The 2013 discharge data were not available from USGS at time of report publication. When finalized, the USGS data will be available through NWIS database. The mean annual discharge over the period of record through 2012 was 10.4 cfs, and the minimum and maximum mean annual discharges were 5.15 cfs in 1960 and 22.2 cfs in 1984. (USGS, 2014).

#### **2.4.1.2 Big Springs Creek**

Big Springs Creek is located at the base of the eastern slope of the southern Snake Range, approximately 17 mi south of Garrison, Utah. Miscellaneous discharge measurements have been collected since 1972. In early 2005, the USGS, in cooperation with SNWA and NDWR, installed gaging stations at Big Springs. The USGS records are published as Station Number 10243224 Big Springs Creek South Channel near Baker, Nevada, and Station Number 102432241 Big Springs Creek North Channel near Baker, Nevada. The USGS has maintained these stations since 2005 (USGS, 2013).


The WY 2013 mean annual discharge for Big Springs South Channel is 5.64 cfs, approximately 94 percent of the period of record mean annual discharge of 5.97 cfs. The following statistics were calculated from the period of record WY 2005 through 2013: period of record mean annual discharge 5.97 cfs; minimum annual discharge 5.64 during water year 2013; and maximum annual discharge of 6.36 cfs recorded in WY 2007 (USGS, 2014).

The WY 2013 mean annual discharge for Big Springs North Channel of 3.58 cfs was reported by the USGS for WY 2013, approximately 95 percent of the period of record mean annual discharge of 3.78 cfs. USGS reports the following statistics for the period of record WY 2006 through present: mean annual discharge 3.78 cfs; minimum annual discharge 3.58 cfs during water year 2013; and maximum annual discharge of 4.00 cfs reported in water year 2006 (USGS, 2014).

#### **2.4.2 Synoptic-Discharge Study of Big Springs and Lake Creeks**

The SVMM Plan states that SNWA shall collect, or fund the collection of, two sets of synoptic-discharge measurements for the Big Springs Creek surface-water system from the spring orifice to Preuss Lake. One set of measurements would be collected during irrigation and non-irrigation seasons at least 1 year prior to groundwater withdrawals by SNWA. The collection would be repeated every 5 years after withdrawals begin. The Utah Geologic Survey (UGS) currently operates gages on the creek near Stateline and Clay springs. The study area and current USGS and UGS gaging stations are presented in [Figure 2-5](#).

A work plan to perform the synoptic discharge study was prepared in December 2013 and finalized in February 2014 (SNWA, 2014).



**Figure 2-5**  
**Big Springs Synoptic-Discharge Measurement Study Area, Snake Valley**



The SVMM Plan states that SNWA shall work with the TRP to collect data to investigate the relationship between discharge at Big Springs and hydraulic head in the basin-fill and regional carbonate-rock aquifers. This task will be accomplished using hydrologic and water-chemistry data collected from Big Springs, existing and future SNWA monitor wells, and results from USGS and Utah Geological Survey studies of the area.

## **2.5 Precipitation Station Network**

The precipitation information presented in the annual report was expanded last year to include data from other recently installed precipitation stations. Thirty-five established precipitation stations located on the valley floors and margins of 9 hydrographic basins in eastern Nevada and western Utah provide precipitation data for the region. Data for these stations were compiled from the Western Regional Climate Center (WRCC), the National Resource Conservation Service (NRCS), the Nevada Division of Water Resources (NDWR), the USGS, and the Nevada Climate-Ecohydrological Assessment Network (NevCAN) project. The precipitation network stations are listed in [Table 2-6](#) and presented on [Figure 2-6](#).

Reported monthly data collected in 2013 from the stations are presented in [Appendix E](#). Reported 2013 precipitation data and period of record statistics for data collected by the USGS and the NDWR at high-altitude stations are also presented in [Appendix E](#).

Data sources for precipitation information presented in this report are as follows:

- NDWR (2014)
- USGS data is cited from USGS National Water Information System (USGS, 2014)
- SNOTEL data is cited from U.S. Department of Agriculture (USDA) NRCS (USDA, 2014)
- National Weather Service data is cited from WRCC (WRCC, 2014)
- NevCAN data is cited from WRCC (WRCC, 2014)

## **2.6 Water-Chemistry-Sampling Program**

The Stipulation requires that three rounds of water-chemistry sampling at 40 locations be completed within 5 years from the September 8, 2006 approval date of the agreement. The Spring Valley hydrologic monitoring networks include new monitor wells which would not have been installed in time to meet the water-chemistry sampling requirements set forth in the agreements. recognizing this, the TRP held a conference call on March 31, 2010 to discuss the water-chemistry sampling programs required by the SVMM Plan.

The TRP recommended that the water-chemistry sampling program be modified to proceed with the collection and analysis of water-chemistry samples at 35 locations selected by the TRP in 2010. By consensus of the TRP and NSE, the remaining activities of the water-chemistry program will be

**Table 2-6**  
**High-Altitude and Regional Precipitation Monitoring Station Locations**  
 (Page 1 of 2)

Source	Station Number	Station Name	Location <sup>a</sup>		Elevation <sup>b</sup> (ft amsl)	Physiography	State	Collection Method	Collection Equipment <sup>c</sup>	Owner
			UTM Northing (m)	UTM Easting (m)						
NDWR	RP1790101	Schellborne	4,408,811	701,240	7,580	Schell Creek Range	NV	Physical	BG	NDWR
NDWR	RP1790102	Connors	4,323,531	703,651	7,740	Schell Creek Range	NV	Physical	BG	NDWR
NDWR	RP1830101	Mount Wilson	4,254,245	731,613	7,370	Wilson Creek Range	NV	Physical	BG	NDWR
WRCC	RP1790201	Lages	4,437,512	703,405	5,960	Steptoe Valley	NV	Continuous	WRG	Unknown
WRCC	RP1790202	McGill	4,365,043	691,693	6,270	Duck Creek Range Alluvial Fan	NV	Continuous	Unknown	Unknown
WRCC	RP1790203	Ely WBO	4,351,755	685,692	6,262	Steptoe Valley	NV	Continuous	Unknown	Unknown
WRCC	RP1940201	Cedar Pass	4,404,623	742,797	7,185	Deep Creek Range	NV	Continuous	TB	BLM
WRCC	RP1950201	Callao	4,421,802	781,034	4,342	Snake Valley	UT	Continuous	Unknown	Unknown
WRCC	RP1950202	Partoun	4,391,420	767,275	4,780	Snake Valley	UT	Continuous	Unknown	Unknown
WRCC	RP1950203	Eskdale	4,333,158	763,441	4,980	Snake Valley	UT	Continuous	Unknown	Unknown
WRCC	RP1950204	Mather	4,322,845	736,146	9,268	Snake Range	NV	Continuous	TB	NPS
WRCC	RP1950205	Great Basin NP	4,321,069	740,678	6,850	Snake Range	NV	Continuous	WRG	Unknown
WRCC	RP1950206	Baker Flat	4,320,676	740,955	6,840	Snake Range	NV	Continuous	TB	NPS
WRCC	RP2530201	Clifton Flat	4,444,924	766,286	6,384	Deep Creek Range	UT	Continuous	TB	BLM
WRCC	RP2530202	Ibapah	4,436,297	756,954	5,279	Deep Creek Valley	UT	Continuous	Unknown	Unknown
WRCC	RP2570201	Tule Valley-RAWS	4,361,854	811,546	5,200	Middle Range Alluvial Fan	UT	Continuous	TB	BLM
WRCC	RP2580201	Fish Springs Refuge	4,416,211	808,238	4,357	Fish Springs Range Alluvial Fan	UT	Continuous	Unknown	Unknown
NRCS	RP1790301	Bird Creek	4,371,201	702,158	10,510	Schell Creek Range	NV	Continuous	PXD	NRCS
NRCS	RP1790302	Berry Creek	4,354,627	705,457	9,100	Schell Creek Range	NV	Continuous	PXD	NRCS
NRCS	RP1840301	Kalamazoo	4,380,489	703,349	7,965	Schell Creek Range	NV	Continuous	PXD	NRCS
NRCS	RP1840302	Cave Mountain	4,337,978	705,904	7,900	Schell Creek Range	NV	Continuous	PXD	NRCS
NRCS	RP1840303	Wheeler Peak	4,322,052	732,318	10,147	Snake Range	NV	Continuous	PXD	NRCS
NRCS	RP2530301	Goshute	4,430,959	756,137	5,470	Deep Creek Valley	UT	Continuous	TB	NRCS
NRCS	RP2550301	Hals Canyon	4,276,291	783,074	5,250	Pine Valley	UT	Continuous	TB	NRCS
NRCS	RP2570301	Tule Valley-SCAN	4,349,385	805,536	4,583	Tule Valley	UT	Continuous	TB	NRCS
USGS	RP1840401	Mount Washington	4,309,377	732,764	10,440	Snake Range	NV	Physical	BG	USGS
USGS	RP1840402	Cave Mountain	4,337,545	706,107	10,650	Schell Creek Range	NV	Physical	BG	USGS



**Table 2-6**  
**High-Altitude and Regional Precipitation Monitoring Station Locations**  
 (Page 2 of 2)

Source	Station Number	Station Name	Location <sup>a</sup>		Elevation <sup>b</sup> (ft amsl)	Physiography	State	Collection Method	Collection Equipment <sup>c</sup>	Owner
			UTM Northing (m)	UTM Easting (m)						
USGS	RP1950401	Unnamed Peak Northwest of Mount Moriah	4,355,938	737,691	9,300	Snake Range	NV	Physical	BG	USGS
NevCAN	RP1840501	Subalpine (west)	4,309,801	733,354	11,005	Snake Range	NV	Continuous	WRG	DR/I/UNLV/UNR
NevCAN	RP1840502	Montane (west)	4,307,955	731,455	9,250	Snake Range	NV	Continuous	WRG	DR/I/UNLV/UNR
NevCAN	RP1840503	Pinyon-Juniper (west)	4,308,155	729,833	5,000	Snake Range	NV	Continuous	WRG	DR/I/UNLV/UNR
NevCAN	RP1840504	Sagebrush (west)	4,311,711	724,716	5,880	Spring Valley	NV	Continuous	WRG	DR/I/UNLV/UNR
NevCAN	RP1950501	Subalpine (east)	4,321,331	732,965	10,108	Snake Range	NV	Continuous	WRG	DR/I/UNLV/UNR
NevCAN	RP1950502	Sagebrush (east)	4,322,852	744,451	6,035	Snake Valley	NV	Continuous	WRG	DR/I/UNLV/UNR
NevCAN	RP1950503	Salt Desert (east)	4,325,056	754,589	5,000	Snake Valley	NV	Continuous	WRG	DR/I/UNLV/UNR

<sup>a</sup>All coordinates are Universal Transverse Mercator, North American Datum, 1983, Zone 11.

<sup>b</sup>Elevations are North American Vertical Datum of 1988 (NAVD88).

<sup>c</sup>Collection Equipment: BG = Bulk storage gage; TB = Tipping Bucket; WRG = Weighing Rain Gage; PXD = Pressure Transducer




Figure 2-6  
Precipitation Station Locations



postponed until after the five new Zone monitor wells have been installed. SNWA will complete the final two rounds of water-chemistry sampling within 2 years after installing the five Zone wells. The program will consist of the collection of water-chemistry samples from the five new Zone wells, followed by two rounds of sample collection 6 months apart at the 35 locations sampled in the first round and the five Zone wells (a total of 40 sites per sampling event as originally specified in the SVMM Plan). The sample sites and parameters may be modified by the TRP based upon results of previous sampling rounds. The spring, stream, and well sampling locations and results from the 2010 to 2011 sampling event, along with historic water chemistry results, were presented in SNWA, (2012). Isotope results for well SPR7029M were presented in SNWA (2013).

## **2.7 Reporting**

A data-exchange web site accessible by the NSE, EC, TRP, and BWG members was created in April 2008. The data-exchange web site is used to distribute SVMM Plan monitoring data to the TRP within 90 days of collection. Data will also be submitted directly to the NSE on a quarterly basis in electronic format.

## **2.8 Proposed Schedule of Groundwater Withdrawals**

No groundwater production is scheduled for the next 2 years with the exception of possible short-term well development and performance testing and aquifer testing of any new wells drilled during this time-frame. The duration of well-performance tests is typically one day, and the duration of constant-rate aquifer testing is typically between 3 and 10 days.



## **3.0 ANTICIPATED 2014 SNWA SVMM PLAN ACTIVITIES**

SNWA will continue to work with NSE and TRP participants to implement the SVMM Plan. Anticipated SVMM Plan activities in 2014 are summarized below. Some activities are contingent upon property access or NSE approval and/or TRP consensus.

- Continue to collect required quarterly and continuous water-level measurements at specified locations throughout 2014. Data will be reported quarterly to the other TRP members through the SNWA data-exchange web site. Data will be submitted to NSE in an approved electronic format and included in the annual data report to be submitted in March 2015.
- Perform synoptic discharge study of Big Springs/Lake Creek complex during non-irrigation and irrigation seasons.
- Coordinate activities and provide technical assistance to the BWG, as requested, including evaluation of spring hydrologic data.
- Work with USFS to obtain right-of-way access for installation of hydrologic monitoring instrumentation at Lower Bastian and Chokeycherry Springs.



**This Page Left Intentionally Blank**

## 4.0 REFERENCES

Mace, J.T., 2011a, Well Completion and Geologic Data Analysis Report for Monitor Wells SPR7024M and SPR7024M2 in Spring Valley: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. RDS-ED-0025, 31 p.

Mace, J.T., 2011b, Well Completion and Geologic Data Analysis Report for Monitor Wells SPR7029M and SPR7029M2 in Spring Valley: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. RDS-ED-0027, 31 p.

Mace, J.T., 2011c, Well Completion and Geologic Data Analysis Report for Monitor Wells SPR7030M and SPR7030M2 in Spring Valley: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. RDS-ED-0026, 31 p.

NDWR, see Nevada Division of Water Resources.

Meinzer, O.E., 1911, Ground water in Juab, Millard, and Iron counties Utah: U.S. Geological Survey Water-Supply Paper 277, 162 p.

Nevada Division of Water Resources, 2014, Precipitation Data [Internet], [accessed March 2014], available from <http://water.nv.gov>.

Nevada State Engineer (The Office of the State Engineer of the State of Nevada), 2007, The ruling (#5726) in the matter of applications 54003 through 54021, inclusive, filed to appropriate the underground waters of the Spring Valley hydrographic basin (184), White Pine County, Nevada.

NSC, see Nevada Supreme Court.

NSE, see Nevada State Engineer.

Nevada Supreme Court, 2010, Great Basin Water Network v. State Engineer, 126 Nev., Ad. Op. No. 20, June 17, 2010.

Prieur, J.P., and Ashinhurst, C.S., 2011, Well development and aquifer testing results Test Well SPR7029M2, Spring Valley, NV-Preliminary Data Memo: Southern Nevada Water Authority, Las Vegas, Nevada, 31 p.

SNWA, see Southern Nevada Water Authority.



Southern Nevada Water Authority, 2006, Water resources assessment for Spring Valley—Presentation to the Office of the Nevada State Engineer: Southern Nevada Water Authority, Las Vegas, Nevada, 167 p.

Southern Nevada Water Authority, 2008, Spring Valley stipulation agreement hydrologic monitoring plan status and data report: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0001, 76 p.

Southern Nevada Water Authority, 2009a, Spring Valley hydrologic monitoring and mitigation plan (Hydrographic Area 184): Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0003, 49 p.

Southern Nevada Water Authority, 2009b, 2008 Spring Valley hydrologic monitoring and mitigation plan status and data report: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0004, 109 p.

Southern Nevada Water Authority, 2010, 2009 Spring Valley hydrologic monitoring and mitigation plan status and data report: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0007, 120 p.

Southern Nevada Water Authority, 2011a, Hydrologic monitoring and mitigation plan for Spring Valley (Hydrographic Area 184): Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0012, 54 p.

Southern Nevada Water Authority, 2011b, 2010 Spring Valley hydrologic monitoring and mitigation plan status and data report: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0010, 126 p.

Southern Nevada Water Authority, 2012, 2011 Spring Valley hydrologic monitoring, management, and mitigation plan status and data report: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0014, 165 p.

Southern Nevada Water Authority, 2013, 2012 Spring Valley hydrologic monitoring, management, and mitigation plan status and data report: Southern Nevada Water Authority, Las Vegas, Nevada, Doc. No. WRD-ED-0017, 163 p.

Stipulation for Withdrawal of Protests: U.S. Bureau of Indian Affairs, U.S. Bureau of Land Management, U.S. Fish and Wildlife Service, National Park Service, Southern Nevada Water Authority. (Sept. 8, 2006).

USDA, see U.S. Department of Agriculture.

U.S. Department of Agriculture, 2014, Natural Resources Center Service (NRCS) National Water & Climate Center (WCC) [Internet], [accessed February 2014], available from <http://www.wcc.nrcs.usda.gov>.

USGS, see U.S. Geological Survey.

U.S. Geological Survey, 2014, National Water Information System (NWIS-Web) [Internet], available from <http://waterdata.usgs.gov/nwis/>.

Walker, R., 1972, Investigation of Big Springs: Letter report from the Office of Sevier River Commissioner to Big Springs Irrigation Company, 9 p.

Western Regional Climate Center (WRCC), 2014, Historical Climate Data [Internet], [accessed February 2014], available from <http://www.wrcc.dri.edu>.

WRCC, see Western Regional Climate Center.



**This Page Left Intentionally Blank**

## **Appendix A**

### **Periodic Water-Level Measurement Data from the Spring Valley Monitor Well Network**





**Table A-1**  
**Periodic Water-Level Measurement Data from the**  
**Spring Valley Monitor Well Network**  
 (Page 1 of 8)

Site Number	Station Local Number <sup>a</sup>	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
				Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
184W101	---	1,749	6,190.90	1/9/2013	482.88	S	T
				2/12/2013	483.5	S	T
				4/2/2013	483.43	S	T
				5/7/2013	483.5	S	T
				7/10/2013	484.18	S	T
				8/27/2013	484.32	S	T
				11/19/2013	484.77	S	T
184W103	---	1,017	5,899.06	1/9/2013	98.48	S	T
				2/11/2013	98.47	S	T
				4/1/2013	98.49	S	T
				5/8/2013	98.46	S	T
				7/10/2013	98.4	S	T
				8/21/2013	98.51	S	T
				11/20/2013	98.46	S	T
184W105	---	1,135	6,007.30	1/9/2013	208.88	S	T
				2/11/2013	208.97	S	T
				4/1/2013	209.07	S	T
				5/8/2013	208.99	S	T
				7/8/2013	208.88	S	T
				11/20/2013	209.17	S	T
SPR7006M	---	1,700	6,525.18	2/13/2013	770.59	S	T
				4/3/2013	771.14	S	T
				5/8/2013	771.21	S	T
				7/10/2013	771.07	S	T
				8/29/2013	771.89	S	T
				10/8/2013	771.66	S	T
SPR7008X	---	960	5,702.99	1/8/2013	12.34	S	T
				2/13/2013	12.36	S	T
				4/3/2013	12.22	S	T
				5/8/2013	12.46	S	T
				7/9/2013	12.66	S	T
				8/29/2013	12.79	S	T
				11/19/2013	13.16	S	T



**Table A-1**  
**Periodic Water-Level Measurement Data from the**  
**Spring Valley Monitor Well Network**  
 (Page 2 of 8)

Site Number	Station Local Number <sup>a</sup>	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
				Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
SPR7005X	---	1,350	6,397.56	1/8/2013	492.49	S	T
				2/12/2013	492.68	S	T
				4/2/2013	492.96	S	T
				5/7/2013	492.96	S	T
				7/9/2013	493.06	S	T
				8/27/2013	493.62	S	T
				11/19/2013	494	S	T
SPR7007X	---	1,020	6,017.53	1/9/2013	156.56	S	T
				2/13/2013	157.47	S	T
				4/2/2013	158.38	S	T
				5/8/2013	158.9	S	T
				7/10/2013	155.6	S	T
				8/19/2013	155.82	S	T
				11/20/2013	157.83	S	T
SPR7029M	184 N16 E66 25DBCD1	260	5,876.83	1/8/2013	216.97	S	T
				2/12/2013	216.43	S	T
				4/2/2013	216.58	S	T
				5/7/2013	216.65	S	T
				7/9/2013	216.85	S	T
				8/27/2013	218.23	S	T
				11/19/2013	218.02	S	T
SPR7029M2	184 N16 E66 25DBCA1	423	5,876.65	1/8/2013	216.63	S	T
				2/12/2013	216.16	S	T
				4/2/2013	216.26	S	T
				5/7/2013	216.28	S	T
				7/9/2013	216.53	S	T
				8/27/2013	217.94	S	T
				11/19/2013	217.72	S	T
SPR7030M	184 N16 E67 32ABAB1	98	5,617.15	1/8/2013	-28.59	S	G
				4/2/2013	-29.14	S	G
				5/7/2013	-29.08	S	G
				7/9/2013	-28.79	S	G
				8/19/2013	-28.18	S	G
				11/19/2013	-27.95	S	G

**Table A-1**  
**Periodic Water-Level Measurement Data from the**  
**Spring Valley Monitor Well Network**  
 (Page 3 of 8)

Site Number	Station Local Number <sup>a</sup>	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
				Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
SPR7030M2	184 N16 E67 32ABAB2	236	5,617.79	1/8/2013	-36.65	S	G
				2/12/2013	-36.71	S	G
				4/2/2013	-37.32	S	G
				4/2/2013	-35.81	P	G
				5/7/2013	-37.29	S	G
				7/9/2013	-37.15	S	G
				8/19/2013	-36.56	S	G
				11/19/2013	-36.35	S	G
383704114225001 <sup>d</sup>	184 N09 E68 30AAAB1	679	6,002.52	2/12/2013	225.02	S	T
				4/2/2013	224.9	S	T
				5/7/2013	224.78	S	T
				6/3/2013	224.74	S	T
				7/10/2013	224.77	S	T
				8/27/2013	224.78	S	T
				10/7/2013	224.66	S	T
				11/19/2013	224.81	S	T
384039114232701 <sup>d</sup>	184 N10 E68 31CD 1	150	5,896.49	2/13/2013	118.29	S	T
				4/2/2013	118.19	S	T
				5/7/2013	118.23	S	T
				7/10/2013	118.19	S	T
				8/27/2013	118.19	S	T
				10/7/2013	118.17	S	T
				11/20/2013	118.2	S	T
				384831114314301 <sup>d</sup>	184 N11 E66 23AB 1	102	5,842.94
2/11/2013	47.29	S	T				
4/1/2013	47.28	S	T				
5/8/2013	47.28	S	T				
7/8/2013	47.28	S	T				
8/26/2013	47.36	S	T				
10/8/2013	47.35	S	T				
11/20/2013	47.38	S	T				
384745114224401 <sup>d</sup>	184 N11 E68 19DCDC1	200	5,900.18	1/9/2013	98.65	S	T
				2/13/2013	98.69	S	T
				4/2/2013	98.78	S	T
				5/7/2013	98.88	S	T



**Table A-1**  
**Periodic Water-Level Measurement Data from the**  
**Spring Valley Monitor Well Network**  
 (Page 4 of 8)

Site Number	Station Local Number <sup>a</sup>	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
				Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
384745114224401 <sup>d</sup>	184 N11 E68 19DCDC1	200	5,900.18	7/10/2013	99.05	S	T
				8/27/2013	99.2	S	T
				10/7/2013	99.37	S	T
				11/20/2013	99.53	S	T
390352114305401 <sup>d</sup>	184 N14 E66 24BDDD1	160	5,846.04	1/8/2013	38.82	S	T
				2/13/2013	38.77	S	T
				4/2/2013	38.73	S	T
				5/7/2013	38.69	S	T
				7/9/2013	38.71	S	T
				8/27/2013	38.77	S	T
				10/8/2013	38.75	S	T
				11/19/2013	38.72	S	T
390803114251001 <sup>d</sup>	184 N15 E67 26CA 1	200	5,727.21	1/8/2013	39.22	S	T
				2/13/2013	39.26	S	T
				4/3/2013	39.38	S	T
				5/8/2013	39.45	S	T
				7/9/2013	39.52	S	T
				8/29/2013	39.63	S	T
				10/8/2013	39.67	S	T
				11/19/2013	39.76	S	T
Robison Crooked Well <sup>d</sup>  (Formerly 393211114320701)	184 N19 E66 11B 1	400	5,698.43	1/8/2013	37.13	S	T
				2/12/2013	38.2	S	T
				4/2/2013	39.78	S	T
				5/7/2013	40.16	S	T
				7/9/2013	40.86	S	T
				10/8/2013	42.49	S	T
				11/19/2013	43.17	S	T
383023114115302 <sup>d</sup>	196 N08 E69 35DC 2	435	5,837.67	2/12/2013	174.28	S	T
				4/2/2013	174.99	S	T
				5/7/2013	174.9	S	T
				7/10/2013	175.07	S	T
				8/27/2013	175.28	S	T
				10/7/2013	175.38	S	T
				11/19/2013	175.69	S	T
184W502M <sup>d</sup>	184 N09 E68 11BDBD1	1,799	6,189.72	1/9/2013	481.88	S	T
				2/12/2013	482.49	S	T
				4/2/2013	482.43	S	T

**Table A-1**  
**Periodic Water-Level Measurement Data from the**  
**Spring Valley Monitor Well Network**  
 (Page 5 of 8)

Site Number	Station Local Number <sup>a</sup>	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
				Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
184W502M <sup>d</sup>	184 N09 E68 11BDBD1	1,799	6,189.72	5/7/2013	482.55	S	T
				7/10/2013	483.18	S	T
				8/27/2013	483.34	S	T
				10/7/2013	483.5	S	T
				11/19/2013	483.9	S	T
184W504M <sup>d</sup>	184 N11 E66 35CCCC1	1,020	5,900.11	1/9/2013	100.23	S	T
				2/11/2013	100.24	S	T
				4/1/2013	100.29	S	T
				5/8/2013	100.27	S	T
				7/10/2013	100.25	S	T
				8/21/2013	100.37	S	T
				10/7/2013	100.31	S	T
11/20/2013	100.33	S	T				
184W506M <sup>d</sup>	184 N12 E66 26BADC1	1,140	6,014.04	1/9/2013	215.56	S	T
				2/11/2013	215.54	S	T
				4/1/2013	215.34	S	T
				5/8/2013	215.66	S	T
				7/8/2013	215.63	S	T
				8/26/2013	215.71	S	T
				10/8/2013	215.73	S	T
11/20/2013	215.85	S	T				
184W508M <sup>d</sup>	184 N09 E67 11BDCD1	1,160	6,056.19	1/9/2013	276.44	S	T
				2/12/2013	276.71	S	T
				4/2/2013	276.42	S	T
				5/7/2013	276.38	S	T
				7/10/2013	276.45	S	T
				8/27/2013	276.46	S	T
				10/7/2013	276.35	S	T
11/19/2013	276.47	S	T				
SPR7007M <sup>d</sup>	184 N11 E68 05BCBC1	1,020	6,017.73	1/9/2013	156.65	S	T
				2/13/2013	157.69	S	T
				4/2/2013	158.53	S	T
				5/8/2013	159.02	S	T
				7/10/2013	155.8	S	T
				8/19/2013	155.97	S	T
				10/8/2013	156.96	S	T
11/20/2013	158.01	S	T				



**Table A-1**  
**Periodic Water-Level Measurement Data from the**  
**Spring Valley Monitor Well Network**  
 (Page 6 of 8)

Site Number	Station Local Number <sup>a</sup>	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
				Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
SPR7005M <sup>d</sup>	184 N14 E66 09ABCA1	1,404	6,395.68	1/8/2013	490.6	S	T
				2/12/2013	490.89	S	T
				4/2/2013	491.09	S	T
				5/7/2013	490.96	S	T
				7/9/2013	491.17	S	T
				8/27/2013	491.72	S	T
				10/8/2013	491.74	S	T
				11/19/2013	492.14	S	T
SPR7008M <sup>d</sup>	184 N15 E67 26CDAB1	946	5,704.86	1/8/2013	13.5	S	T
				2/13/2013	13.59	S	T
				4/3/2013	13.64	S	T
				5/8/2013	13.63	S	T
				7/9/2013	13.71	S	T
				8/29/2013	14.01	S	T
				10/8/2013	13.96	S	T
				11/19/2013	14.1	S	T
383351114180201	184 N08 E68 14A 1	495	6,184.22	2/12/2013	406.75	S	T
				8/27/2013	406.37	S	T
				11/19/2013	406.35	S	T
384310114261401	184 N10 E67 22AA 1	100	5,853.54	2/13/2013	65.25	S	T
				5/8/2013	65.31	S	T
				8/27/2013	65.37	S	T
				11/20/2013	65.43	S	T
184 N12 E66 21CD 1	184 N12 E66 21DCCB1	631	6,370.31	2/11/2013	569.04	S	T
				5/8/2013	569.65	S	T
				8/26/2013	569.48	S	T
				11/20/2013	569.43	S	T
385636114265501	184 N13 E67 33DDA 1	---	5,769.73	2/11/2013	8.46	S	T
				5/8/2013	8.13	S	T
				8/27/2013	9.17	S	T
				11/20/2013	8.92	S	T

**Table A-1**  
**Periodic Water-Level Measurement Data from the**  
**Spring Valley Monitor Well Network**  
 (Page 7 of 8)

Site Number	Station Local Number <sup>a</sup>	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
				Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
391224114293601 <sup>e</sup>	184 N16 E66 36DBAD1	---	5,870.25	2/12/2013	208.25	P	T
				5/7/2013	208.14	S	T
				8/27/2013	209.36	S	T
				11/19/2013	209.51	S	T
392703114230501	184 N18 E67 01CCAA1	42	5,587.78	2/13/2013	34.55	S	T
				5/7/2013	39.01	P	T
				8/28/2013	37.85	P	T
				11/19/2013	36.83	P	T
184 N20 E66 13AB 1	184 N20 E66 13BADA1	296	5,774.93	2/12/2013	127.77	S	T
				5/7/2013	127.76	S	T
				8/28/2013	128.1	S	T
				11/19/2013	128.84	S	T
393442114231801	184 N20 E67 26ABBD1	130	5,708.77	2/13/2013	118.37	S	T
				5/7/2013	118.86	S	T
				8/28/2013	118.06	S	T
				11/19/2013	118.42	S	T
383325114134901	196 N08 E69 15B 1	110	5,729.98	2/12/2013	70.29	S	T
				5/7/2013	70.51	S	T
				8/27/2013	70.94	S	T
				11/19/2013	71.22	S	T
383533114102901	196 N08 E70 06B 1	164	5,676.76	2/12/2013	89.74	S	T
				5/7/2013	89.62	S	T
				8/27/2013	89.57	S	T
				11/19/2013	89.6	S	T
SPR7024M <sup>d</sup>	184 N12 E67 01CCCD1	250	5,861.10	1/9/2013	19.94	S	T
				2/13/2013	19.72	S	T
				4/2/2013	19.44	S	T
				4/30/2013	19.8	S	T
				5/6/2013	19.96	S	T
				7/10/2013	21.16	S	T
				8/21/2013	21.93	S	T
				10/8/2013	22.58	S	T
11/20/2013	22.69	S	T				
SPR7024M2 <sup>d</sup>	184 N12 E67 01CCCD2	699	5,863.08	1/9/2013	13	S	T
				2/13/2013	12.58	S	T
				4/2/2013	12.11	S	T
				4/30/2013	13.1	S	T



**Table A-1**  
**Periodic Water-Level Measurement Data from the**  
**Spring Valley Monitor Well Network**  
 (Page 8 of 8)

Site Number	Station Local Number <sup>a</sup>	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
				Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
SPR7024M2 <sup>d</sup>	184 N12 E67 01CCCD2	699	5,863.08	5/6/2013	13.51	S	T
				7/10/2013	16.13	S	T
				8/21/2013	17.42	S	T
				10/8/2013	17.8	S	T
				11/20/2013	17.21	S	T

<sup>a</sup>Station Local Numbers provided by the Nevada Department of Water Resources.

<sup>b</sup>S = Static conditions, P = Pumping or recently pumping conditions, D = Dry



<sup>c</sup>T = Electric tape measurement, S = Steel tape measurement, G = Pressure gage



<sup>d</sup>Current and historical hydrographs with periodic and continuous data are presented in [Appendix B](#).



<sup>e</sup>The Cleve Creek well will be replaced by SPR7029M, SPR7029M2, or both.



Note: SNWA tape calibration program started in August 2008.













































2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report









2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







# 2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report













2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report





2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report





## **Appendix B**

### **Continuous Water-Level Measurement Data from the Spring Valley Existing-Well Monitoring Network**



## ***B.1.0 MONITORING PROGRAM WELLS WITH CONTINUOUS TRANSDUCER DATA***

Continuous data collection was performed in 2013 for the following monitor wells:

- 383704114225001
- 384039114232701
- 384831114314301
- 384745114224401
- 390352114305401
- 390803114251001
- Robison Crooked (Formerly 393211114320701)
- 383023114115302
- 184W502M
- 184W504M
- 184W506M
- 184W508M
- SPR7006M
- SPR7007M
- SPR7005M
- SPR7008M
- SPR7024M
- SPR7024M2

For these sites, the graphs are shown below and include historical data and data collected in 2013. Continuous data have been corrected for temperature and line stretch. Additional data processing, including barometric pressure corrections, may be applied in the future.



**Table B-1  
Spring Valley Well 383704114225001, Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	224.89	224.83	224.89	224.77	--- <sup>b</sup>	--- <sup>b</sup>	224.80	224.66	224.67	224.69	224.86	224.72
2	224.83	224.87	224.75	224.82	--- <sup>b</sup>	--- <sup>b</sup>	224.79	224.73	224.71	224.65	224.71	224.55
3	224.83	224.71	224.65	224.84	--- <sup>b</sup>	--- <sup>a</sup>	224.76	224.75	224.72	224.72	224.77	224.51
4	224.81	224.78	224.88	224.74	--- <sup>b</sup>	224.91	224.76	224.75	224.74	224.85	224.82	224.78
5	224.83	224.72	224.76	224.76	--- <sup>b</sup>	224.91	224.76	224.72	224.69	224.81	224.93	224.70
6	224.69	224.83	224.69	224.76	--- <sup>b</sup>	224.87	224.77	224.72	224.69	224.70	224.91	224.69
7	224.83	224.75	224.77	224.71	--- <sup>b</sup>	224.84	224.81	224.72	224.70	224.63	224.78	224.55
8	224.87	224.61	224.70	224.61	--- <sup>b</sup>	224.85	224.81	224.71	224.65	224.60	224.77	224.79
9	224.73	224.81	224.92	224.92	--- <sup>b</sup>	224.84	224.82	224.73	224.65	224.61	224.86	224.88
10	224.54	224.82	224.95	--- <sup>a</sup>	--- <sup>b</sup>	224.81	224.75	224.74	224.71	224.72	224.89	224.70
11	224.84	224.88	224.80	--- <sup>b</sup>	--- <sup>b</sup>	224.86	224.74	224.74	224.71	224.80	224.91	224.79
12	224.84	224.89	224.83	--- <sup>b</sup>	--- <sup>b</sup>	224.85	224.76	224.73	224.69	224.70	224.90	224.65
13	224.82	224.83	224.85	--- <sup>b</sup>	--- <sup>b</sup>	224.79	224.79	224.74	224.65	224.75	224.81	224.72
14	224.89	224.86	224.81	--- <sup>b</sup>	--- <sup>b</sup>	224.87	224.77	224.73	224.68	224.82	224.73	224.84
15	224.93	224.88	224.72	--- <sup>b</sup>	--- <sup>b</sup>	224.81	224.73	224.73	224.72	224.77	224.71	224.73
16	224.88	224.74	224.72	--- <sup>b</sup>	--- <sup>b</sup>	224.83	224.76	224.73	224.70	224.75	224.76	224.73
17	224.83	224.63	224.77	--- <sup>b</sup>	--- <sup>b</sup>	224.80	224.81	224.72	224.61	224.71	224.98	224.69
18	224.80	224.80	224.82	--- <sup>b</sup>	--- <sup>b</sup>	224.73	224.76	224.74	224.73	224.80	224.90	224.56
19	224.83	224.61	224.82	--- <sup>b</sup>	--- <sup>b</sup>	224.83	224.73	224.73	224.75	224.76	224.77	224.54
20	224.81	224.77	224.69	--- <sup>b</sup>	--- <sup>b</sup>	224.84	224.72	224.71	224.65	224.71	224.64	224.72
21	224.81	224.89	224.75	--- <sup>b</sup>	--- <sup>b</sup>	224.80	224.74	224.73	224.58	224.82	224.74	224.71
22	224.80	224.85	224.73	--- <sup>b</sup>	--- <sup>b</sup>	224.82	224.78	224.73	224.68	224.79	224.75	224.84
23	224.79	224.73	224.87	--- <sup>b</sup>	--- <sup>b</sup>	224.74	224.77	224.68	224.82	224.76	224.70	224.81
24	224.80	224.87	224.80	--- <sup>b</sup>	--- <sup>b</sup>	224.79	224.74	224.72	224.63	224.79	224.72	224.75
25	224.79	224.80	224.78	--- <sup>b</sup>	--- <sup>b</sup>	224.86	224.76	224.73	224.54	224.83	224.79	224.77
26	224.65	224.84	224.72	--- <sup>b</sup>	--- <sup>b</sup>	224.86	224.79	224.73	224.70	224.82	224.72	224.73
27	224.69	224.89	224.80	--- <sup>b</sup>	--- <sup>b</sup>	224.86	224.68	224.69	224.82	224.58	224.63	224.69
28	224.82	224.86	224.82	--- <sup>b</sup>	--- <sup>b</sup>	224.80	224.68	224.72	224.76	224.67	224.68	224.63
29	224.82	---	224.86	--- <sup>b</sup>	--- <sup>b</sup>	224.75	224.77	224.75	224.68	224.85	224.76	224.76
30	224.90	---	224.81	--- <sup>b</sup>	--- <sup>b</sup>	224.79	224.80	224.72	224.66	224.87	224.74	224.72
31	224.84	---	224.74	---	--- <sup>b</sup>	---	224.72	224.70	---	224.89	---	224.69
Max	224.93	224.89	224.95	224.92	---	224.91	224.82	224.75	224.82	224.89	224.98	224.88
Min	224.54	224.61	224.65	224.61	---	224.73	224.68	224.66	224.54	224.58	224.63	224.51

**Year 2013 Statistics: Year Max 224.98 Year Min 224.51**



Note: Water level in ft bgs

<sup>a</sup>Insufficient data points to report a daily average.

<sup>b</sup>No data available due to data logger malfunction.



2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-2**  
**Spring Valley Well 384039114232701, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	118.14	118.14	118.13	118.11	118.10	118.09	118.08	118.11	118.13	118.16	118.17	118.17
2	118.14	118.14	118.13	118.11	118.11	118.09	118.08	118.11	118.13	118.16	118.17	118.17
3	118.14	118.14	118.13	118.11	118.10	118.08	118.08	118.11	118.14	118.16	118.16	118.17
4	118.14	118.14	118.13	118.11	118.10	118.08	118.08	118.11	118.14	118.16	118.16	118.17
5	118.14	118.14	118.13	118.11	118.10	118.09	118.08	118.11	118.14	118.17	118.17	118.17
6	118.14	118.13	118.12	118.11	118.10	118.09	118.08	118.11	118.14	118.17	118.17	118.16
7	118.14	118.13	118.12	118.11	118.10	118.08	118.08	118.11	118.14	118.17	118.17	118.16
8	118.14	118.13	118.12	118.10	118.10	118.08	118.08	118.11	118.14	118.16	118.17	118.16
9	118.14	118.13	118.12	118.10	118.10	118.09	118.09	118.11	118.14	118.16	118.17	118.17
10	118.14	118.13	118.12	118.10	118.10	118.08	118.09	118.11	118.14	118.16	118.17	118.17
11	118.13	118.13	118.12	118.10	118.10	118.08	118.09	118.12	118.14	118.16	118.17	118.17
12	118.13	118.13	118.12	118.10	118.11	118.08	118.09	118.12	118.14	118.16	118.17	118.17
13	118.13	118.13	118.12	118.10	118.10	118.08	118.09	118.12	118.14	118.16	118.17	118.17
14	118.14	118.13	118.12	118.10	118.10	118.08	118.09	118.12	118.14	118.16	118.17	118.17
15	118.14	118.14	118.12	118.10	118.10	118.08	118.09	118.12	118.15	118.16	118.17	118.17
16	118.14	118.14	118.12	118.10	118.10	118.08	118.09	118.12	118.15	118.16	118.17	118.18
17	118.14	118.13	118.12	118.10	118.10	118.08	118.09	118.12	118.14	118.16	118.17	118.18
18	118.14	118.13	118.12	118.10	118.10	118.08	118.09	118.12	118.15	118.16	118.17	118.17
19	118.14	118.13	118.12	118.10	118.10	118.08	118.09	118.12	118.15	118.17	118.17	118.17
20	118.14	118.12	118.12	118.10	118.10	118.08	118.10	118.12	118.15	118.17	118.17	118.17
21	118.14	118.13	118.12	118.10	118.10	118.08	118.09	118.12	118.15	118.17	118.17	118.17
22	118.14	118.13	118.11	118.10	118.09	118.08	118.10	118.13	118.15	118.17	118.17	118.17
23	118.14	118.12	118.12	118.10	118.09	118.08	118.10	118.13	118.15	118.17	118.17	118.17
24	118.14	118.12	118.12	118.10	118.09	118.07	118.10	118.13	118.15	118.17	118.17	118.17
25	118.14	118.13	118.11	118.10	118.09	118.07	118.10	118.13	118.15	118.17	118.17	118.18
26	118.14	118.12	118.11	118.10	118.09	118.08	118.10	118.13	118.15	118.17	118.17	118.18
27	118.14	118.13	118.11	118.10	118.09	118.08	118.10	118.13	118.15	118.17	118.17	118.18
28	118.14	118.13	118.11	118.10	118.09	118.08	118.10	118.13	118.16	118.16	118.17	118.17
29	118.14	---	118.11	118.10	118.09	118.08	118.10	118.13	118.16	118.16	118.17	118.18
30	118.14	---	118.11	118.10	118.09	118.08	118.11	118.13	118.16	118.16	118.17	118.18
31	118.14	---	118.11	---	118.09	---	118.11	118.13	---	118.17	---	118.18
Max	118.14	118.14	118.13	118.11	118.11	118.09	118.11	118.13	118.16	118.17	118.17	118.18
Min	118.13	118.12	118.11	118.10	118.09	118.07	118.08	118.11	118.13	118.16	118.16	118.16

**Year 2013 Statistics: Year Max 118.18; Year Min 118.07**

Note: Water level in ft bgs

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-3  
Spring Valley Well 384831114314301, Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	47.22	47.24	47.28	47.27	47.32	47.28	47.31	47.34	47.38	47.39	47.42	47.43
2	47.21	47.24	47.25	47.28	47.30	47.26	47.31	47.34	47.39	47.38	47.38	47.37
3	47.21	47.22	47.23	47.28	47.26	47.28	47.31	47.35	47.39	47.40	47.39	47.35
4	47.21	47.23	47.26	47.26	47.25	47.28	47.31	47.36	47.40	47.43	47.39	47.41
5	47.21	47.21	47.24	47.27	47.25	47.29	47.30	47.35	47.39	47.43	47.43	47.41
6	47.19	47.23	47.23	47.27	47.26	47.28	47.30	47.35	47.38	47.40	47.44	47.40
7	47.20	47.21	47.24	47.24	47.27	47.27	47.32	47.35	47.39	47.38	47.41	47.37
8	47.22	47.19	47.22	47.23	47.28	47.28	47.32	47.35	47.38	47.36	47.40	47.42
9	47.18	47.22	47.27	47.29	47.28	47.28	47.33	47.36	47.38	47.36	47.41	47.45
10	47.15	47.23	47.28	47.29	47.29	47.27	47.32	47.36	47.39	47.38	47.42	47.42
11	47.19	47.25	47.27	47.27	47.29	47.28	47.32	47.36	47.39	47.40	47.43	47.44
12	47.20	47.26	47.28	47.27	47.28	47.28	47.32	47.37	47.39	47.39	47.43	47.41
13	47.21	47.25	47.28	47.24	47.27	47.28	47.33	47.37	47.38	47.39	47.41	47.42
14	47.23	47.26	47.27	47.24	47.26	47.29	47.33	47.37	47.38	47.41	47.37	47.45
15	47.25	47.27	47.25	47.25	47.26	47.29	47.32	47.37	47.39	47.41	47.36	47.43
16	47.24	47.22	47.24	47.26	47.25	47.30	47.33	47.37	47.38	47.41	47.37	47.44
17	47.24	47.21	47.25	47.29	47.27	47.29	47.33	47.37	47.37	47.40	47.42	47.42
18	47.23	47.22	47.26	47.30	47.27	47.26	47.34	47.38	47.38	47.41	47.41	47.39
19	47.23	47.18	47.27	47.27	47.28	47.28	47.33	47.37	47.41	47.40	47.40	47.36
20	47.23	47.21	47.24	47.28	47.28	47.29	47.32	47.37	47.39	47.39	47.39	47.39
21	47.23	47.24	47.25	47.28	47.25	47.29	47.33	47.38	47.35	47.42	47.40	47.41
22	47.23	47.25	47.25	47.27	47.23	47.29	47.33	47.37	47.37	47.41	47.42	47.44
23	47.22	47.23	47.28	47.28	47.26	47.27	47.34	47.37	47.41	47.40	47.41	47.44
24	47.23	47.26	47.27	47.28	47.27	47.29	47.33	47.38	47.36	47.41	47.42	47.44
25	47.22	47.25	47.26	47.27	47.26	47.30	47.34	47.39	47.35	47.41	47.43	47.45
26	47.19	47.26	47.26	47.29	47.26	47.31	47.35	47.39	47.38	47.41	47.43	47.44
27	47.19	47.27	47.26	47.28	47.26	47.32	47.33	47.37	47.41	47.34	47.40	47.42
28	47.21	47.28	47.27	47.26	47.26	47.31	47.33	47.38	47.41	47.36	47.41	47.40
29	47.22	---	47.29	47.24	47.26	47.30	47.35	47.39	47.40	47.39	47.42	47.43
30	47.25	---	47.28	47.25	47.27	47.31	47.36	47.39	47.39	47.40	47.42	47.43
31	47.24	---	47.26	---	47.29	---	47.35	47.38	---	47.42	---	47.42
Max	47.25	47.28	47.29	47.30	47.32	47.32	47.36	47.39	47.41	47.43	47.44	47.45
Min	47.15	47.18	47.22	47.23	47.23	47.26	47.30	47.34	47.35	47.34	47.36	47.35

Year 2013 Statistics: Year Max 47.45; Year Min 47.15

Note: Water level in ft bgs

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-4  
Spring Valley Well 384745114224401, Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	98.58	98.65	98.72	98.78	98.86	98.93	99.01	99.10	99.20	99.31	99.42	99.53
2	98.59	98.66	98.72	98.79	98.86	98.93	99.02	99.10	99.21	99.31	99.42	99.53
3	98.59	98.66	98.72	98.79	98.86	98.94	99.02	99.11	99.21	99.31	99.43	99.53
4	98.59	98.66	98.72	98.79	98.86	98.94	99.02	99.11	99.21	99.32	99.43	99.53
5	98.60	98.66	98.72	98.79	98.86	98.94	99.02	99.11	99.22	99.33	99.44	99.54
6	98.60	98.66	98.72	98.80	98.87	98.95	99.02	99.12	99.22	99.33	99.44	99.54
7	98.60	98.66	98.72	98.80	98.87	98.95	99.03	99.12	99.23	99.33	99.45	99.54
8	98.60	98.66	98.72	98.80	98.88	98.95	99.03	99.12	99.23	99.33	99.45	99.55
9	98.60	98.66	98.73	98.80	98.88	98.95	99.04	99.13	99.23	99.33	99.45	99.55
10	98.60	98.67	98.73	98.81	98.88	98.95	99.04	99.13	99.23	99.33	99.46	99.56
11	98.60	98.67	98.74	98.81	98.89	98.96	99.04	99.13	99.24	99.34	99.46	99.56
12	98.61	98.68	98.74	98.81	98.89	98.96	99.04	99.14	99.24	99.34	99.46	99.56
13	98.61	98.68	98.74	98.81	98.89	98.96	99.04	99.14	99.24	99.35	99.47	99.57
14	98.61	98.68	98.75	98.81	98.89	98.96	99.05	99.14	99.25	99.35	99.47	99.57
15	98.62	98.68	98.75	98.81	98.89	98.97	99.05	99.15	99.25	99.36	99.47	99.57
16	98.62	98.69	98.75	98.81	98.89	98.97	99.05	99.15	99.25	99.36	99.47	99.58
17	98.62	98.69	98.75	98.82	98.90	98.97	99.05	99.15	99.26	99.36	99.48	99.58
18	98.63	98.69	98.75	98.82	98.90	98.97	99.06	99.16	99.26	99.37	99.48	99.58
19	98.63	98.69	98.75	98.83	98.90	98.98	99.06	99.16	99.27	99.37	99.48	99.58
20	98.63	98.69	98.75	98.83	98.91	98.98	99.06	99.16	99.27	99.37	99.49	99.58
21	98.63	98.69	98.76	98.83	98.91	98.98	99.07	99.17	99.27	99.38	99.49	99.58
22	98.63	98.69	98.76	98.83	98.91	98.99	99.07	99.17	99.27	99.38	99.50	99.59
23	98.64	98.69	98.76	98.84	98.91	98.99	99.07	99.17	99.28	99.39	99.50	99.60
24	98.63	98.70	98.77	98.84	98.91	98.99	99.08	99.18	99.28	99.39	99.50	99.60
25	98.64	98.70	98.77	98.84	98.92	98.99	99.08	99.18	99.28	99.39	99.51	99.60
26	98.63	98.70	98.77	98.85	98.92	99.00	99.08	99.18	99.29	99.40	99.51	99.61
27	98.64	98.71	98.77	98.85	98.92	99.00	99.09	99.19	99.29	99.40	99.51	99.61
28	98.64	98.71	98.78	98.85	98.92	99.01	99.09	99.19	99.30	99.40	99.52	99.61
29	98.64	---	98.78	98.85	98.92	99.01	99.09	99.19	99.30	99.41	99.52	99.61
30	98.65	---	98.78	98.85	98.93	99.01	99.10	99.20	99.30	99.41	99.53	99.62
31	98.65	---	98.78	---	98.93	---	99.10	99.20	---	99.42	---	99.62
Max	98.65	98.71	98.78	98.85	98.93	99.01	99.10	99.20	99.30	99.42	99.53	99.62
Min	98.58	98.65	98.72	98.78	98.86	98.93	99.01	99.10	99.20	99.31	99.42	99.53

**Year 2013 Statistics: Year Max 99.62; Year Min 98.58**

Note: Water level in ft bgs

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report





**Table B-5**  
**Spring Valley Well 390352114305401, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**



	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	38.78	38.75	38.73	38.68	38.66	38.64	38.65	38.69	38.74	38.75	38.73	38.69
2	38.78	38.75	38.73	38.68	38.66	38.63	38.65	38.69	38.74	38.75	38.72	38.69
3	38.78	38.75	38.72	38.68	38.66	38.63	38.65	38.70	38.74	38.75	38.72	38.68
4	38.78	38.75	38.72	38.68	38.65	38.63	38.65	38.70	38.74	38.75	38.72	38.68
5	38.78	38.74	38.71	38.68	38.65	38.64	38.65	38.70	38.74	38.76	38.72	38.68
6	38.78	38.74	38.71	38.68	38.65	38.64	38.65	38.70	38.74	38.76	38.72	38.68
7	38.78	38.74	38.71	38.67	38.65	38.64	38.65	38.70	38.75	38.75	38.72	38.67
8	38.78	38.73	38.70	38.66	38.65	38.64	38.66	38.70	38.75	38.75	38.72	38.68
9	38.78	38.73	38.70	38.67	38.65	38.64	38.66	38.71	38.74	38.74	38.72	38.68
10	38.76	38.73	38.71	38.67	38.65	38.63	38.66	38.71	38.74	38.74	38.72	38.69
11	38.76	38.73	38.71	38.67	38.65	38.64	38.66	38.71	38.75	38.74	38.72	38.69
12	38.76	38.74	38.71	38.67	38.65	38.64	38.67	38.71	38.75	38.74	38.72	38.69
13	38.76	38.74	38.71	38.67	38.65	38.63	38.67	38.72	38.75	38.74	38.72	38.68
14	38.77	38.75	38.71	38.67	38.64	38.64	38.67	38.72	38.75	38.74	38.71	38.69
15	38.77	38.75	38.71	38.66	38.64	38.64	38.67	38.72	38.75	38.74	38.70	38.69
16	38.77	38.74	38.70	38.66	38.64	38.64	38.67	38.72	38.75	38.74	38.70	38.69
17	38.78	38.73	38.70	38.67	38.64	38.64	38.68	38.72	38.75	38.74	38.70	38.69
18	38.77	38.73	38.70	38.67	38.64	38.64	38.68	38.72	38.75	38.74	38.70	38.68
19	38.77	38.72	38.70	38.67	38.64	38.64	38.68	38.73	38.75	38.74	38.70	38.67
20	38.77	38.72	38.70	38.67	38.64	38.64	38.68	38.73	38.75	38.74	38.70	38.66
21	38.77	38.72	38.69	38.67	38.64	38.64	38.68	38.73	38.74	38.74	38.69	38.66
22	38.77	38.72	38.69	38.67	38.63	38.64	38.68	38.73	38.74	38.74	38.70	38.67
23	38.77	38.72	38.69	38.67	38.63	38.64	38.68	38.73	38.75	38.74	38.69	38.67
24	38.76	38.72	38.69	38.67	38.64	38.64	38.68	38.73	38.75	38.74	38.69	38.67
25	38.76	38.72	38.69	38.66	38.64	38.64	38.69	38.73	38.74	38.74	38.70	38.67
26	38.75	38.72	38.69	38.66	38.63	38.64	38.69	38.73	38.74	38.74	38.70	38.67
27	38.75	38.73	38.69	38.67	38.63	38.65	38.69	38.73	38.74	38.73	38.70	38.67
28	38.75	38.73	38.69	38.66	38.63	38.65	38.69	38.74	38.75	38.72	38.69	38.67
29	38.75	---	38.69	38.66	38.63	38.65	38.69	38.74	38.75	38.72	38.69	38.67
30	38.75	---	38.69	38.65	38.63	38.65	38.70	38.74	38.75	38.72	38.69	38.67
31	38.75	---	38.69	---	38.64	---	38.70	38.74	---	38.73	---	38.66
Max	38.78	38.75	38.73	38.68	38.66	38.65	38.70	38.74	38.75	38.76	38.73	38.69
Min	38.75	38.72	38.69	38.65	38.63	38.63	38.65	38.69	38.74	38.72	38.69	38.66

**Year 2013 Statistics: Year Max 39.78; Year Min 38.63**

Note: Water level in ft bgs



2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-6  
Spring Valley Well 390803114251001, Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	39.25	39.29	39.32	39.36	39.40	39.44	39.48	39.52	39.59	39.65	39.70	39.76
2	39.25	39.29	39.33	39.36	39.40	39.44	39.48	39.53	39.59	39.64	39.71	39.76
3	39.25	39.29	39.33	39.37	39.40	39.44	39.48	39.53	39.59	39.65	39.71	39.76
4	39.25	39.29	39.33	39.36	39.40	39.44	39.48	39.53	39.59	39.65	39.71	39.76
5	39.25	39.29	39.33	39.37	39.40	39.44	39.48	39.54	39.59	39.65	39.72	39.77
6	39.25	39.29	39.33	39.37	39.41	39.44	39.49	39.53	39.60	39.66	39.71	39.77
7	39.26	39.29	39.33	39.37	39.40	39.44	39.49	39.54	39.60	39.66	39.72	39.77
8	39.26	39.29	39.33	39.37	39.41	39.44	39.49	39.54	39.60	39.66	39.72	39.77
9	39.26	39.29	39.33	39.37	39.41	39.44	39.49	39.54	39.60	39.66	39.72	39.77
10	39.26	39.30	39.34	39.37	39.41	39.45	39.49	39.54	39.60	39.66	39.73	39.77
11	39.26	39.30	39.34	39.38	39.41	39.45	39.49	39.55	39.61	39.66	39.73	39.78
12	39.26	39.30	39.34	39.37	39.40	39.45	39.50	39.55	39.61	39.67	39.73	39.78
13	39.26	39.31	39.34	39.37	39.41	39.45	39.50	39.55	39.61	39.67	39.73	39.78
14	39.26	39.31	39.34	39.38	39.41	39.45	39.50	39.55	39.61	39.67	39.73	39.78
15	39.27	39.31	39.34	39.38	39.42	39.46	39.50	39.55	39.61	39.67	39.73	39.79
16	39.27	39.31	39.34	39.38	39.41	39.46	39.50	39.55	39.62	39.67	39.73	39.79
17	39.27	39.31	39.34	39.38	39.42	39.46	39.50	39.55	39.62	39.67	39.74	39.79
18	39.27	39.31	39.35	39.38	39.42	39.46	39.50	39.56	39.62	39.68	39.74	39.79
19	39.27	39.31	39.35	39.39	39.42	39.46	39.51	39.56	39.62	39.68	39.74	39.79
20	39.27	39.31	39.35	39.38	39.42	39.46	39.51	39.56	39.62	39.68	39.74	39.79
21	39.28	39.31	39.35	39.38	39.42	39.46	39.51	39.57	39.62	39.69	39.74	39.79
22	39.28	39.32	39.35	39.38	39.42	39.47	39.51	39.56	39.63	39.69	39.74	39.80
23	39.28	39.32	39.35	39.39	39.42	39.47	39.51	39.57	39.63	39.69	39.74	39.80
24	39.28	39.32	39.35	39.39	39.42	39.47	39.51	39.57	39.63	39.69	39.75	39.80
25	39.28	39.32	39.35	39.39	39.43	39.47	39.52	39.57	39.63	39.69	39.75	39.80
26	39.28	39.32	39.35	39.40	39.43	39.47	39.52	39.58	39.64	39.69	39.75	39.80
27	39.25	39.32	39.36	39.40	39.43	39.48	39.52	39.57	39.64	39.69	39.75	39.81
28	39.28	39.33	39.35	39.39	39.43	39.47	39.52	39.58	39.64	39.70	39.75	39.81
29	39.29	---	39.36	39.39	39.43	39.48	39.52	39.58	39.64	39.70	39.76	39.81
30	39.28	---	39.36	39.40	39.43	39.48	39.52	39.58	39.64	39.70	39.76	39.81
31	39.29	---	39.36	---	39.43	---	39.52	39.59	---	39.70	---	39.82
Max	39.29	39.33	39.36	39.40	39.43	39.48	39.52	39.59	39.64	39.70	39.76	39.82
Min	39.25	39.29	39.32	39.36	39.40	39.44	39.48	39.52	39.59	39.64	39.70	39.76

**Year 2013 Statistics: Year Max 39.82; Year Min 39.25**  
Note: Water level in ft bgs

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-7**  
**Spring Valley Robison Crooked Well (Formerly 39321114320701),**  
**Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	38.11	37.69	38.47	39.68	40.17	40.27	40.70	41.18	41.82	42.38	42.83	43.15
2	38.12	37.77	38.52	39.70	40.18	40.27	40.72	41.20	41.84	42.39	42.83	43.16
3	38.03	37.82	38.57	39.73	40.17	40.30	40.73	41.23	41.85	42.40	42.85	43.16
4	37.85	37.89	38.68	39.73	40.16	40.32	40.74	41.26	41.86	42.42	42.86	43.17
5	37.77	37.94	38.75	39.75	40.18	40.33	40.76	41.28	41.80	42.43	42.88	43.15
6	37.54	38.03	38.77	39.76	40.19	40.33	40.77	41.31	41.77	42.44	42.89	43.17
7	37.26	38.07	38.86	39.77	40.20	40.33	40.78	41.33	41.85	42.45	42.90	43.19
8	37.09	38.06	38.91	39.79	40.21	40.34	40.80	41.35	41.90	42.46	42.92	43.22
9	37.18	38.16	39.01	39.84	40.21	40.35	40.82	41.38	41.94	42.47	42.93	43.25
10	37.23	38.20	39.08	39.88	40.22	40.36	40.84	41.41	41.98	42.48	42.95	43.27
11	37.34	38.08	39.12	39.90	40.23	40.39	40.86	41.43	42.01	42.47	42.97	43.29
12	37.31	38.06	39.18	39.92	40.23	40.41	40.88	41.46	42.04	42.45	42.99	43.31
13	37.30	38.06	39.22	39.92	40.21	40.43	40.90	41.49	42.05	42.45	43.00	43.34
14	37.38	38.15	39.25	39.95	40.19	40.45	40.91	41.51	42.06	42.44	43.01	43.36
15	37.34	38.23	39.28	39.97	40.17	40.47	40.92	41.53	42.02	42.43	43.03	43.35
16	37.19	38.22	39.31	39.99	40.15	40.49	40.94	41.55	41.96	42.42	43.05	43.29
17	37.06	38.18	39.34	39.99	40.15	40.50	40.96	41.57	41.98	42.42	43.07	43.24
18	37.12	38.27	39.39	40.02	40.13	40.51	40.97	41.59	42.06	42.43	43.09	43.20
19	37.18	38.21	39.45	40.03	40.13	40.53	40.99	41.61	42.10	42.47	43.10	43.14
20	37.21	38.33	39.47	40.04	40.14	40.55	41.02	41.62	42.12	42.51	43.11	43.06
21	37.22	38.40	39.51	40.06	40.13	40.57	41.04	41.63	42.15	42.54	43.13	42.95
22	37.22	38.35	39.53	40.07	40.12	40.58	41.06	41.64	42.18	42.58	43.13	42.86
23	37.23	38.28	39.57	40.09	40.17	40.59	41.07	41.65	42.22	42.63	43.12	42.73
24	37.24	38.38	39.51	40.11	40.20	40.61	41.06	41.67	42.24	42.67	43.12	42.58
25	37.19	38.30	39.48	40.12	40.20	40.63	41.07	41.68	42.26	42.71	43.11	42.42
26	37.16	38.34	39.51	40.15	40.21	40.64	41.08	41.70	42.28	42.74	43.11	42.23
27	37.21	38.41	39.57	40.15	40.22	40.65	41.09	41.71	42.31	42.76	43.12	42.02
28	37.34	38.44	39.61	40.12	40.22	40.66	41.10	41.73	42.33	42.78	43.13	41.85
29	37.42	---	39.64	40.10	40.22	40.67	41.12	41.76	42.35	42.80	43.14	41.76
30	37.54	---	39.66	40.11	40.23	40.68	41.14	41.78	42.36	42.81	43.15	41.67
31	37.63	---	39.67	---	40.26	---	41.16	41.80	---	42.82	---	41.52
Max	38.12	38.44	39.67	40.15	40.26	40.68	41.16	41.80	42.36	42.82	43.15	43.36
Min	37.06	37.69	38.47	39.68	40.12	40.27	40.70	41.18	41.77	42.38	42.83	41.52

Year 2013 Statistics: Year Max 43.36; Year Min 37.06

Note: Water level in ft bgs







**Table B-8  
Hamlin Valley Well 383023114115302, Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	174.11	174.26	174.84	174.97	174.93	174.96	175.07	175.13	175.28	175.41	175.59	175.91
2	174.11	174.28	174.54	175.01	174.88	174.93	175.07	175.15	175.29	175.40	175.52	175.67
3	174.11	174.23	174.48	175.01	174.82	174.98	175.05	175.16	175.30	175.43	175.57	175.67
4	174.11	174.25	174.75	174.99	174.81	174.98	175.05	175.17	175.32	175.49	175.58	175.74
5	174.11	174.22	174.68	175.01	174.82	175.00	175.06	175.17	175.30	175.48	175.63	175.73
6	174.05	174.28	174.67	175.01	174.84	174.99	175.06	175.17	175.31	175.44	175.63	175.74
7	174.11	174.22	174.65	174.89	174.85	174.99	175.09	175.18	175.31	175.41	175.59	175.68
8	174.14	174.18	174.70	174.76	174.88	174.99	175.08	175.17	175.30	175.39	175.59	175.79
9	174.04	174.26	174.83	174.92	174.89	174.99	175.10	175.19	175.30	175.40	175.62	175.82
10	173.98	174.28	174.86	174.88	174.93	174.98	175.08	175.20	175.33	175.44	175.64	175.76
11	174.10	174.32	174.83	174.94	174.93	175.01	175.07	175.20	175.33	175.49	175.65	175.81
12	174.11	174.44	174.87	174.96	174.92	175.00	175.08	175.20	175.33	175.46	175.64	175.76
13	174.13	174.51	174.88	174.95	174.90	174.99	175.11	175.21	175.32	175.49	175.62	175.81
14	174.18	174.61	174.87	174.97	174.88	175.02	175.10	175.21	175.33	175.51	175.55	175.84
15	174.21	174.46	174.83	174.97	174.88	175.01	175.09	175.22	175.35	175.50	175.57	175.81
16	174.20	174.35	174.83	174.86	174.87	175.02	175.10	175.22	175.34	175.50	175.58	175.81
17	174.19	174.30	174.86	174.88	174.90	175.00	175.12	175.22	175.31	175.49	175.68	175.79
18	174.18	174.54	174.90	174.87	174.93	174.97	175.12	175.23	175.37	175.53	175.64	175.74
19	174.20	174.51	174.91	174.82	174.94	175.01	175.11	175.23	175.39	175.51	175.63	175.76
20	174.20	174.58	174.86	174.83	174.93	175.02	175.10	175.23	175.35	175.50	175.81	175.78
21	174.21	174.67	174.89	174.85	174.88	175.03	175.11	175.24	175.31	175.55	175.72	175.81
22	174.20	174.68	174.89	174.82	174.86	175.04	175.13	175.24	175.36	175.53	175.70	175.86
23	174.20	174.66	174.93	174.84	174.93	174.99	175.13	175.23	175.41	175.53	175.69	175.86
24	174.21	174.73	174.90	174.84	174.93	175.02	175.12	175.25	175.33	175.55	175.70	175.87
25	174.20	174.71	174.90	175.03	174.93	175.05	175.14	175.26	175.31	175.56	175.73	175.87
26	174.14	174.76	174.86	174.91	174.94	175.06	175.16	175.26	175.37	175.55	175.70	175.86
27	174.14	174.79	174.91	174.87	174.93	175.07	175.11	175.26	175.44	175.43	175.68	175.84
28	174.20	174.81	174.93	174.83	174.93	175.06	175.11	175.27	175.42	175.50	175.70	175.83
29	174.21	---	174.96	174.80	174.93	175.05	175.15	175.29	175.41	175.55	175.73	175.89
30	174.27	---	174.95	174.81	174.97	175.06	175.18	175.28	175.40	175.57	175.74	175.87
31	174.26	---	174.93	---	175.01	---	175.14	175.27	---	175.60	---	175.96
Max	174.27	174.81	174.96	175.03	175.01	175.07	175.18	175.29	175.44	175.60	175.81	175.96
Min	173.98	174.18	174.48	174.76	174.81	174.93	175.05	175.13	175.28	175.39	175.52	175.67

Year 2013 Statistics: Year Max 175.96; Year Min 173.98

Note: Water level in ft bgs

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-9  
Spring Valley Well 184W502M Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	481.73	481.91	482.23	482.18	482.70	482.77	482.91	483.00	483.21	483.38	483.71	483.81
2	481.70	481.96	482.12	482.29	482.75	482.61	482.92	483.05	483.23	483.35	483.52	483.62
3	481.70	481.79	481.86	482.35	482.43	482.67	482.89	483.08	483.27	483.38	483.46	483.39
4	481.67	481.80	482.02	482.26	482.32	482.73	482.86	483.11	483.32	483.60	483.53	483.63
5	481.68	481.75	482.01	482.23	482.38	482.79	482.85	483.11	483.30	483.66	483.72	483.70
6	481.51	481.78	481.87	482.25	482.45	482.78	482.88	483.08	483.28	483.54	483.79	483.74
7	481.57	481.78	481.94	482.17	482.47	482.74	482.94	483.09	483.29	483.37	483.67	483.57
8	481.68	481.54	481.86	481.95	482.53	482.74	482.99	483.08	483.23	483.24	483.57	483.82
9	481.62	481.68	482.08	482.33	482.58	482.77	483.01	483.11	483.20	483.21	483.66	484.06
10	481.24	481.82	482.31	482.42	482.65	482.70	482.97	483.16	483.26	483.32	483.73	483.95
11	481.47	481.97	482.20	482.29	482.69	482.76	482.93	483.18	483.29	483.51	483.77	483.99
12	481.60	482.06	482.20	482.29	482.67	482.80	482.96	483.16	483.29	483.43	483.81	483.89
13	481.66	482.02	482.24	482.17	482.59	482.75	483.00	483.17	483.24	483.45	483.69	483.80
14	481.79	482.04	482.20	482.22	482.52	482.83	483.00	483.15	483.26	483.59	483.53	484.03
15	481.93	482.11	482.07	482.15	482.49	482.79	482.93	483.18	483.33	483.57	483.36	483.97
16	481.93	481.96	482.02	482.31	482.46	482.83	482.97	483.19	483.33	483.56	483.40	483.94
17	481.86	481.73	482.03	482.50	482.51	482.79	483.04	483.17	483.20	483.49	483.72	483.90
18	481.80	481.84	482.13	482.60	482.62	482.71	483.03	483.19	483.30	483.59	483.75	483.67
19	481.81	481.63	482.22	482.48	482.66	482.72	482.99	483.22	483.41	483.56	483.61	483.49
20	481.78	481.66	482.07	482.43	482.66	482.79	482.96	483.18	483.32	483.47	483.56	483.71
21	481.79	481.92	482.08	482.42	482.57	482.79	482.97	483.21	483.21	483.57	483.68	483.75
22	481.76	482.04	482.05	482.38	482.40	482.82	483.03	483.21	483.19	483.59	483.79	484.01
23	481.75	481.89	482.22	482.45	482.51	482.77	483.03	483.16	483.45	483.53	483.75	484.09
24	481.75	482.06	482.21	482.43	482.67	482.77	483.03	483.18	483.35	483.55	483.76	484.03
25	481.76	482.04	482.20	482.41	482.63	482.89	483.07	483.24	483.14	483.61	483.88	484.08
26	481.57	482.05	482.12	482.52	482.64	482.96	483.12	483.26	483.28	483.64	483.86	484.01
27	481.51	482.17	482.17	482.57	482.66	483.02	483.04	483.22	483.47	483.36	483.72	483.95
28	481.67	482.19	482.26	482.44	482.57	482.98	482.95	483.25	483.54	483.19	483.69	483.77
29	481.75	---	482.32	482.37	482.60	482.90	483.08	483.30	483.46	483.46	483.80	483.94
30	481.92	---	482.31	482.33	482.70	482.89	483.14	483.28	483.40	483.60	483.83	483.95
31	481.92	---	482.23	---	482.83	---	483.11	483.25	---	483.68	---	483.89
Max	481.93	482.19	482.32	482.60	482.83	483.02	483.14	483.30	483.54	483.68	483.88	484.09
Min	481.24	481.54	481.86	481.95	482.32	482.61	482.85	483.00	483.14	483.19	483.36	483.39

**Year 2013 Statistics: Year Max 484.09; Year Min 481.24**

Note: Water level in ft bgs









**Table B-10**  
**Spring Valley Well 184W504M, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	100.27	100.26	100.26	100.17	100.27	100.16	100.23	100.25	100.31	100.33	100.38	100.37
2	100.26	100.26	100.21	100.20	100.22	100.14	100.23	100.27	100.32	100.30	100.30	100.28
3	100.26	100.19	100.14	100.21	100.15	100.18	100.22	100.28	100.33	100.34	100.33	100.28
4	100.25	100.21	100.22	100.16	100.13	100.19	100.21	100.28	100.34	100.39	100.34	100.35
5	100.26	100.17	100.18	100.17	100.15	100.21	100.21	100.28	100.32	100.38	100.39	100.33
6	100.19	100.22	100.14	100.17	100.15	100.19	100.22	100.27	100.33	100.34	100.39	100.34
7	100.25	100.17	100.17	100.11	100.15	100.18	100.23	100.29	100.32	100.29	100.34	100.29
8	100.26	100.12	100.13	100.10	100.18	100.19	100.25	100.27	100.30	100.26	100.34	100.39
9	100.20	100.18	100.23	100.22	100.19	100.18	100.26	100.29	100.29	100.28	100.38	100.45
10	100.11	100.19	100.26	100.19	100.22	100.17	100.24	100.29	100.32	100.30	100.39	100.37
11	100.21	100.24	100.22	100.15	100.22	100.19	100.23	100.29	100.32	100.34	100.39	100.42
12	100.22	100.25	100.23	100.17	100.20	100.20	100.24	100.29	100.32	100.32	100.40	100.37
13	100.23	100.23	100.24	100.12	100.18	100.18	100.25	100.29	100.30	100.34	100.35	100.37
14	100.27	100.26	100.21	100.14	100.15	100.20	100.23	100.30	100.31	100.37	100.31	100.43
15	100.31	100.27	100.17	100.13	100.15	100.18	100.23	100.31	100.32	100.35	100.27	100.40
16	100.29	100.19	100.16	100.18	100.13	100.19	100.25	100.31	100.32	100.35	100.28	100.39
17	100.27	100.15	100.18	100.23	100.16	100.18	100.26	100.30	100.27	100.33	100.38	100.37
18	100.26	100.18	100.19	100.23	100.17	100.14	100.27	100.31	100.32	100.37	100.34	100.28
19	100.27	100.10	100.21	100.19	100.19	100.17	100.24	100.30	100.35	100.34	100.32	100.31
20	100.25	100.16	100.14	100.19	100.18	100.19	100.24	100.31	100.30	100.32	100.31	100.33
21	100.26	100.21	100.17	100.18	100.13	100.19	100.25	100.31	100.26	100.37	100.37	100.35
22	100.24	100.22	100.15	100.17	100.09	100.21	100.25	100.31	100.31	100.35	100.37	100.41
23	100.23	100.19	100.22	100.20	100.16	100.17	100.26	100.29	100.35	100.33	100.35	100.41
24	100.24	100.23	100.18	100.19	100.19	100.18	100.27	100.31	100.26	100.36	100.37	100.40
25	100.22	100.19	100.18	100.17	100.16	100.22	100.28	100.32	100.24	100.38	100.41	100.42
26	100.15	100.23	100.15	100.23	100.17	100.24	100.28	100.32	100.31	100.36	100.40	100.40
27	100.16	100.25	100.18	100.21	100.17	100.26	100.24	100.31	100.37	100.23	100.35	100.38
28	100.20	100.25	100.19	100.17	100.15	100.22	100.25	100.33	100.36	100.29	100.35	100.33
29	100.24	---	100.22	100.14	100.15	100.20	100.28	100.34	100.34	100.34	100.39	100.40
30	100.25	---	100.20	100.15	100.17	100.23	100.29	100.32	100.32	100.36	100.38	100.38
31	100.24	---	100.18	---	100.20	---	100.26	100.31	---	100.38	---	100.36
Max	100.31	100.27	100.26	100.23	100.27	100.26	100.29	100.34	100.37	100.39	100.41	100.45
Min	100.11	100.10	100.13	100.10	100.09	100.14	100.21	100.25	100.24	100.23	100.27	100.28

**Year 2013 Statistics: Year Max 100.45; Year Min 100.09**

Note: Water level in ft bgs

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-11**  
**Spring Valley Well 184W506M, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	215.53	215.54	215.57	215.54	215.60	215.56	215.58	215.60	215.65	215.67	215.73	215.77
2	215.53	215.55	215.55	215.55	215.59	215.54	215.58	215.61	215.65	215.66	215.70	215.73
3	215.54	215.53	215.52	215.56	215.54	215.55	215.58	215.61	215.66	215.68	215.71	215.71
4	215.53	215.53	215.55	215.54	215.54	215.56	215.58	215.62	215.66	215.71	215.72	215.75
5	215.53	215.51	215.53	215.54	215.54	215.57	215.57	215.62	215.66	215.72	215.74	215.75
6	215.51	215.53	215.51	215.54	215.55	215.56	215.57	215.61	215.65	215.70	215.75	215.74
7	215.52	215.51	215.52	215.51	215.55	215.56	215.59	215.61	215.66	215.68	215.73	215.72
8	215.54	215.48	215.50	215.50	215.56	215.56	215.59	215.61	215.65	215.66	215.72	215.76
9	215.51	215.50	215.55	215.54	215.56	215.56	215.60	215.62	215.65	215.66	215.74	215.80
10	215.47	215.51	215.56	215.54	215.57	215.55	215.59	215.62	215.66	215.68	215.75	215.78
11	215.50	215.53	215.55	215.53	215.58	215.56	215.58	215.62	215.66	215.69	215.76	215.80
12	215.51	215.55	215.55	215.53	215.57	215.56	215.59	215.63	215.66	215.67	215.76	215.78
13	215.51	215.54	215.56	215.51	215.56	215.56	215.59	215.63	215.65	215.69	215.74	215.79
14	215.54	215.55	215.56	215.50	215.55	215.57	215.59	215.63	215.65	215.71	215.71	215.81
15	215.56	215.56	215.53	215.50	215.54	215.57	215.59	215.63	215.66	215.71	215.70	215.81
16	215.56	215.53	215.52	215.53	215.53	215.57	215.60	215.63	215.66	215.71	215.71	215.81
17	215.55	215.51	215.53	215.56	215.55	215.56	215.60	215.64	215.64	215.70	215.75	215.79
18	215.55	215.52	215.54	215.56	215.56	215.54	215.60	215.64	215.66	215.72	215.73	215.75
19	215.55	215.47	215.55	215.55	215.57	215.56	215.59	215.64	215.67	215.71	215.73	215.75
20	215.56	215.50	215.52	215.56	215.56	215.56	215.58	215.64	215.65	215.71	215.72	215.76
21	215.55	215.53	215.53	215.54	215.53	215.56	215.59	215.64	215.63	215.72	215.74	215.77
22	215.55	215.53	215.53	215.55	215.52	215.57	215.60	215.64	215.65	215.72	215.75	215.80
23	215.54	215.52	215.55	215.56	215.54	215.55	215.60	215.63	215.68	215.72	215.75	215.81
24	215.54	215.54	215.54	215.56	215.55	215.55	215.60	215.64	215.65	215.72	215.76	215.80
25	215.53	215.53	215.53	215.55	215.54	215.56	215.61	215.65	215.63	215.73	215.77	215.82
26	215.50	215.55	215.52	215.58	215.54	215.58	215.62	215.65	215.65	215.73	215.77	215.81
27	215.50	215.57	215.53	215.57	215.54	215.59	215.60	215.64	215.68	215.67	215.75	215.80
28	215.51	215.57	215.54	215.55	215.54	215.59	215.59	215.65	215.69	215.68	215.76	215.79
29	215.52	---	215.55	215.53	215.54	215.58	215.61	215.66	215.67	215.70	215.77	215.81
30	215.54	---	215.55	215.54	215.55	215.58	215.62	215.65	215.67	215.72	215.77	215.81
31	215.54	---	215.53	---	215.57	---	215.61	215.65	---	215.73	---	215.80
Max	215.56	215.57	215.57	215.58	215.60	215.59	215.62	215.66	215.69	215.73	215.77	215.82
Min	215.47	215.47	215.50	215.50	215.52	215.54	215.57	215.60	215.63	215.66	215.70	215.71

Year 2013 Statistics: Year Max 215.82; Year Min 215.47

Note: Water level in ft bgs





**Table B-12**  
**Spring Valley Well 184W508M, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	--- <sup>a</sup>	--- <sup>a</sup>	276.67	276.41	276.56	276.43	276.32	276.20	276.18	276.17	276.44	276.47
2	--- <sup>a</sup>	--- <sup>a</sup>	276.54	276.42	276.62	276.26	276.32	276.21	276.19	276.14	276.27	276.28
3	--- <sup>a</sup>	--- <sup>a</sup>	276.31	276.09	276.31	276.33	276.29	276.26	276.23	276.17	276.20	276.11
4	--- <sup>a</sup>	--- <sup>a</sup>	276.45	276.18	276.26	276.37	276.26	276.27	276.26	276.38	276.27	276.34
5	--- <sup>a</sup>	--- <sup>a</sup>	276.46	276.43	276.31	276.40	276.26	276.26	276.21	276.42	276.44	276.39
6	--- <sup>a</sup>	--- <sup>a</sup>	276.34	276.80	276.41	276.39	276.27	276.23	276.20	276.32	276.50	276.39
7	--- <sup>a</sup>	--- <sup>a</sup>	276.38	276.71	276.42	276.36	276.32	276.25	276.22	276.16	276.39	276.24
8	--- <sup>a</sup>	--- <sup>a</sup>	276.32	276.37	276.47	276.35	276.34	276.22	276.16	276.04	276.29	276.47
9	--- <sup>a</sup>	--- <sup>a</sup>	276.51	276.60	276.50	276.36	276.36	276.23	276.13	276.00	276.35	276.67
10	--- <sup>a</sup>	--- <sup>a</sup>	276.67	276.64	276.56	276.30	276.31	276.27	276.18	276.09	276.42	276.54
11	--- <sup>a</sup>	--- <sup>a</sup>	276.57	276.43	276.59	276.34	276.26	276.28	276.20	276.28	276.45	276.58
12	--- <sup>a</sup>	--- <sup>b</sup>	276.56	276.37	276.53	276.37	276.27	276.26	276.20	276.21	276.49	276.49
13	--- <sup>a</sup>	276.68	276.58	276.19	276.45	276.31	276.29	276.27	276.12	276.21	276.37	276.45
14	--- <sup>a</sup>	276.65	276.55	276.21	276.36	276.36	276.30	276.25	276.14	276.33	276.26	276.64
15	--- <sup>a</sup>	276.69	276.42	276.12	276.33	276.32	276.24	276.25	276.19	276.31	276.09	276.59
16	--- <sup>a</sup>	276.56	276.36	276.29	276.31	276.34	276.26	276.27	276.19	276.29	276.12	276.55
17	--- <sup>a</sup>	276.32	276.37	276.38	276.34	276.33	276.32	276.25	276.09	276.25	276.43	276.51
18	--- <sup>a</sup>	276.44	276.46	276.42	276.43	276.24	276.31	276.28	276.17	276.31	276.45	276.32
19	--- <sup>a</sup>	276.23	276.51	276.31	276.45	276.26	276.26	276.26	276.25	276.30	276.33	276.16
20	--- <sup>a</sup>	276.28	276.39	276.25	276.45	276.31	276.22	276.24	276.18	276.23	276.28	276.36
21	--- <sup>a</sup>	276.50	276.38	276.24	276.34	276.30	276.23	276.26	276.08	276.32	276.35	276.38
22	--- <sup>a</sup>	276.56	276.36	276.21	276.19	276.33	276.29	276.25	276.06	276.33	276.46	276.62
23	--- <sup>a</sup>	276.45	276.51	276.29	276.30	276.27	276.30	276.20	276.28	276.28	276.41	276.70
24	--- <sup>a</sup>	276.57	276.50	276.28	276.44	276.25	276.27	276.21	276.17	276.29	276.42	276.63
25	--- <sup>a</sup>	276.52	276.46	276.25	276.37	276.35	276.29	276.25	275.99	276.35	276.52	276.65
26	--- <sup>a</sup>	276.54	276.38	276.38	276.36	276.41	276.33	276.26	276.09	276.38	276.50	276.60
27	--- <sup>a</sup>	276.64	276.43	276.42	276.37	276.44	276.24	276.22	276.30	276.11	276.36	276.54
28	--- <sup>a</sup>	276.64	276.48	276.29	276.29	276.40	276.19	276.23	276.33	275.98	276.36	276.39
29	--- <sup>a</sup>	---	276.55	276.24	276.31	276.31	276.26	276.27	276.25	276.23	276.47	276.55
30	--- <sup>a</sup>	---	276.54	276.20	276.38	276.30	276.34	276.25	276.17	276.35	276.48	276.56
31	--- <sup>a</sup>	---	276.44	---	276.48	---	276.31	276.22	---	276.41	---	276.52
Max	---	276.69	276.67	276.80	276.62	276.44	276.36	276.28	276.33	276.42	276.52	276.70
Min	---	276.23	276.31	276.09	276.19	276.24	276.19	276.20	275.99	275.98	276.09	276.11



**Year 2013 Statistics: Year Max 276.80; Year Min 275.98**

Note: Water level in ft bgs

<sup>a</sup>No data available due to data logger malfunction.

<sup>b</sup>Insufficient data points to report a daily average.

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-13**  
**Spring Valley Well SPR7006M, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	770.27	770.42	770.47	770.46	770.58	770.65	770.79	771.10	771.48	771.66	771.87	771.99
2	770.27	770.43	770.43	770.50	770.56	770.62	770.80	771.13	771.50	771.64	771.77	771.90
3	770.28	770.38	770.36	770.51	770.49	770.64	770.80	771.15	771.51	771.69	771.80	771.85
4	770.27	770.40	770.44	770.46	770.47	770.67	770.80	771.17	771.51	771.70	771.80	771.95
5	770.27	770.35	770.39	770.47	770.48	770.69	770.81	771.17	771.51	771.71	771.89	771.95
6	770.21	770.40	770.35	770.46	770.52	770.68	770.82	771.18	771.52	771.70	771.88	771.96
7	770.26	770.34	770.39	770.42	770.50	770.68	770.86	771.19	771.53	771.65	771.83	771.89
8	770.29	770.27	770.36	770.35	770.54	770.68	770.86	771.19	771.52	771.62	771.83	772.03
9	770.21	770.36	770.48	770.52	770.56	770.68	770.88	771.22	771.53	771.62	771.88	772.10
10	770.11	770.39	770.52	770.51	770.60	770.65	770.87	771.23	771.56	771.67	771.91	772.03
11	770.23	770.44	770.47	770.46	770.60	770.70	770.88	771.24	771.56	771.74	771.91	772.06
12	770.27	770.45	770.48	770.47	770.59	770.69	770.89	771.26	771.56	771.71	771.92	772.01
13	770.28	770.44	770.49	770.41	770.55	770.68	770.92	771.27	771.54	771.75	771.90	772.04
14	770.34	770.47	770.47	770.43	770.52	770.71	770.93	771.28	771.56	771.78	771.81	772.08
15	770.36	770.45	770.43	770.42	770.52	770.70	770.92	771.29	771.57	771.77	771.79	772.06
16	770.35	770.40	770.42	770.50	770.53	770.73	770.95	771.30	771.57	771.77	771.81	772.07
17	770.35	770.34	770.42	770.56	770.55	770.71	770.96	771.31	771.52	771.74	771.94	772.06
18	770.34	770.36	770.46	770.55	770.59	770.65	770.97	771.32	771.58	771.80	771.93	771.95
19	770.35	770.28	770.48	770.51	770.61	770.71	770.97	771.32	771.62	771.77	771.89	771.95
20	770.35	770.35	770.41	770.52	770.62	770.71	770.98	771.35	771.57	771.76	771.88	772.01
21	770.36	770.42	770.44	770.51	770.54	770.72	770.99	771.36	771.53	771.80	771.95	772.03
22	770.35	770.43	770.42	770.50	770.51	770.73	771.00	771.36	771.57	771.80	771.97	772.14
23	770.34	770.40	770.48	770.52	770.57	770.69	771.02	771.37	771.65	771.78	771.96	772.14
24	770.36	770.47	770.47	770.52	770.63	770.72	771.04	771.40	771.58	771.80	771.97	772.14
25	770.35	770.43	770.47	770.51	770.59	770.77	771.06	771.42	771.54	771.83	772.01	772.12
26	770.28	770.46	770.44	770.55	770.61	770.79	771.06	771.42	771.61	771.82	771.99	772.13
27	770.29	770.48	770.47	770.52	770.61	770.78	771.05	771.44	771.70	771.67	771.93	772.10
28	770.35	770.47	770.50	770.50	770.59	770.78	771.05	771.47	771.66	771.69	771.94	772.06
29	770.36	---	770.53	770.46	770.61	770.77	771.10	771.47	771.65	771.78	772.00	772.14
30	770.43	---	770.52	770.46	770.64	770.78	771.10	771.46	771.65	771.82	772.00	772.13
31	770.42	---	770.47	---	770.69	---	771.10	771.48	---	771.86	---	772.12
Max	770.43	770.48	770.53	770.56	770.69	770.79	771.10	771.48	771.70	771.86	772.01	772.14
Min	770.11	770.27	770.35	770.35	770.47	770.62	770.79	771.10	771.48	771.62	771.77	771.85

Year 2013 Statistics: Year Max 772.14; Year Min 770.11

Note: Water level in ft bgs









**Table B-14**  
**Spring Valley Well SPR7007M, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	156.36	157.20	157.84	158.43	158.94	158.13	155.97	155.66	156.23	156.83	157.51	158.20
2	156.36	157.22	157.80	158.47	158.86	158.04	155.91	155.70	156.25	156.83	157.44	158.11
3	156.39	157.17	157.80	158.47	158.79	158.03	155.87	155.73	156.28	156.89	157.52	158.16
4	156.40	157.24	157.93	158.45	158.82	157.97	155.83	155.74	156.32	156.97	157.54	158.30
5	156.44	157.23	157.88	158.49	158.86	157.89	155.81	155.74	156.32	156.98	157.63	158.28
6	156.40	157.32	157.88	158.50	158.88	157.82	155.78	155.75	156.34	156.94	157.64	158.30
7	156.51	157.28	157.94	158.46	158.87	157.73	155.77	155.77	156.36	156.90	157.59	158.25
8	156.55	157.26	157.91	158.49	158.90	157.66	155.76	155.77	156.35	156.89	157.61	158.41
9	156.49	157.39	158.06	158.63	158.89	157.57	155.75	155.80	156.37	156.92	157.68	158.47
10	156.45	157.40	158.07	158.60	158.91	157.46	155.70	155.83	156.43	156.99	157.72	158.39
11	156.62	157.45	158.03	158.56	158.89	157.42	155.67	155.84	156.45	157.06	157.75	158.47
12	156.64	157.48	158.06	158.59	158.86	157.32	155.67	155.86	156.47	157.03	157.77	158.43
13	156.67	157.46	158.09	158.57	158.84	157.21	155.68	155.88	156.47	157.08	157.73	158.49
14	156.74	157.51	158.08	158.62	158.81	157.14	155.64	155.89	156.50	157.14	157.70	158.55
15	156.79	157.54	158.07	158.63	158.80	157.03	155.62	155.91	156.54	157.13	157.73	158.51
16	156.77	157.48	158.09	158.71	158.77	156.96	155.64	155.93	156.56	157.14	157.78	158.54
17	156.79	157.49	158.15	158.75	158.80	156.84	155.65	155.94	156.52	157.14	157.92	158.54
18	156.79	157.56	158.18	158.73	158.77	156.72	155.64	155.98	156.61	157.21	157.88	158.47
19	156.84	157.50	158.20	158.69	158.75	156.68	155.62	155.98	156.65	157.20	157.87	158.56
20	156.85	157.62	158.17	158.72	158.71	156.62	155.60	155.99	156.61	157.19	157.88	158.61
21	156.88	157.68	158.22	158.72	158.62	156.56	155.61	156.03	156.58	157.26	157.97	158.65
22	156.90	157.69	158.22	158.73	158.59	156.51	155.64	156.04	156.65	157.26	157.99	158.72
23	156.92	157.67	158.30	158.77	158.65	156.38	155.64	156.03	156.74	157.27	158.00	158.71
24	156.96	157.74	158.29	158.77	158.62	156.34	155.63	156.08	156.65	157.30	158.03	158.71
25	156.97	157.72	158.29	158.76	158.53	156.25	155.65	156.10	156.61	157.35	158.10	158.75
26	156.94	157.77	158.29	158.84	158.50	156.27	155.67	156.13	156.73	157.35	158.09	158.74
27	157.01	157.81	158.35	158.81	158.46	156.22	155.62	156.13	156.82	157.22	158.06	158.74
28	157.09	157.83	158.38	158.78	158.37	156.11	155.62	156.16	156.82	157.34	158.11	158.74
29	157.12	---	158.40	158.79	158.32	156.03	155.69	156.20	156.81	157.44	158.17	158.83
30	157.17	---	158.39	158.82	158.30	156.00	155.72	156.21	156.80	157.47	158.18	158.82
31	157.16	---	158.38	---	158.26	---	155.67	156.22	---	157.50	---	158.82
Max	157.17	157.83	158.40	158.84	158.94	158.13	155.97	156.22	156.82	157.50	158.18	158.83
Min	156.36	157.17	157.80	158.43	158.26	156.00	155.60	155.66	156.23	156.83	157.44	158.11

Year 2013 Statistics: Year Max 158.94; Year Min 155.60

Note: Water level in ft bgs





**Table B-15  
Spring Valley Well SPR7005M, Calendar Year 2013  
Water-Level Data, Daily Mean Values**



	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	490.53	490.60	490.77	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.12	491.37	491.77	491.86	492.13	492.27
2	490.51	490.64	490.66	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.12	491.40	491.78	491.82	492.00	492.11
3	490.50	490.53	490.54	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.10	491.44	491.81	491.89	492.01	492.05
4	490.49	490.55	490.66	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.07	491.46	491.82	492.02	492.03	492.21
5	490.49	490.51	490.61	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.07	491.46	491.74	492.02	492.16	492.22
6	490.40	490.56	490.55	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.08	491.46	491.74	491.94	492.19	492.23
7	490.46	490.50	490.61	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.12	491.48	491.74	491.85	492.09	492.12
8	490.52	490.37	490.56	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.13	491.48	491.71	491.77	492.08	492.30
9	490.42	490.50	490.72	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.17	491.50	491.71	491.75	492.12	492.43
10	490.23	490.55	490.81	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>b</sup>	491.17	491.54	491.74	491.83	492.17	492.33
11	490.41	490.62	490.74	--- <sup>a</sup>	--- <sup>a</sup>	491.22	491.21	491.55	491.76	491.94	492.19	492.38
12	490.46	490.67	490.74	--- <sup>a</sup>	--- <sup>a</sup>	491.19	491.22	491.56	491.76	491.89	492.21	492.29
13	490.48	490.64	490.76	--- <sup>a</sup>	--- <sup>a</sup>	491.15	491.26	491.58	491.73	491.93	492.14	492.33
14	490.55	490.67	490.74	--- <sup>a</sup>	--- <sup>a</sup>	491.20	491.26	491.58	491.74	491.99	492.02	492.44
15	490.63	490.70	490.67	--- <sup>a</sup>	--- <sup>a</sup>	491.15	491.24	491.60	491.78	491.98	491.97	492.40
16	490.63	490.59	490.76	--- <sup>a</sup>	--- <sup>a</sup>	491.17	491.26	491.61	491.79	491.97	491.99	492.39
17	490.57	490.47	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.15	491.32	491.62	491.70	491.95	492.20	492.35
18	490.55	490.55	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.07	491.30	491.65	491.79	492.01	492.18	492.24
19	490.56	490.40	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.10	491.28	491.64	491.84	491.99	492.12	492.17
20	490.55	490.48	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.12	491.26	491.65	491.77	491.96	492.10	492.28
21	490.56	490.61	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.12	491.28	491.68	491.70	492.03	492.18	492.31
22	490.55	490.64	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.14	491.32	491.68	491.74	492.02	492.24	492.46
23	490.53	490.57	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.05	491.34	491.65	491.88	492.01	492.19	492.50
24	490.54	490.68	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.08	491.33	491.69	491.77	492.02	492.20	492.47
25	490.53	490.62	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.14	491.36	491.74	491.70	492.06	492.29	492.48
26	490.43	490.67	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.17	491.40	491.74	491.78	492.07	492.25	492.46
27	490.42	490.72	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.19	491.35	491.74	491.92	491.86	492.18	492.41
28	490.50	490.73	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.15	491.32	491.75	491.92	491.85	492.19	492.34
29	490.52	---	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.11	491.40	491.75	491.87	491.99	492.26	492.45
30	490.63	---	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	491.11	491.45	491.74	491.85	492.06	492.28	492.45
31	490.62	---	--- <sup>a</sup>	--- <sup>a</sup>	--- <sup>a</sup>	---	491.41	491.75	---	492.11	---	492.43
Max	490.63	490.73	490.81	---	---	491.22	491.45	491.75	491.92	492.11	492.29	492.50
Min	490.23	490.37	490.54	---	---	491.05	491.07	491.37	491.70	491.75	491.97	492.05

**Year 2013 Statistics: Year Max 492.50; Year Min 490.23**

Note: Water level in ft bgs

<sup>a</sup>No data available due to data logger malfunction.

<sup>b</sup>Insufficient data points to report a daily average.







**Table B-16**  
**Spring Valley Well SPR7008M, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.50	13.52	13.58	13.51	13.69	13.59	13.69	13.75	13.88	13.97	14.09	14.10
2	13.47	13.53	13.50	13.56	13.64	13.56	13.68	13.78	13.89	13.95	13.98	13.97
3	13.48	13.43	13.42	13.56	13.50	13.61	13.68	13.79	13.91	14.00	14.01	13.98
4	13.47	13.46	13.54	13.50	13.49	13.61	13.66	13.80	13.92	14.08	14.04	14.10
5	13.46	13.42	13.48	13.52	13.51	13.65	13.68	13.79	13.90	14.07	14.12	14.08
6	13.37	13.48	13.42	13.52	13.55	13.63	13.69	13.80	13.90	14.01	14.11	14.07
7	13.43	13.43	13.48	13.45	13.55	13.61	13.71	13.81	13.91	13.92	14.03	14.00
8	13.46	13.35	13.44	13.43	13.58	13.62	13.73	13.80	13.89	13.90	14.03	14.14
9	13.38	13.44	13.57	13.59	13.59	13.61	13.73	13.81	13.88	13.92	14.09	14.21
10	13.26	13.49	13.60	13.58	13.62	13.59	13.70	13.83	13.92	13.97	14.11	14.12
11	13.40	13.54	13.54	13.51	13.62	13.62	13.70	13.83	13.92	14.02	14.12	14.15
12	13.45	13.56	13.55	13.54	13.59	13.64	13.72	13.82	13.91	13.97	14.12	14.10
13	13.46	13.53	13.56	13.46	13.57	13.61	13.73	13.83	13.90	14.02	14.06	14.10
14	13.52	13.54	13.53	13.52	13.53	13.67	13.72	13.83	13.91	14.06	13.99	14.18
15	13.55	13.56	13.48	13.49	13.53	13.62	13.70	13.84	13.93	14.04	13.96	14.12
16	13.52	13.48	13.46	13.58	13.52	13.64	13.73	13.84	13.93	14.03	13.99	14.12
17	13.50	13.40	13.50	13.64	13.56	13.62	13.74	13.84	13.87	14.01	14.12	14.08
18	13.48	13.45	13.52	13.63	13.59	13.58	13.74	13.87	13.95	14.04	14.09	13.97
19	13.50	13.35	13.54	13.55	13.62	13.64	13.73	13.85	13.97	14.02	14.04	14.01
20	13.48	13.44	13.45	13.56	13.60	13.66	13.71	13.86	13.91	13.99	14.03	14.05
21	13.48	13.52	13.50	13.55	13.52	13.65	13.72	13.88	13.87	14.04	14.12	14.06
22	13.47	13.53	13.47	13.54	13.49	13.67	13.75	13.86	13.92	14.03	14.11	14.15
23	13.44	13.48	13.56	13.58	13.59	13.62	13.77	13.84	14.01	14.01	14.08	14.14
24	13.45	13.56	13.54	13.57	13.63	13.63	13.76	13.88	13.89	14.03	14.11	14.12
25	13.44	13.51	13.52	13.54	13.56	13.70	13.78	13.88	13.87	14.06	14.16	14.14
26	13.36	13.55	13.48	13.60	13.58	13.71	13.79	13.89	13.96	14.03	14.12	14.11
27	13.38	13.58	13.52	13.60	13.60	13.73	13.74	13.88	14.03	13.86	14.07	14.07
28	13.45	13.58	13.53	13.53	13.56	13.69	13.73	13.89	14.01	13.94	14.07	14.01
29	13.49	---	13.57	13.51	13.58	13.66	13.79	13.91	13.97	14.03	14.12	14.10
30	13.52	---	13.55	13.52	13.62	13.67	13.81	13.90	13.95	14.07	14.12	14.08
31	13.51	---	13.51	---	13.66	---	13.77	13.89	---	14.09	---	14.04
Max	13.55	13.58	13.60	13.64	13.69	13.73	13.81	13.91	14.03	14.09	14.16	14.21
Min	13.26	13.35	13.42	13.43	13.49	13.56	13.66	13.75	13.87	13.86	13.96	13.97

Year 2013 Statistics: Year Max 14.21; Year Min 13.26

Note: Water level in ft bgs

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report





**Table B-17**  
**Spring Valley Well SPR7024M, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**



	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	19.95	19.74	19.57	19.35	19.82	20.43	20.95	21.48	22.07	22.47	22.67	22.63
2	19.92	19.75	19.54	19.37	19.83	20.46	20.97	21.50	22.09	22.47	22.62	22.59
3	19.92	19.70	19.49	19.38	19.80	20.50	20.97	21.53	22.12	22.49	22.63	22.55
4	19.91	19.70	19.52	19.37	19.81	20.52	20.97	21.54	22.14	22.52	22.64	22.61
5	19.91	19.68	19.47	19.38	19.84	20.53	20.99	21.56	22.16	22.53	22.67	22.61
6	19.86	19.68	19.44	19.38	19.87	20.55	21.02	21.58	22.17	22.51	22.68	22.61
7	19.88	19.67	19.45	19.38	19.89	20.56	21.05	21.60	22.19	22.49	22.65	22.58
8	19.89	19.61	19.42	19.37	19.93	20.59	21.07	21.62	22.20	22.50	22.64	22.63
9	19.86	19.64	19.46	19.45	19.95	20.61	21.09	21.64	22.22	22.52	22.66	22.66
10	19.78	19.65	19.48	19.47	19.98	20.61	21.09	21.67	22.25	22.55	22.66	22.63
11	19.83	19.67	19.46	19.46	20.01	20.64	21.11	21.69	22.26	22.60	22.67	22.64
12	19.84	19.68	19.45	19.47	20.02	20.64	21.13	21.71	22.28	22.60	22.67	22.61
13	19.84	19.65	19.45	19.47	20.03	20.66	21.16	21.73	22.29	22.62	22.65	22.60
14	19.86	19.64	19.43	19.48	20.06	20.69	21.18	21.74	22.31	22.65	22.63	22.64
15	19.88	19.65	19.41	19.48	20.08	20.70	21.18	21.76	22.33	22.64	22.60	22.62
16	19.87	19.62	19.39	19.51	20.10	20.73	21.19	21.78	22.35	22.65	22.61	22.62
17	19.86	19.56	19.39	19.55	20.14	20.74	21.22	21.80	22.34	22.65	22.67	22.60
18	19.84	19.59	19.40	19.57	20.18	20.72	21.24	21.82	22.36	22.66	22.66	22.55
19	19.84	19.53	19.40	19.56	20.20	20.76	21.25	21.84	22.38	22.65	22.63	22.53
20	19.83	19.56	19.38	19.58	20.21	20.78	21.26	21.84	22.37	22.63	22.62	22.57
21	19.82	19.60	19.37	19.59	20.21	20.79	21.28	21.85	22.36	22.65	22.61	22.57
22	19.81	19.59	19.35	19.60	20.20	20.81	21.31	21.87	22.38	22.65	22.63	22.61
23	19.79	19.56	19.38	19.64	20.25	20.81	21.33	21.89	22.43	22.64	22.63	22.62
24	19.78	19.57	19.36	19.65	20.30	20.83	21.34	21.92	22.41	22.65	22.64	22.60
25	19.78	19.56	19.35	19.66	20.29	20.86	21.37	21.93	22.39	22.66	22.66	22.60
26	19.74	19.55	19.33	19.71	20.31	20.89	21.39	21.96	22.43	22.66	22.65	22.59
27	19.72	19.58	19.33	19.72	20.33	20.91	21.39	21.97	22.47	22.60	22.62	22.57
28	19.75	19.57	19.34	19.71	20.34	20.91	21.40	21.98	22.48	22.60	22.62	22.55
29	19.75	---	19.35	19.71	20.35	20.91	21.45	22.02	22.47	22.64	22.64	22.58
30	19.77	---	19.35	19.73	20.39	20.93	21.47	22.03	22.46	22.65	22.64	22.57
31	19.75	---	19.35	---	20.42	---	21.48	22.05	---	22.66	---	22.56
Max	19.95	19.75	19.57	19.73	20.42	20.93	21.48	22.05	22.48	22.66	22.68	22.66
Min	19.72	19.53	19.33	19.35	19.80	20.43	20.95	21.48	22.07	22.47	22.60	22.53

Year 2013 Statistics: Year Max 22.68; Year Min 19.33

Note: Water level in ft bgs



2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table B-18**  
**Spring Valley Well SPR7024M2, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	13.13	12.66	12.41	12.06	13.36	14.89	15.82	16.69	17.63	17.96	17.67	17.13
2	13.09	12.68	12.33	12.13	13.44	14.83	15.84	16.73	17.68	17.90	17.52	16.97
3	13.08	12.56	12.14	12.21	13.30	14.90	15.85	16.78	17.74	17.90	17.47	16.80
4	13.05	12.54	12.20	12.17	13.28	14.96	15.84	16.81	17.78	18.01	17.48	16.95
5	13.04	12.48	12.18	12.19	13.34	15.02	15.85	16.82	17.80	18.03	17.59	16.98
6	12.91	12.47	12.07	12.25	13.46	15.05	15.90	16.84	17.82	17.93	17.59	16.98
7	12.92	12.46	12.09	12.23	13.50	15.07	15.96	16.88	17.84	17.80	17.50	16.87
8	12.96	12.28	12.03	12.13	13.61	15.10	16.01	16.90	17.83	17.74	17.42	17.00
9	12.90	12.36	12.14	12.40	13.68	15.15	16.06	16.95	17.83	17.74	17.47	17.13
10	12.64	12.43	12.28	12.49	13.79	15.13	16.07	17.00	17.89	17.81	17.48	17.06
11	12.77	12.51	12.21	12.45	13.87	15.21	16.06	17.04	17.92	17.94	17.49	17.07
12	12.83	12.56	12.20	12.48	13.90	15.24	16.11	17.06	17.93	17.90	17.50	17.00
13	12.84	12.53	12.20	12.45	13.91	15.24	16.16	17.11	17.91	17.92	17.40	16.93
14	12.91	12.52	12.17	12.51	13.91	15.32	16.20	17.13	17.94	18.00	17.30	17.06
15	12.98	12.55	12.08	12.50	13.95	15.32	16.18	17.17	17.98	17.98	17.14	17.01
16	12.97	12.46	12.02	12.61	13.99	15.36	16.23	17.20	17.99	17.97	17.14	16.97
17	12.93	12.29	12.01	12.74	14.06	15.37	16.30	17.22	17.92	17.91	17.30	16.92
18	12.87	12.34	12.04	12.83	14.20	15.34	16.31	17.27	17.96	17.94	17.31	16.75
19	12.86	12.16	12.08	12.78	14.27	15.38	16.32	17.30	18.03	17.89	17.20	16.62
20	12.82	12.15	11.97	12.78	14.33	15.44	16.32	17.30	17.97	17.80	17.15	16.73
21	12.80	12.31	11.96	12.81	14.30	15.46	16.36	17.34	17.89	17.84	17.18	16.74
22	12.75	12.37	11.93	12.80	14.24	15.49	16.42	17.35	17.88	17.82	17.24	16.88
23	12.71	12.27	12.02	12.89	14.36	15.49	16.47	17.36	18.04	17.76	17.22	16.92
24	12.70	12.34	12.01	12.93	14.48	15.51	16.49	17.41	17.96	17.75	17.23	16.88
25	12.67	12.34	11.98	12.96	14.49	15.61	16.53	17.44	17.85	17.77	17.27	16.90
26	12.53	12.33	11.91	13.07	14.54	15.69	16.60	17.49	17.93	17.75	17.24	16.85
27	12.47	12.40	11.93	13.13	14.60	15.76	16.58	17.49	18.06	17.55	17.14	16.79
28	12.57	12.40	11.98	13.08	14.62	15.77	16.56	17.53	18.09	17.42	17.11	16.66
29	12.60	---	12.05	13.07	14.67	15.75	16.66	17.59	18.04	17.58	17.16	16.75
30	12.69	---	12.07	13.09	14.77	15.78	16.72	17.62	17.98	17.62	17.16	16.74
31	12.68	---	12.05	---	14.89	---	16.73	17.62	---	17.66	---	---
Max	13.13	12.68	12.41	13.13	14.89	15.78	16.73	17.62	18.09	18.03	17.67	17.13
Min	12.47	12.15	11.91	12.06	13.28	14.83	15.82	16.69	17.63	17.42	17.11	16.62

Year 2013 Statistics: Year Max 18.09; Year Min 11.91

Note: Water level in ft bgs





**This Page Left Intentionally Blank**

## **Appendix C**

### **Spring-Monitoring Program Hydrologic and Field Chemistry Data**



**Table C-1**  
**Spring Valley Miscellaneous Discharge Data**  
 (Page 1 of 3)

Spring Number	Spring Name	Date	Time	Discharge <sup>a</sup> (gpm)	Discharge <sup>a</sup> (cfs)	Measurement Rated as: (E, G, F, P) <sup>b</sup>	Water Temp (°C)	Air Temp (°C)	Electrical Conductivity (µS/cm)	pH	Method <sup>c</sup>	Remarks	Data Source	
1845501	Willow Spring	3/13/2013	10:06	7	0.02	E	---	---	---	---	F	---	SNWA	
		4/2/2013	16:45	---	---	---	---	---	---	---	---	Parshall Flume used incorrectly.	SNWA	
		4/16/2013	16:40	7	0.02	E	0	---	---	---	F	---	SNWA	
		5/7/2013	8:30	4	0.01	G	---	---	---	---	F	---	SNWA	
		7/9/2013	13:25	4	0.01	E	---	---	---	---	F	---	SNWA	
		8/28/2013	8:45	4	0.01	E	---	---	---	---	F	---	SNWA	
		11/19/2013	12:40	4	0.01	E	---	---	---	---	F	---	SNWA	
		4/2/2013	14:27	---	---	---	---	---	---	---	---	---	No discharge measured.	SNWA
		7/9/2013	15:37	552	1.2	E	---	---	---	---	F	---	---	SNWA
		8/28/2013	11:50	525	1.2	G	---	---	---	---	F	---	---	SNWA
1845702	South Millick Spring	10/8/2013	12:08	503	1.1	F	---	---	---	---	F	---	SNWA	
		10/24/2013	8:30	480	1.1	E	2	---	---	---	F	---	SNWA	
		11/19/2013	15:17	503	1.1	G	---	---	---	---	F	---	SNWA	
		2/13/2013	11:59	0	0	E	---	---	---	---	---	---	Site is dry.	SNWA
		4/3/2013	9:20	0	0	E	---	---	---	---	---	---	Site is dry.	SNWA
		5/8/2013	8:45	0	0	E	---	---	---	---	---	---	Site is dry.	SNWA
1845901	Layton Spring	7/10/2013	7:00	0	0	E	---	---	---	---	---	---	SNWA	
		8/29/2013	8:36	0	0	E	---	---	---	---	---	---	Site is dry.	SNWA
		11/19/2013	16:22	0	0	E	---	---	---	---	---	---	Site is dry.	SNWA
		1/14/2013	15:30	320	0.71	P	11.4	-6	308	7.77	M	Sum of all channels.	SNWA	
		2/13/2013	10:00	344	0.77	G	---	---	---	---	M	Sum of all channels.	SNWA	
		3/5/2013	13:19	311	0.69	P	---	---	---	---	M	Sum of all channels.	SNWA	
		5/14/2013	14:10	444	0.99	P	12.4	25.5	330	8.15	M	Sum of all channels.	SNWA	
		6/17/2013	17:00	395	0.88	P	11.4	32	309	7.94	M	Sum of all channels.	SNWA	
7/29/2013	14:47	320	0.71	P	10.7	---	331	7.39	M	Sum of all channels.	SNWA			
1846201	Swallow Springs	9/17/2013	13:25	444	0.99	P	12	28	304	7.84	M	Sum of all channels.	SNWA	
		10/24/2013	10:40	347	0.77	P	11.3	7	336	6.26	M	Sum of all channels.	SNWA	



**Table C-1**  
**Spring Valley Miscellaneous Discharge Data**  
(Page 2 of 3)

Spring Number	Spring Name	Date	Time	Discharge <sup>a</sup> (gpm)	Discharge <sup>a</sup> (cfs)	Measurement Rated as: (E, G, F, P) <sup>b</sup>	Water Temp (°C)	Air Temp (°C)	Electrical Conductivity (µS/cm)	pH	Method <sup>c</sup>	Remarks	Data Source	
1847101	Keegan Spring near Piermont, NV	1/8/2013	13:01	226	0.50	P	---	---	---	---	F	---	SNWA	
		2/12/2013	14:28	217	0.48	G	---	0	---	---	F	---	SNWA	
		3/6/2013	9:30	201	0.45	F	---	---	---	---	F	---	SNWA	
		4/2/2013	15:20	235	0.52	P	---	---	---	---	F	---	SNWA	
		5/7/2013	11:15	235	0.52	G	---	---	---	---	F	---	SNWA	
		5/8/2013	10:15	235	0.52	G	---	---	---	---	F	---	SNWA	
		5/16/2013	12:15	209	0.46	E	---	---	---	---	F	---	SNWA	
		7/9/2013	12:20	201	0.45	E	---	---	---	---	F	---	SNWA	
		8/27/2013	16:55	201	0.45	E	---	---	---	---	F	---	SNWA	
		10/23/2013	15:00	192	0.43	G	---	15	---	---	F	---	SNWA	
		11/19/2013	11:20	209	0.46	P	---	---	---	---	F	---	SNWA	
		1/15/2013	9:15	18	0.04	E	---	6.1	-8	764	7.50	F	---	SNWA
		3/4/2013	16:30	18	0.04	G	---	8.9	2	640	8.52	F	---	SNWA
		4/16/2013	10:23	21	0.05	G	---	8.6	1	632	8.45	F	---	SNWA
5/14/2013	9:51	16	0.04	E	---	18.4	---	620	8.23	F	---	SNWA		
6/18/2013	11:40	16	0.04	E	---	18.3	24.5	650	8.17	F	---	SNWA		
7/30/2013	10:02	14	0.03	E	---	15.4	26	649	8.01	F	---	SNWA		
9/17/2013	8:25	16	0.04	E	---	12.9	20	609	7.62	F	---	SNWA		
10/22/2013	16:25	16	0.04	E	---	12.4	19	646	7.86	F	---	SNWA		
1848001	Turnley Spring	1/15/2013	8:40	---	---	---	---	---	---	---	---	Discharge not measured at owners request.	SNWA	
		4/16/2013	8:35	144	0.32	P	11.8	-3	542	7.46	C	---	SNWA	
		5/14/2013	9:11	95	0.21	E	13.3	21	531	7.17	F	---	SNWA	
		6/18/2013	9:00	79	0.18	E	11.9	23.5	547	7.38	F	---	SNWA	
		7/30/2013	9:15	67	0.15	E	12.6	33	532	7.37	F	---	SNWA	
		9/17/2013	9:50	75	0.17	E	12.1	20	508	7.15	F	---	SNWA	
		10/22/2013	8:37	67	0.15	E	11.7	11	536	7.08	F	---	SNWA	



**Table C-1**  
**Spring Valley Miscellaneous Discharge Data**  
 (Page 3 of 3)



Spring Number	Spring Name	Date	Time	Discharge <sup>a</sup> (gpm)	Discharge <sup>a</sup> (cfs)	Measurement Rated as: (E, G, F, P) <sup>b</sup>	Water Temp (°C)	Air Temp (°C)	Electrical Conductivity (µS/cm)	pH	Method <sup>c</sup>	Remarks	Data Source
1848401	Cleveland Ranch Spring North Flume	2/12/2013	12:30	---	---	---	---	---	---	---	---	Parshall Flume used incorrectly.	SNWA
		5/7/2013	12:55	23	0.05	F	---	---	---	---	F	---	SNWA
		8/27/2013	15:29	16	0.04	E	---	---	---	---	F	---	SNWA
		11/19/2013	9:45	21	0.05	F	---	---	---	---	F	---	SNWA
1848501	Cleveland Ranch Spring South	1/8/2013	11:54	63	0.14	E	---	---	---	---	F	---	SNWA
		2/12/2013	11:30	67	0.15	G	---	-2	---	---	F	---	SNWA
		5/7/2013	13:21	67	0.15	G	---	---	---	---	F	---	SNWA
		7/9/2013	11:09	60	0.13	E	---	---	---	---	F	---	SNWA
		8/19/2013	16:45	60	0.13	E	---	---	---	---	F	---	SNWA
		11/19/2013	10:30	67	0.15	G	---	---	---	F	---	SNWA	

<sup>a</sup>Discharge is reported in cfs for values >0.01 and in gpm for values <0.01 cfs.

<sup>b</sup>Measurement Rating: E = Excellent; G = Good; F = Fair; P = Poor

<sup>c</sup>Measurement Method: C = Current meter; O = Other; F = Flume; M = Multiple

Note: The Seep was observed to be dry in 2013.



**Table C-2**  
**Periodic Water-Level Measurement Data from the Spring Valley**  
**Spring-Piezometer Monitoring Network**  
 (Page 1 of 3)

Site Number	Station Local Number <sup>a</sup>	Associated Spring	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
					Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
SPR7007Z	184 N11 E67 12DACA1	Minerva Spring	31	5,828.66	1/9/2013	13.01	S	T
					2/13/2013	13.15	S	T
					4/2/2013	13.46	S	T
					5/8/2013	13.62	S	T
					7/10/2013	13.25	S	T
					8/21/2013	13.39	S	T
					10/7/2013	13.58	S	T
11/20/2013	13.66	S	T					
SPR7011Z	184 N11 E67 23ADDD1	Blind Spring	31	5,769.71	1/9/2013	5.68	S	T
					2/11/2013	5.38	S	T
					4/2/2013	5.09	S	T
					5/8/2013	5.13	S	T
					7/10/2013	6.62	S	T
					8/19/2013	7.26	S	T
					10/8/2013	6.86	S	T
11/20/2013	6.48	S	T					
SPR7012Z	184 N15 E67 30BDBD1	Four Wheel Drive Spring	25	5,756.22	1/8/2013	1.52	S	T
					2/13/2013	1.43	S	T
					4/2/2013	1.34	S	T
					5/7/2013	1.38	S	T
					7/9/2013	1.86	S	T
					8/27/2013	2.24	S	T
					10/8/2013	2.26	S	T
11/19/2013	1.98	S	T					
SPR7014Z	184 N12 E67 26ACAD1	The Seep	31	5,778.54	2/13/2013	10.64	S	T
					4/2/2013	10.44	S	T
					5/8/2013	10.41	S	T
					7/10/2013	11.12	S	T
					8/27/2013	11.62	S	T
					10/8/2013	11.86	S	T
11/20/2013	11.95	S	T					



**Table C-2**  
**Periodic Water-Level Measurement Data from the Spring Valley**  
**Spring-Piezometer Monitoring Network**  
 (Page 2 of 3)

Site Number	Station Local Number <sup>a</sup>	Associated Spring	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
					Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
SPR7015Z	184 N17 E67 30CADA1	West Spring Valley Complex	38	5,602.90	1/8/2013	4.96	S	T
					2/12/2013	4.82	S	T
					4/2/2013	4.87	S	T
					5/7/2013	5.00	S	T
					7/9/2013	5.87	S	T
					8/27/2013	5.80	S	T
					10/8/2013	5.55	S	T
					11/19/2013	5.40	S	T
SPR7016Z	184 N15 E67 09BBBA1	Unnamed Spring 5	32	5,645.67	2/12/2013	1.17	S	T
					4/2/2013	1.04	S	T
					5/7/2013	1.05	S	T
					7/9/2013	1.54	S	T
					8/27/2013	1.75	S	T
					10/8/2013	1.85	S	T
					11/19/2013	1.92	S	T
SPR7018Z	184 N17 E67 25CDCA1	South Millick Spring	25	5,587.16	2/13/2013	5.23	S	T
					4/2/2013	5.30	S	T
					5/7/2013	5.30	S	T
					7/9/2013	5.49	S	T
					8/28/2013	5.59	S	T
					10/8/2013	5.60	S	T
					11/19/2013	5.65	S	T
SPR7019Z	184 N14 E67 04DBAB1	Layton Spring	35	5,686.63	2/13/2013	9.90	S	T
					4/3/2013	9.67	S	T
					5/8/2013	9.56	S	T
					7/10/2013	9.87	S	T
					8/29/2013	10.14	S	T
					10/8/2013	10.09	S	T
					11/19/2013	9.89	S	T
SPR7020Z	184 N22 E66 17CAAC1	Stonehouse Spring	9	6,264.62	1/8/2013	0.85	S	T
					2/12/2013	0.64	S	T
					4/2/2013	1.11	S	T
					5/7/2013	1.40	S	T
					7/9/2013	2.68	S	T
					8/28/2013	2.84	S	T
					10/8/2013	1.85	S	T
					11/19/2013	1.59	S	T

**Table C-2**  
**Periodic Water-Level Measurement Data from the Spring Valley**  
**Spring-Piezometer Monitoring Network**  
 (Page 3 of 3)

Site Number	Station Local Number <sup>a</sup>	Associated Spring	Well Depth (ft bgs)	Surface Elevation (ft amsl)	Water Level			
					Date	Depth to Water (ft bgs)	Well Status <sup>b</sup>	Measurement Method <sup>c</sup>
SPR7021Z	184 N18 E66 01CCAA1	Keegan Spring	21	5,613.12	1/8/2013	-1.69	S	T
					2/12/2013	-1.74	S	T
					4/2/2013	-1.56	S	S
					5/7/2013	-1.75	S	T
					7/9/2013	-1.24	S	T
					8/27/2013	-1.20	S	T
					10/8/2013	-1.41	S	T
					11/19/2013	-1.67	S	T
SPR7022Z	184 N21 E66 15BCDD1	Willow Spring	35	5,987.54	3/12/2013	12.60	S	T
					4/2/2013	12.65	S	T
					5/7/2013	12.81	S	T
					7/9/2013	13.41	S	T
					8/28/2013	13.50	S	T
					10/8/2013	13.28	S	T
					11/19/2013	13.11	S	T
SPR7031Z	184 N16 E67 20CCDC1	Cleveland Ranch North Spring	10.3	5,637.32	2/12/2013	0.50	S	T
					4/2/2013	0.70	S	T
					5/7/2013	1.24	S	S
					8/27/2013	2.94	S	S
					11/19/2013	1.15	S	S

<sup>a</sup>Station Local Numbers provided by the Nevada Department of Water Resources.

<sup>b</sup>S = Static Conditions.

<sup>c</sup>T = Electric tape measurement, S = Steel tape measurement, O = Other.

Note: SNWA tape calibration program started in August 2008.




**Table C-3  
Station Number 1847301 - Rock Spring near Osceola, NV, Water Year 2013  
Mean Daily Discharge Values**

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.03e	0.04	0.04	0.05	0.04	0.04	0.04	0.04	0.04	0.05	0.04	0.04
2	0.03e	0.04	0.04	0.05	0.05	0.04	0.04	0.04	0.04	0.05	0.04	0.04
3	0.03e	0.04	0.05	0.05	0.04	0.04	0.04	0.03	0.05	0.06	0.04	0.04
4	0.03e	0.04	0.05	0.05	0.05	0.05	0.04	0.04	0.05	0.05	0.04	0.04
5	0.04e	0.04	0.05	0.05	0.04	0.04	0.04	0.04	0.05	0.05	0.04	0.04
6	0.03e	0.04	0.05	0.05	0.04	0.04	0.05	0.05	0.05	0.05	0.04	0.04
7	0.03e	0.04	0.05	0.05	0.04	0.04	0.05	0.05	0.05	0.05	0.04	0.04
8	0.04e	0.04	0.05	0.05	0.04	0.03	0.04	0.04	0.05	0.05	0.04	0.04
9	0.03e	0.04	0.05	0.05	0.04	0.03	0.05	0.04	0.04	0.04	0.04	0.04
10	0.03e	0.04	0.05	0.05	0.04	0.03	0.05	0.05	0.05	0.04	0.05	0.04
11	0.03e	0.04	0.05	0.05	0.05	0.03	0.05	0.04	0.04	0.04	0.04	0.04
12	0.03e	0.04	0.05	0.05	0.05	0.03	0.05	0.05	0.05	0.05	0.04	0.04
13	0.03e	0.04	0.05	0.05	0.05	0.03	0.05	0.03	0.05	0.05	0.05	0.04
14	0.03e	0.04	0.05	0.06	0.04	0.03	0.05	0.04	0.05	0.04	0.05	0.04
15	0.03e	0.04	0.04	0.05	0.04	0.04	0.05	0.04	0.05	0.05	0.05	0.04
16	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.05	0.05	0.04
17	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.05	0.05	0.03
18	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.05	0.05	0.03
19	0.03	0.04	0.04	0.04	0.05	0.03	0.06	0.04	0.05	0.05	0.05	0.03
20	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.04	0.05	0.04	0.04	0.03
21	0.04	0.05	0.04	0.04	0.05	0.04	0.06	0.04	0.05	0.04	0.05	0.03
22	0.04	0.04	0.04	0.05	0.05	0.04	0.06	0.04	0.05	0.04	0.05	0.03
23	0.04	0.05	0.05	0.04	0.05	0.04	0.06	0.04	0.05	0.04	0.05	0.03
24	0.04	0.04	0.05	0.04	0.05	0.04	0.05	0.04	0.05	0.05	0.05	0.03
25	0.04	0.05	0.05	0.03	0.05	0.04	0.06	0.04	0.05	0.05	0.04	0.04
26	0.04	0.05	0.05	0.04	0.05	0.04	0.05	0.04	0.05	0.05	0.05	0.04
27	0.04	0.04	0.05	0.04	0.05	0.03	0.04	0.04	0.05	0.05	0.05	0.04
28	0.04	0.04	0.05	0.04	0.05	0.03	0.04	0.04	0.05	0.05	0.05	0.04
29	0.04	0.04	0.05	0.04	--	0.03	0.04	0.04	0.05	0.05	0.05	0.04
30	0.04	0.04	0.05	0.04	--	0.03	0.05	0.04	0.05	0.04	0.05	0.04
31	0.04	--	0.05	0.04	--	0.04	--	0.04	--	0.04	0.05	--
Total	1.1	1.2	1.4	1.4	1.3	1.1	1.5	1.3	1.5	1.5	1.4	1.1
Min	0.03	0.04	0.04	0.03	0.04	0.03	0.04	0.03	0.04	0.04	0.04	0.03
Max	0.04	0.05	0.05	0.06	0.05	0.05	0.06	0.05	0.05	0.06	0.05	0.04
Mean	0.04	0.04	0.05	0.05	0.04	0.04	0.05	0.04	0.05	0.05	0.04	0.04
Acre-feet	2.2	2.4	2.8	2.8	2.6	2.2	3.0	2.6	3.0	3.0	2.8	2.2

Note: Values are in cfs unless noted otherwise.  
e = Estimated day.

Annual Statistics	
Min:	0.03
Max:	0.06
Annual Total (Acre-ft):	32
Annual Mean (cfs)	0.04






**Table C-4**  
**Station Number 1846203 - Swallow Springs South near Minerva, NV, Water Year 2013**  
**Mean Daily Discharge Values**

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.63e	0.65	0.62	0.61	0.58	0.57	0.68	0.85	0.82	0.75	0.58	0.63
2	0.64e	0.65	0.62	0.61	0.57	0.57	0.69	0.85	0.81	0.74	0.58	0.63
3	0.64e	0.65	0.61	0.61	0.57	0.57	0.67	0.85	0.81	0.74	0.59	0.63
4	0.64e	0.65	0.62	0.61	0.57	0.57	0.67	0.84	0.81	0.74	0.59	0.64
5	0.64e	0.65	0.62	0.61	0.58	0.57	0.68	0.84	0.81	0.74	0.59	0.64
6	0.64e	0.64	0.62	0.61	0.58	0.57	0.69	0.84	0.81	0.74	0.59	0.64
7	0.64e	0.64	0.62	0.61	0.58	0.57	0.71	0.84	0.81	0.73	0.59	0.65
8	0.64e	0.64	0.62	0.61	0.58	0.57	0.73	0.84	0.81	0.73	0.59	0.65
9	0.65e	0.64	0.62	0.61	0.58	0.57	0.73	0.84	0.81	0.72	0.59	0.66
10	0.65e	0.63	0.62	0.61	0.58	0.57	0.71	0.84	0.80	0.71	0.59	0.66
11	0.65e	0.63	0.62	0.61	0.58	0.56	0.70	0.84	0.80	0.71	0.59	0.67
12	0.66e	0.63	0.62	0.61	0.58	0.57	0.70	0.84	0.79	0.70	0.59	0.78
13	0.67e	0.62	0.62	0.61	0.58	0.60	0.72	0.85	0.79	0.69	0.59	0.87
14	0.68e	0.62	0.62	0.59	0.58	0.62	0.77	0.85	0.78	0.68	0.59	0.88
15	0.68e	0.62	0.62	0.59	0.57	0.63	0.78	0.84	0.78	0.68	0.59	0.86
16	0.68	0.62	0.62	0.59	0.57	0.64	0.77	0.84	0.78	0.67	0.59	0.86
17	0.68	0.62	0.62	0.58	0.57	0.64	0.77	0.84	0.75	0.66	0.60	0.87
18	0.67	0.62	0.62	0.58	0.57	0.65	0.76	0.84	0.74	0.66	0.60	0.85
19	0.67	0.62	0.61	0.58	0.58	0.66	0.77	0.84	0.74	0.65	0.60	0.83
20	0.66	0.62	0.61	0.58	0.58	0.66	0.79	0.83	0.75	0.65	0.60	0.81
21	0.68	0.62	0.62	0.57	0.58	0.66	0.80	0.84	0.75	0.64	0.60	0.79
22	0.67	0.62	0.61	0.57	0.58	0.66	0.81	0.83	0.75	0.63	0.60	0.78
23	0.67	0.62	0.60	0.58	0.58	0.65	0.82	0.83	0.75	0.62	0.61	0.77
24	0.67	0.62	0.60	0.58	0.57	0.65	0.82	0.83	0.75	0.62	0.61	0.76
25	0.66	0.61	0.60	0.57	0.57	0.65	0.83	0.83	0.75	0.62	0.61	0.75
26	0.66	0.61	0.61	0.57	0.57	0.64	0.84	0.83	0.75	0.61	0.61	0.74
27	0.66	0.62	0.61	0.58	0.57	0.64	0.84	0.83	0.75	0.61	0.61	0.73
28	0.66	0.62	0.61	0.58	0.57	0.65	0.85	0.83	0.75	0.61	0.62	0.72
29	0.65	0.62	0.61	0.58	--	0.66	0.85	0.83	0.75	0.60	0.62	0.72
30	0.65	0.62	0.61	0.57	--	0.67	0.86	0.82	0.75	0.59	0.62	0.71
31	0.66	--	0.60	0.57	--	0.68	--	0.82	--	0.58	0.62	--
Total	20	19	19	18	16	19	23	26	23	21	19	22
Min	0.63	0.61	0.60	0.57	0.57	0.56	0.67	0.82	0.74	0.58	0.58	0.63
Max	0.68	0.65	0.62	0.61	0.58	0.68	0.86	0.85	0.82	0.75	0.63	0.88
Mean	0.66	0.63	0.61	0.59	0.58	0.62	0.76	0.84	0.78	0.67	0.60	0.74
Acre-feet	40	38	38	36	32	38	46	51	46	42	38	44

Note: Values are in cfs unless noted otherwise.  
 e = Estimated day.

Annual Statistics	
Min:	0.56
Max:	0.88
Annual Total (Acre-ft):	489
Annual Mean (cfs)	0.67









**Table C-5  
Minerva Spring Piezometer SPR7007Z, Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.84	13.05	13.26	13.43	13.58	12.79	13.10	13.30	13.41	13.50	13.57	13.65
2	12.85	13.06	13.27	13.43	13.58	12.74	13.12	13.30	13.42	13.50	13.57	13.65
3	12.86	13.06	13.27	13.43	13.57	12.71	13.13	13.31	13.42	13.51	13.57	13.65
4	12.87	13.06	13.28	13.43	13.57	12.67	13.14	13.31	13.42	13.51	13.57	13.66
5	12.88	13.07	13.28	13.44	13.58	12.63	13.15	13.31	13.42	13.52	13.58	13.66
6	12.88	13.08	13.29	13.44	13.58	12.60	13.16	13.32	13.43	13.52	13.58	13.66
7	12.89	13.08	13.30	13.44	13.58	12.56	13.17	13.33	13.43	13.53	13.58	13.66
8	12.90	13.08	13.30	13.45	13.59	12.53	13.18	13.33	13.43	13.53	13.58	13.67
9	12.91	13.09	13.31	13.45	13.59	12.50	13.19	13.33	13.43	13.53	13.58	13.67
10	12.91	13.10	13.30	13.46	13.60	12.46	13.21	13.33	13.44	13.53	13.59	13.67
11	12.92	13.10	13.31	13.46	13.60	12.44	13.21	13.34	13.43	13.53	13.59	13.68
12	12.93	13.10	13.31	13.47	13.61	12.42	13.22	13.35	13.43	13.54	13.59	13.68
13	12.93	13.11	13.31	13.47	13.62	12.42	13.23	13.35	13.43	13.54	13.59	13.68
14	12.94	13.14	13.33	13.48	13.61	12.46	13.23	13.36	13.44	13.54	13.59	13.69
15	12.95	13.15	13.34	13.48	13.60	12.51	13.24	13.36	13.44	13.54	13.60	13.69
16	12.95	13.16	13.35	13.49	13.57	12.57	13.24	13.37	13.44	13.54	13.60	13.69
17	12.96	13.16	13.35	13.50	13.53	12.62	13.25	13.37	13.44	13.55	13.60	13.69
18	12.97	13.17	13.36	13.50	13.49	12.67	13.26	13.37	13.45	13.55	13.60	13.69
19	12.97	13.18	13.36	13.51	13.44	12.72	13.26	13.38	13.45	13.55	13.61	13.70
20	12.98	13.19	13.37	13.51	13.39	12.78	13.26	13.38	13.46	13.55	13.61	13.70
21	12.99	13.20	13.38	13.51	13.33	12.82	13.27	13.38	13.46	13.56	13.61	13.71
22	13.00	13.20	13.39	13.52	13.28	12.86	13.27	13.39	13.47	13.56	13.61	13.71
23	13.00	13.21	13.39	13.53	13.22	12.89	13.27	13.39	13.47	13.56	13.61	13.71
24	13.01	13.22	13.39	13.53	13.17	12.92	13.27	13.39	13.47	13.56	13.62	13.72
25	13.01	13.22	13.40	13.54	13.12	12.96	13.28	13.39	13.48	13.57	13.62	13.72
26	13.02	13.24	13.40	13.54	13.07	12.99	13.28	13.39	13.48	13.57	13.63	13.73
27	13.02	13.24	13.40	13.55	13.02	13.01	13.28	13.39	13.48	13.57	13.63	13.74
28	13.03	13.25	13.41	13.56	12.97	13.04	13.28	13.39	13.49	13.57	13.63	13.74
29	13.03	---	13.42	13.56	12.92	13.06	13.29	13.40	13.49	13.57	13.64	13.75
30	13.04	---	13.42	13.57	12.88	13.08	13.29	13.41	13.50	13.57	13.64	13.75
31	13.05	---	13.43	---	12.83	---	13.29	13.41	---	13.57	---	13.76
Max	13.05	13.25	13.43	13.57	13.62	13.08	13.29	13.41	13.50	13.57	13.64	13.76
Min	12.84	13.05	13.26	13.43	12.83	12.42	13.10	13.30	13.41	13.50	13.57	13.65

Year 2013 Statistics: Year Max 13.76; Year Min 12.42

Note: Water level in ft bgs.

# 2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table C-6  
Blind Spring Piezometer SPR7011Z, Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	5.57	5.35	5.23	5.06	5.07	5.48	6.34	6.94	7.20	6.89	6.58	6.35
2	5.57	5.38	5.16	5.05	5.08	5.50	6.37	6.96	7.11	6.88	6.57	6.33
3	5.58	5.39	5.11	5.05	5.08	5.54	6.40	6.98	7.17	6.87	6.56	6.30
4	5.58	5.34	5.11	5.05	5.08	5.57	6.42	7.00	7.20	6.87	6.55	6.32
5	5.59	5.32	5.10	5.05	5.09	5.59	6.44	7.01	7.24	6.86	6.56	6.30
6	5.61	5.29	5.10	5.05	5.10	5.62	6.46	7.03	7.26	6.85	6.56	6.30
7	5.63	5.31	5.11	5.04	5.08	5.66	6.49	7.04	7.26	6.83	6.55	6.29
8	5.65	5.32	5.11	5.04	5.08	5.70	6.51	7.06	7.17	6.81	6.53	6.29
9	5.63	5.34	5.13	5.06	5.08	5.73	6.53	7.07	7.17	6.80	6.51	6.30
10	5.63	5.35	5.14	5.05	5.09	5.77	6.56	7.08	7.19	6.74	6.50	6.30
11	5.63	5.38	5.14	5.04	5.10	5.80	6.58	7.10	7.14	6.73	6.50	6.31
12	5.62	5.38	5.13	5.04	5.11	5.83	6.59	7.12	6.94	6.74	6.50	6.31
13	5.73	5.34	5.12	5.03	5.14	5.86	6.60	7.13	6.95	6.74	6.49	6.32
14	5.78	5.31	5.11	5.03	5.15	5.89	6.63	7.15	7.01	6.73	6.46	6.32
15	5.79	5.27	5.09	5.03	5.17	5.91	6.65	7.16	7.04	6.72	6.44	6.32
16	5.79	5.25	5.09	5.03	5.19	5.94	6.66	7.17	7.05	6.72	6.44	6.32
17	5.79	5.24	5.06	5.03	5.21	5.97	6.68	7.19	7.06	6.71	6.45	6.31
18	5.79	5.24	5.09	5.02	5.20	6.00	6.71	7.20	7.07	6.71	6.44	6.30
19	5.79	5.23	5.09	5.02	5.21	6.03	6.73	7.21	7.06	6.70	6.43	6.14
20	5.79	5.23	5.06	5.01	5.21	6.05	6.75	7.21	7.05	6.69	6.41	6.18
21	5.79	5.24	5.06	5.01	5.23	6.08	6.77	7.22	7.04	6.68	6.38	6.24
22	5.75	5.25	5.08	5.00	5.25	6.11	6.78	7.23	7.03	6.67	6.38	6.25
23	5.77	5.25	5.09	5.00	5.28	6.13	6.80	7.23	7.02	6.66	6.39	6.24
24	5.77	5.26	5.09	5.00	5.31	6.15	6.81	7.23	7.01	6.65	6.39	6.23
25	5.41	5.26	5.09	5.00	5.33	6.17	6.83	7.17	6.99	6.64	6.40	6.23
26	5.11	5.27	5.08	5.01	5.35	6.20	6.85	7.21	6.98	6.64	6.40	6.22
27	5.12	5.26	5.08	5.00	5.38	6.23	6.86	7.21	6.95	6.62	6.38	6.22
28	5.31	5.25	5.07	5.00	5.40	6.26	6.87	7.16	6.92	6.61	6.37	6.21
29	5.42	---	5.07	5.00	5.40	6.28	6.89	7.20	6.90	6.59	6.36	6.21
30	5.45	---	5.07	5.02	5.43	6.31	6.90	7.24	6.89	6.57	6.35	6.21
31	5.38	---	5.06	---	5.46	---	6.92	7.25	---	6.58	---	6.20
Max	5.79	5.39	5.23	5.06	5.46	6.31	6.92	7.25	7.26	6.89	6.58	6.35
Min	5.11	5.23	5.06	5.00	5.07	5.48	6.34	6.94	6.89	6.57	6.35	6.14

Year 2013 Statistics: Year Max 7.26; Year Min 5.00  
 Note: Water level in ft bgs.







**Table C-7  
Four Wheel Drive Spring Piezometer SPR7012Z, Calendar Year 2013  
Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	1.50	1.47	1.37	1.31	1.37	1.49	1.75	2.04	2.26	2.29	2.10	1.88
2	1.49	1.47	1.37	1.33	1.37	1.49	1.76	2.05	2.27	2.28	2.09	1.86
3	1.49	1.46	1.36	1.34	1.36	1.50	1.77	2.06	2.27	2.28	2.09	1.85
4	1.49	1.45	1.36	1.33	1.36	1.51	1.78	2.07	2.27	2.28	2.08	1.85
5	1.49	1.45	1.35	1.33	1.36	1.52	1.79	2.08	2.27	2.27	2.07	1.84
6	1.49	1.45	1.34	1.33	1.37	1.53	1.80	2.09	2.28	2.27	2.07	1.83
7	1.49	1.44	1.34	1.33	1.37	1.53	1.81	2.10	2.28	2.26	2.06	1.82
8	1.49	1.43	1.34	1.32	1.36	1.54	1.82	2.11	2.29	2.26	2.05	1.82
9	1.48	1.43	1.35	1.34	1.37	1.55	1.84	2.11	2.29	2.25	2.04	1.82
10	1.47	1.43	1.35	1.34	1.37	1.56	1.85	2.12	2.29	2.25	2.03	1.81
11	1.48	1.43	1.34	1.34	1.38	1.57	1.86	2.13	2.29	2.24	2.03	1.80
12	1.48	1.43	1.34	1.34	1.38	1.58	1.86	2.14	2.30	2.24	2.02	1.79
13	1.48	1.43	1.33	1.33	1.38	1.59	1.87	2.15	2.30	2.23	2.01	1.79
14	1.49	1.42	1.33	1.33	1.38	1.59	1.88	2.16	2.30	2.23	2.00	1.78
15	1.50	1.42	1.33	1.33	1.38	1.60	1.89	2.17	2.30	2.22	1.99	1.77
16	1.50	1.41	1.32	1.34	1.39	1.61	1.90	2.17	2.30	2.21	1.98	1.77
17	1.50	1.40	1.32	1.35	1.39	1.62	1.91	2.18	2.30	2.21	1.98	1.76
18	1.50	1.40	1.32	1.35	1.40	1.62	1.92	2.19	2.30	2.20	1.97	1.75
19	1.50	1.39	1.32	1.35	1.41	1.64	1.93	2.19	2.30	2.19	1.96	1.74
20	1.50	1.38	1.32	1.35	1.41	1.65	1.94	2.20	2.30	2.19	1.96	1.73
21	1.50	1.39	1.32	1.34	1.41	1.66	1.95	2.21	2.30	2.18	1.95	1.73
22	1.50	1.38	1.32	1.34	1.41	1.67	1.96	2.21	2.30	2.18	1.94	1.72
23	1.50	1.38	1.32	1.35	1.42	1.67	1.96	2.22	2.31	2.17	1.94	1.72
24	1.50	1.38	1.32	1.34	1.44	1.68	1.97	2.23	2.30	2.16	1.93	1.71
25	1.49	1.38	1.31	1.34	1.44	1.69	1.98	2.23	2.30	2.15	1.92	1.71
26	1.49	1.38	1.31	1.35	1.45	1.71	1.99	2.24	2.30	2.15	1.91	1.70
27	1.48	1.38	1.31	1.35	1.46	1.72	2.00	2.24	2.30	2.13	1.90	1.69
28	1.48	1.37	1.31	1.35	1.46	1.72	2.01	2.24	2.29	2.13	1.90	1.68
29	1.48	---	1.32	1.35	1.47	1.73	2.02	2.25	2.29	2.12	1.89	1.68
30	1.48	---	1.32	1.35	1.47	1.74	2.03	2.25	2.29	2.12	1.88	1.67
31	1.47	---	1.31	---	1.49	---	2.04	2.26	---	2.11	---	1.67
Max	1.50	1.47	1.37	1.35	1.49	1.74	2.04	2.26	2.31	2.29	2.10	1.88
Min	1.47	1.37	1.31	1.31	1.36	1.49	1.75	2.04	2.26	2.11	1.88	1.67

**Year 2013 Statistics: Year Max 2.31; Year Min 1.31**

Note: Water level in ft bgs.







**Table C-8**  
**The Seep Piezometer SPR7014Z, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	10.81	10.67	10.58	10.46	10.45	10.56	11.01	11.38	11.61	11.80	11.92	11.95
2	10.81	10.67	10.57	10.47	10.45	10.57	11.03	11.39	11.62	11.81	11.92	11.94
3	10.81	10.66	10.56	10.47	10.44	10.58	11.04	11.41	11.62	11.82	11.92	11.94
4	10.81	10.66	10.55	10.47	10.44	10.59	11.05	11.42	11.64	11.82	11.92	11.94
5	10.80	10.65	10.55	10.47	10.44	10.60	11.06	11.44	11.66	11.82	11.93	11.95
6	10.79	10.65	10.55	10.47	10.42	10.62	11.07	11.45	11.66	11.83	11.93	11.95
7	10.79	10.65	10.55	10.46	10.39	10.64	11.08	11.47	11.65	11.83	11.93	11.95
8	10.79	10.64	10.54	10.45	10.40	10.66	11.10	11.48	11.66	11.84	11.93	11.95
9	10.78	10.64	10.54	10.46	10.40	10.67	11.13	11.49	11.67	11.84	11.94	11.95
10	10.77	10.64	10.54	10.46	10.43	10.69	11.14	11.50	11.68	11.83	11.94	11.95
11	10.77	10.65	10.54	10.46	10.43	10.71	11.14	11.52	11.66	11.84	11.94	11.95
12	10.77	10.65	10.53	10.45	10.44	10.72	11.15	11.53	11.64	11.85	11.94	11.95
13	10.77	10.64	10.53	10.45	10.45	10.74	11.17	11.54	11.65	11.85	11.95	11.95
14	10.78	10.63	10.53	10.45	10.46	10.74	11.18	11.56	11.67	11.85	11.95	11.95
15	10.77	10.63	10.52	10.45	10.46	10.75	11.18	11.57	11.68	11.86	11.95	11.95
16	10.77	10.62	10.52	10.41	10.47	10.78	11.20	11.58	11.69	11.86	11.95	11.95
17	10.76	10.61	10.52	10.42	10.45	10.79	11.22	11.58	11.70	11.87	11.95	11.95
18	10.76	10.61	10.52	10.43	10.44	10.81	11.24	11.59	11.71	11.87	11.95	11.94
19	10.76	10.60	10.51	10.43	10.44	10.83	11.25	11.59	11.72	11.88	11.95	11.92
20	10.75	10.60	10.51	10.43	10.46	10.83	11.26	11.58	11.73	11.88	11.95	11.92
21	10.75	10.61	10.51	10.43	10.46	10.85	11.28	11.51	11.74	11.89	11.93	11.92
22	10.75	10.60	10.51	10.44	10.48	10.87	11.29	11.56	11.75	11.89	11.94	11.93
23	10.74	10.60	10.51	10.44	10.48	10.87	11.27	11.58	11.75	11.89	11.94	11.93
24	10.73	10.60	10.50	10.43	10.50	10.88	11.28	11.58	11.76	11.90	11.94	11.93
25	10.72	10.60	10.50	10.43	10.51	10.90	11.30	11.59	11.77	11.90	11.95	11.92
26	10.69	10.59	10.49	10.44	10.52	10.92	11.31	11.59	11.76	11.90	11.95	11.92
27	10.66	10.59	10.49	10.44	10.52	10.94	11.31	11.59	11.77	11.90	11.94	11.92
28	10.68	10.58	10.49	10.44	10.51	10.95	11.32	11.55	11.78	11.90	11.95	11.92
29	10.68	---	10.48	10.43	10.51	10.97	11.31	11.59	11.79	11.91	11.95	11.93
30	10.68	---	10.48	10.44	10.53	10.99	11.34	11.61	11.80	11.90	11.95	11.93
31	10.67	---	10.47	---	10.55	---	11.36	11.61	---	11.91	---	11.93
Max	10.81	10.67	10.58	10.47	10.55	10.99	11.36	11.61	11.80	11.91	11.95	11.95
Min	10.66	10.58	10.47	10.41	10.39	10.56	11.01	11.38	11.61	11.80	11.92	11.92

Year 2013 Statistics: Year Max 11.95; Year Min 10.39

Note: Water level in ft bgs.









**Table C-9**  
**West Spring Valley Complex Piezometer SPR7015Z, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	4.94	4.86	4.80	4.83	4.95	5.26	5.78	6.05	5.69	5.58	5.42	5.35
2	4.94	4.85	4.79	4.83	4.95	5.27	5.81	6.07	5.68	5.58	5.41	5.33
3	4.94	4.85	4.77	4.83	4.95	5.30	5.82	6.08	5.64	5.57	5.41	5.32
4	4.94	4.84	4.77	4.83	4.96	5.31	5.82	6.10	5.64	5.57	5.41	5.33
5	4.95	4.83	4.77	4.84	4.97	5.33	5.83	6.10	5.64	5.55	5.42	5.33
6	4.94	4.84	4.76	4.85	4.98	5.35	5.84	6.11	5.66	5.54	5.42	5.33
7	4.94	4.83	4.76	4.84	4.98	5.37	5.86	6.11	5.62	5.54	5.40	5.32
8	4.94	4.81	4.75	4.84	4.99	5.39	5.87	6.11	5.59	5.53	5.40	5.34
9	4.93	4.82	4.76	4.86	5.00	5.41	5.90	6.13	5.59	5.53	5.41	5.34
10	4.92	4.82	4.76	4.86	5.01	5.44	5.91	6.14	5.61	5.51	5.41	5.33
11	4.92	4.83	4.76	4.86	5.02	5.46	5.90	6.15	5.56	5.51	5.40	5.34
12	4.93	4.83	4.77	4.86	5.03	5.47	5.86	6.17	5.54	5.50	5.40	5.33
13	4.93	4.82	4.77	4.86	5.05	5.50	5.87	6.18	5.52	5.48	5.39	5.33
14	4.94	4.82	4.76	4.87	5.06	5.51	5.88	6.18	5.52	5.47	5.38	5.34
15	4.95	4.82	4.76	4.88	5.07	5.53	5.91	6.19	5.52	5.47	5.38	5.33
16	4.95	4.81	4.77	4.88	5.09	5.55	5.92	6.21	5.53	5.47	5.38	5.33
17	4.94	4.80	4.78	4.87	5.09	5.57	5.95	6.20	5.54	5.47	5.39	5.32
18	4.94	4.79	4.79	4.86	5.09	5.59	5.97	6.19	5.56	5.47	5.38	5.30
19	4.94	4.78	4.79	4.86	5.10	5.62	5.97	6.15	5.56	5.46	5.38	5.29
20	4.94	4.78	4.79	4.86	5.09	5.62	5.98	6.09	5.55	5.46	5.38	5.29
21	4.94	4.79	4.80	4.87	5.10	5.63	5.98	6.03	5.55	5.46	5.37	5.28
22	4.94	4.79	4.80	4.88	5.12	5.65	6.00	6.01	5.56	5.45	5.37	5.30
23	4.94	4.79	4.82	4.89	5.14	5.66	6.01	5.95	5.57	5.45	5.37	5.30
24	4.93	4.80	4.82	4.89	5.16	5.68	5.99	5.90	5.57	5.45	5.36	5.29
25	4.91	4.79	4.82	4.90	5.18	5.68	5.95	5.83	5.57	5.45	5.36	5.29
26	4.89	4.80	4.82	4.91	5.20	5.72	5.99	5.79	5.55	5.45	5.36	5.29
27	4.88	4.80	4.82	4.91	5.21	5.74	5.91	5.75	5.54	5.43	5.35	5.29
28	4.87	4.80	4.83	4.91	5.21	5.75	5.86	5.72	5.54	5.43	5.35	5.29
29	4.87	---	4.83	4.92	5.21	5.73	5.89	5.71	5.54	5.43	5.35	5.30
30	4.87	---	4.83	4.93	5.23	5.76	5.93	5.71	5.57	5.42	5.35	5.30
31	4.86	---	4.83	---	5.25	---	6.00	5.70	---	5.42	---	5.30
Max	4.95	4.86	4.83	4.93	5.25	5.76	6.01	6.21	5.69	5.58	5.42	5.35
Min	4.86	4.78	4.75	4.83	4.95	5.26	5.78	5.70	5.52	5.42	5.35	5.28

Year 2013 Statistics: **Year Max 6.21; Year Min 4.75**  
 Note: Water level in ft bgs.







**Table C-10  
 Unnamed Spring Five Piezometer SPR7016Z, Calendar Year 2013  
 Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	--- <sup>a</sup>	1.23	1.08	0.98	1.01	1.17	1.46	1.62	1.71	1.78	1.85	1.90
2	--- <sup>a</sup>	1.22	1.07	0.98	1.00	1.18	1.48	1.63	1.71	1.79	1.85	1.89
3	--- <sup>a</sup>	1.21	1.06	0.98	0.99	1.19	1.48	1.63	1.70	1.79	1.86	1.89
4	--- <sup>a</sup>	1.20	1.06	0.97	1.00	1.20	1.48	1.63	1.71	1.79	1.86	1.87
5	--- <sup>a</sup>	1.19	1.05	0.98	1.00	1.22	1.49	1.64	1.72	1.79	1.87	1.89
6	--- <sup>a</sup>	1.19	1.04	0.98	1.00	1.22	1.49	1.65	1.73	1.79	1.87	1.88
7	--- <sup>a</sup>	1.18	1.04	0.97	1.00	1.24	1.49	1.65	1.71	1.80	1.87	1.88
8	--- <sup>b</sup>	1.17	1.04	0.98	1.00	1.25	1.50	1.65	1.71	1.80	1.87	1.90
9	1.28	1.17	1.05	0.99	1.01	1.26	1.51	1.66	1.73	1.79	1.88	1.89
10	1.27	1.17	1.04	0.98	1.02	1.28	1.52	1.67	1.73	1.79	1.88	1.89
11	1.28	1.17	1.03	0.98	1.03	1.29	1.51	1.67	1.70	1.80	1.88	1.89
12	1.28	1.13	1.03	0.98	1.03	1.30	1.50	1.68	1.69	1.80	1.88	1.89
13	1.28	1.12	1.02	0.97	1.04	1.31	1.49	1.69	1.70	1.79	1.88	1.90
14	1.29	1.12	1.01	0.98	1.05	1.31	1.50	1.69	1.70	1.80	1.88	1.90
15	1.30	1.12	1.01	0.98	1.05	1.32	1.50	1.70	1.71	1.80	1.89	1.90
16	1.30	1.11	1.00	0.98	1.06	1.34	1.52	1.70	1.72	1.80	1.89	1.91
17	1.30	1.10	1.01	0.98	1.06	1.34	1.54	1.70	1.73	1.81	1.90	1.90
18	1.31	1.10	1.01	0.98	1.06	1.36	1.54	1.70	1.74	1.82	1.90	1.90
19	1.31	1.09	1.01	0.97	1.06	1.37	1.55	1.69	1.74	1.82	1.90	1.90
20	1.31	1.10	0.99	0.98	1.07	1.37	1.55	1.69	1.74	1.82	1.90	1.90
21	1.31	1.10	1.00	0.98	1.07	1.38	1.55	1.69	1.75	1.83	1.88	1.90
22	1.31	1.09	1.00	0.98	1.08	1.39	1.56	1.69	1.76	1.83	1.79	1.90
23	1.32	1.09	1.00	0.98	1.09	1.39	1.56	1.69	1.75	1.83	1.73	1.90
24	1.31	1.10	0.99	0.98	1.10	1.39	1.55	1.68	1.76	1.83	1.80	1.90
25	1.30	1.09	0.99	0.99	1.12	1.40	1.56	1.69	1.77	1.84	1.85	1.90
26	1.28	1.09	0.98	0.99	1.13	1.42	1.57	1.69	1.75	1.84	1.86	1.90
27	1.26	1.09	0.99	0.99	1.13	1.43	1.55	1.69	1.76	1.84	1.87	1.91
28	1.26	1.09	0.99	0.99	1.13	1.44	1.56	1.69	1.76	1.84	1.88	1.91
29	1.25	---	0.99	0.99	1.14	1.44	1.58	1.69	1.77	1.84	1.89	1.91
30	1.25	---	0.99	0.99	1.15	1.45	1.59	1.70	1.78	1.84	1.90	1.91
31	1.24	---	0.98	---	1.17	---	1.61	1.71	---	1.85	---	1.91
Max	1.32	1.23	1.08	0.99	1.17	1.45	1.61	1.71	1.78	1.85	1.90	1.91
Min	1.24	1.09	0.98	0.97	0.99	1.17	1.46	1.62	1.69	1.78	1.73	1.87

**Year 2013 Statistics: Year Max 1.91; Year Min 0.97**

Note: Water level in ft bgs.

<sup>a</sup>Data unavailable due to equipment malfunction.







**Table C-11**  
**South Millick Spring Piezometer SPR7018Z, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	5.12	5.23	5.26	5.29	5.32	5.39	5.50	5.56	5.61	5.61	5.64	5.68
2	5.12	5.23	5.25	5.29	5.31	5.39	5.51	5.56	5.62	5.61	5.64	5.68
3	5.13	5.22	5.24	5.30	5.32	5.40	5.51	5.57	5.61	5.61	5.64	5.67
4	5.14	5.22	5.25	5.30	5.32	5.40	5.51	5.57	5.61	5.60	5.65	5.68
5	5.14	5.22	5.25	5.29	5.32	5.41	5.51	5.57	5.62	5.58	5.65	5.69
6	5.14	5.22	5.24	5.30	5.32	5.41	5.51	5.57	5.62	5.60	5.63	5.69
7	5.15	5.22	5.24	5.29	5.32	5.42	5.52	5.57	5.61	5.60	5.65	5.69
8	5.16	5.21	5.23	5.28	5.33	5.42	5.52	5.57	5.61	5.59	5.65	5.69
9	5.15	5.22	5.25	5.30	5.33	5.43	5.52	5.57	5.61	5.59	5.65	5.67
10	5.14	5.22	5.26	5.31	5.34	5.43	5.52	5.58	5.61	5.59	5.65	5.69
11	5.15	5.23	5.27	5.30	5.34	5.44	5.52	5.58	5.61	5.60	5.64	5.68
12	5.16	5.23	5.27	5.30	5.34	5.44	5.52	5.58	5.60	5.60	5.64	5.69
13	5.17	5.23	5.27	5.29	5.34	5.44	5.52	5.58	5.60	5.59	5.65	5.69
14	5.18	5.24	5.27	5.30	5.34	5.45	5.52	5.58	5.60	5.60	5.65	5.67
15	5.18	5.24	5.27	5.29	5.34	5.45	5.52	5.59	5.61	5.60	5.65	5.70
16	5.19	5.24	5.26	5.30	5.34	5.46	5.53	5.59	5.61	5.60	5.65	5.71
17	5.19	5.23	5.26	5.31	5.35	5.46	5.53	5.59	5.60	5.60	5.66	5.71
18	5.20	5.23	5.27	5.32	5.35	5.46	5.53	5.60	5.61	5.60	5.66	5.70
19	5.20	5.22	5.28	5.31	5.36	5.47	5.54	5.59	5.61	5.60	5.66	5.69
20	5.20	5.22	5.27	5.31	5.36	5.47	5.54	5.59	5.61	5.60	5.67	5.70
21	5.21	5.23	5.27	5.31	5.36	5.47	5.54	5.59	5.60	5.60	5.67	5.70
22	5.21	5.24	5.27	5.31	5.36	5.47	5.54	5.59	5.60	5.61	5.68	5.71
23	5.21	5.23	5.28	5.31	5.36	5.48	5.54	5.59	5.61	5.63	5.68	5.72
24	5.21	5.25	5.28	5.31	5.37	5.48	5.55	5.59	5.61	5.64	5.68	5.72
25	5.21	5.24	5.28	5.31	5.37	5.49	5.55	5.60	5.60	5.64	5.67	5.72
26	5.21	5.25	5.28	5.32	5.38	5.49	5.55	5.60	5.60	5.63	5.67	5.72
27	5.20	5.25	5.28	5.32	5.38	5.49	5.55	5.60	5.61	5.63	5.68	5.72
28	5.21	5.26	5.29	5.31	5.38	5.49	5.55	5.60	5.61	5.63	5.68	5.72
29	5.22	---	5.29	5.31	5.38	5.50	5.55	5.61	5.61	5.64	5.68	5.72
30	5.22	---	5.29	5.31	5.39	5.50	5.56	5.61	5.61	5.64	5.68	5.72
31	5.23	---	5.29	---	5.39	---	5.56	5.61	---	5.64	---	5.72
Max	5.23	5.26	5.29	5.32	5.39	5.50	5.56	5.61	5.62	5.64	5.68	5.72
Min	5.12	5.21	5.23	5.28	5.31	5.39	5.50	5.56	5.60	5.58	5.63	5.67

Year 2013 Statistics: Year Max 5.72; Year Min 5.12

Note: Water level in ft bgs.







**Table C-12**  
**Layton Spring Piezometer SPR7019Z, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	10.09	9.95	9.83	9.66	9.56	9.61	9.84	10.03	10.14	10.08	9.94	9.82
2	10.09	9.95	9.82	9.66	9.55	9.61	9.84	10.04	10.14	10.08	9.93	9.81
3	10.08	9.95	9.82	9.66	9.54	9.62	9.84	10.05	10.14	10.08	9.93	9.80
4	10.07	9.94	9.82	9.65	9.55	9.63	9.84	10.05	10.15	10.07	9.92	9.80
5	10.07	9.94	9.81	9.64	9.55	9.63	9.85	10.06	10.16	10.07	9.92	9.79
6	10.07	9.94	9.80	9.64	9.54	9.64	9.87	10.07	10.16	10.07	9.91	9.79
7	10.07	9.93	9.80	9.64	9.54	9.65	9.87	10.07	10.14	10.06	9.90	9.78
8	10.06	9.92	9.79	9.63	9.54	9.67	9.89	10.08	10.13	10.07	9.90	9.78
9	10.06	9.92	9.79	9.63	9.54	9.67	9.90	10.08	10.14	10.07	9.90	9.78
10	10.05	9.91	9.79	9.63	9.54	9.68	9.90	10.10	10.14	10.06	9.89	9.77
11	10.04	9.91	9.78	9.61	9.55	9.69	9.89	10.11	10.12	10.06	9.89	9.77
12	10.03	9.91	9.78	9.61	9.55	9.69	9.90	10.11	10.11	10.04	9.90	9.76
13	10.03	9.91	9.78	9.60	9.54	9.70	9.90	10.11	10.11	10.02	9.90	9.76
14	10.03	9.91	9.77	9.59	9.55	9.70	9.91	10.12	10.11	10.02	9.89	9.76
15	10.03	9.90	9.76	9.59	9.54	9.71	9.91	10.13	10.11	10.03	9.88	9.75
16	10.03	9.89	9.75	9.58	9.55	9.72	9.93	10.14	10.10	10.02	9.89	9.75
17	10.02	9.88	9.75	9.58	9.54	9.73	9.94	10.14	10.10	10.01	9.89	9.74
18	10.02	9.88	9.74	9.58	9.53	9.74	9.94	10.14	10.09	10.00	9.88	9.74
19	10.02	9.87	9.74	9.58	9.52	9.75	9.95	10.14	10.09	9.99	9.87	9.73
20	10.01	9.86	9.73	9.58	9.52	9.75	9.95	10.14	10.10	9.98	9.87	9.73
21	10.01	9.87	9.72	9.57	9.52	9.76	9.95	10.14	10.10	9.98	9.85	9.73
22	10.00	9.86	9.71	9.56	9.54	9.76	9.96	10.15	10.09	9.97	9.85	9.73
23	10.00	9.85	9.71	9.56	9.54	9.76	9.97	10.14	10.09	9.97	9.85	9.72
24	10.00	9.85	9.70	9.56	9.55	9.77	9.98	10.14	10.10	9.97	9.84	9.72
25	9.99	9.84	9.70	9.55	9.55	9.79	9.99	10.14	10.09	9.97	9.84	9.71
26	9.98	9.84	9.69	9.55	9.55	9.79	9.99	10.14	10.09	9.96	9.84	9.71
27	9.97	9.84	9.68	9.55	9.56	9.79	9.98	10.13	10.09	9.96	9.83	9.70
28	9.97	9.83	9.67	9.55	9.55	9.81	9.99	10.13	10.09	9.96	9.82	9.70
29	9.97	---	9.67	9.55	9.56	9.81	10.00	10.14	10.09	9.95	9.82	9.70
30	9.97	---	9.67	9.55	9.58	9.83	10.02	10.15	10.09	9.95	9.82	9.69
31	9.96	---	9.66	---	9.60	---	10.02	10.15	---	9.94	---	9.69
Max	10.09	9.95	9.83	9.66	9.60	9.83	10.02	10.15	10.16	10.08	9.94	9.82
Min	9.96	9.83	9.66	9.55	9.52	9.61	9.84	10.03	10.09	9.94	9.82	9.69

Year 2013 Statistics: Year Max 10.16; Year Min 9.52

Note: Water level in ft bgs.









**Table C-13**  
**Stonehouse Spring Piezometer SPR7020Z, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	0.91	0.62	0.22	0.99	1.42	1.83	2.65	2.75	2.75	1.95	1.61	1.53
2	0.88	0.69	0.20	1.05	1.42	1.90	2.67	2.76	2.75	1.91	1.59	1.48
3	0.87	0.65	0.24	1.14	1.42	1.94	2.65	2.77	2.74	1.89	1.59	1.46
4	0.84	0.63	0.30	1.17	1.43	1.99	2.63	2.78	2.72	1.88	1.60	1.46
5	0.83	0.59	0.35	1.19	1.44	2.07	2.63	2.79	2.70	1.87	1.63	1.42
6	0.81	0.60	0.34	1.21	1.45	2.11	2.62	2.80	2.68	1.84	1.61	1.41
7	0.80	0.65	0.42	1.22	1.45	2.18	2.61	2.81	2.65	1.82	1.58	1.37
8	0.80	0.67	0.46	1.22	1.47	2.26	2.60	2.82	2.61	1.80	1.58	1.37
9	0.81	0.67	0.48	1.24	1.48	2.31	2.61	2.83	2.59	1.78	1.60	1.36
10	0.81	0.68	0.48	1.25	1.49	2.35	2.63	2.85	2.57	1.68	1.60	1.32
11	0.78	0.68	0.50	1.22	1.48	2.42	2.66	2.86	2.54	1.72	1.60	1.30
12	0.78	0.65	0.53	1.22	1.52	2.45	2.65	2.87	2.40	1.72	1.58	1.28
13	0.76	0.57	0.58	1.23	1.56	2.51	2.65	2.88	2.29	1.44	1.57	1.27
14	0.75	0.54	0.66	1.26	1.59	2.57	2.65	2.89	2.18	1.56	1.55	1.26
15	0.76	0.52	0.77	1.23	1.61	2.60	2.65	2.91	2.08	1.63	1.55	1.23
16	0.76	0.50	0.89	1.19	1.62	2.68	2.67	2.92	2.05	1.66	1.55	1.20
17	0.75	0.47	0.98	1.15	1.55	2.72	2.66	2.93	2.03	1.67	1.58	1.15
18	0.73	0.44	1.04	1.19	1.47	2.77	2.67	2.92	2.06	1.69	1.56	1.07
19	0.74	0.40	1.07	1.22	1.48	2.80	2.67	2.89	2.04	1.68	1.54	0.99
20	0.75	0.38	1.07	1.21	1.50	2.80	2.67	2.88	2.02	1.67	1.53	0.92
21	0.75	0.37	1.08	1.24	1.51	2.82	2.68	2.88	2.03	1.68	1.52	0.86
22	0.74	0.37	1.10	1.27	1.59	2.82	2.69	2.88	2.05	1.67	1.50	0.85
23	0.75	0.33	1.12	1.29	1.60	2.88	2.69	2.87	2.05	1.66	1.50	0.85
24	0.77	0.31	1.13	1.30	1.66	2.90	2.70	2.85	2.03	1.66	1.47	0.86
25	0.74	0.31	1.13	1.32	1.71	2.79	2.71	2.84	2.02	1.66	1.46	0.86
26	0.79	0.30	1.13	1.34	1.75	2.74	2.73	2.83	1.99	1.66	1.46	0.84
27	0.79	0.26	1.15	1.36	1.78	2.73	2.72	2.81	1.98	1.61	1.46	0.81
28	0.79	0.22	1.16	1.37	1.69	2.67	2.72	2.80	1.97	1.60	1.49	0.80
29	0.77	---	1.17	1.38	1.68	2.66	2.72	2.79	1.95	1.60	1.52	0.78
30	0.70	---	1.17	1.39	1.72	2.65	2.73	2.77	1.95	1.61	1.53	0.77
31	0.51	---	1.17	---	1.77	---	2.74	2.76	---	1.62	---	0.77
Max	0.91	0.69	1.17	1.39	1.78	2.90	2.74	2.93	2.75	1.95	1.63	1.53
Min	0.51	0.22	0.20	0.99	1.42	1.83	2.60	2.75	1.95	1.44	1.46	0.77

Year 2013 Statistics: Year Max 2.93; Year Min 0.20

Note: Water level in ft bgs.







**Table C-14**  
**Keegan Spring Piezometer SPR7021Z, Calendar Year 2013**  
**Water-Level Data, Daily Mean Values**

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	-1.88	-1.87	-1.75	-1.56	-1.61	-2.70	-1.52	-1.34	-1.29	-1.43	-1.65	-1.74
2	-1.86	-1.86	-1.74	-1.59	-1.65	-2.66	-1.47	-1.41	-1.28	-1.44	-1.66	-1.75
3	-1.85	-1.85	-1.77	-1.57	-1.69	-2.67	-1.46	-1.40	-1.31	-1.44	-1.67	-1.81
4	-1.83	-1.85	-1.74	-1.48	-1.74	-2.69	-1.44	-1.35	-1.30	-1.46	-1.68	-1.82
5	-1.82	-1.85	-1.70	-1.44	-1.77	-2.70	-1.42	-1.32	-1.26	-1.46	-1.68	-1.82
6	-1.83	-1.84	-1.66	-1.41	-1.79	-2.75	-1.39	-1.31	-1.25	-1.45	-1.66	-1.82
7	-1.84	-1.83	-1.67	-1.36	-1.87	-2.75	-1.36	-1.28	-1.29	-1.46	-1.66	-1.81
8	-1.84	-1.83	-1.71	-1.44	-1.92	-2.74	-1.35	-1.24	-1.31	-1.48	-1.65	-1.77
9	-1.83	-1.84	-1.79	-1.44	-1.94	-2.75	-1.34	-1.23	-1.27	-1.49	-1.65	-1.71
10	-1.87	-1.84	-1.74	-1.40	-1.97	-2.72	-1.31	-1.20	-1.27	-1.54	-1.65	-1.69
11	-1.85	-1.84	-1.70	-1.41	-2.00	-2.75	-1.35	-1.19	-1.34	-1.55	-1.66	-1.67
12	-1.79	-1.82	-1.68	-1.35	-2.05	-2.78	-1.37	-1.18	-1.37	-1.56	-1.66	-1.65
13	-1.74	-1.82	-1.66	-1.31	-2.07	-2.70	-1.37	-1.18	-1.38	-1.61	-1.68	-1.63
14	-1.70	-1.84	-1.65	-1.31	-2.04	-2.63	-1.35	-1.18	-1.39	-1.62	-1.68	-1.60
15	-1.70	-1.87	-1.62	-1.37	-2.07	-2.56	-1.37	-1.15	-1.39	-1.61	-1.72	-1.59
16	-1.74	-1.86	-1.59	-1.57	-2.11	-2.41	-1.32	-1.13	-1.38	-1.62	-1.73	-1.57
17	-1.74	-1.85	-1.55	-1.70	-2.24	-2.29	-1.32	-1.16	-1.33	-1.62	-1.71	-1.55
18	-1.71	-1.85	-1.54	-1.67	-2.40	-2.17	-1.31	-1.18	-1.31	-1.62	-1.72	-1.55
19	-1.68	-1.84	-1.53	-1.66	-2.50	-2.07	-1.31	-1.18	-1.32	-1.63	-1.74	-1.64
20	-1.68	-1.84	-1.54	-1.57	-2.55	-2.01	-1.28	-1.24	-1.32	-1.63	-1.75	-1.64
21	-1.69	-1.82	-1.53	-1.50	-2.46	-1.96	-1.28	-1.25	-1.31	-1.62	-1.77	-1.63
22	-1.69	-1.81	-1.49	-1.47	-2.34	-1.89	-1.26	-1.27	-1.32	-1.61	-1.77	-1.58
23	-1.71	-1.79	-1.49	-1.48	-2.28	-1.82	-1.27	-1.27	-1.32	-1.62	-1.76	-1.54
24	-1.79	-1.78	-1.48	-1.50	-2.26	-1.79	-1.28	-1.29	-1.32	-1.63	-1.75	-1.52
25	-1.90	-1.76	-1.48	-1.52	-2.21	-1.78	-1.26	-1.27	-1.34	-1.62	-1.74	-1.49
26	-1.90	-1.75	-1.48	-1.53	-2.21	-1.70	-1.26	-1.26	-1.40	-1.62	-1.73	-1.44
27	-1.91	-1.75	-1.47	-1.55	-2.24	-1.66	-1.32	-1.28	-1.44	-1.62	-1.72	-1.42
28	-1.89	-1.75	-1.47	-1.56	-2.45	-1.65	-1.32	-1.32	-1.45	-1.65	-1.73	-1.41
29	-1.88	---	-1.47	-1.57	-2.62	-1.62	-1.35	-1.29	-1.44	-1.65	-1.73	-1.39
30	-1.86	---	-1.45	-1.59	-2.65	-1.56	-1.32	-1.29	-1.44	-1.65	-1.74	-1.36
31	-1.87	---	-1.44	---	-2.67	---	-1.31	-1.30	---	-1.65	---	-1.36
Max	-1.68	-1.75	-1.44	-1.31	-1.61	-1.56	-1.26	-1.13	-1.25	-1.43	-1.65	-1.36
Min	-1.91	-1.87	-1.79	-1.70	-2.67	-2.78	-1.52	-1.41	-1.45	-1.65	-1.77	-1.82

Year 2013 Statistics: Year Max -1.13; Year Min -2.78.

Note: Water level in ft bgs.







**Table C-15  
Willow Spring Piezometer SPR7022Z, Calendar Year 2013  
Water-Level Data, Daily Mean Values**



	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12.71	12.71	12.70	12.68	12.82	13.04	13.38	13.52	13.50	13.31	13.16	13.09
2	12.71	12.70	12.69	12.67	12.82	13.06	13.39	13.52	13.50	13.30	13.15	13.08
3	12.71	12.69	12.68	12.66	12.82	13.08	13.40	13.53	13.48	13.29	13.15	13.08
4	12.72	12.68	12.67	12.67	12.83	13.11	13.40	13.54	13.47	13.28	13.15	13.09
5	12.72	12.67	12.66	12.67	12.83	13.12	13.41	13.55	13.46	13.28	13.15	13.08
6	12.71	12.67	12.66	12.68	12.84	13.14	13.40	13.55	13.47	13.27	13.14	13.08
7	12.72	12.66	12.66	12.68	12.83	13.15	13.40	13.55	13.45	13.27	13.14	13.08
8	12.72	12.66	12.65	12.68	12.83	13.17	13.40	13.56	13.43	13.26	13.13	13.09
9	12.71	12.67	12.65	12.69	12.84	13.18	13.41	13.56	13.42	13.26	13.13	13.09
10	12.71	12.68	12.64	12.69	12.85	13.19	13.42	13.56	13.42	13.25	13.13	13.08
11	12.71	12.68	12.64	12.70	12.86	13.21	13.42	13.57	13.41	13.24	13.13	13.09
12	12.72	12.69	12.62	12.71	12.87	13.22	13.41	13.58	13.38	13.23	13.13	13.08
13	12.73	12.69	12.62	12.71	12.89	13.23	13.42	13.58	13.35	13.22	13.13	13.09
14	12.74	12.69	12.62	12.72	12.91	13.24	13.42	13.58	13.34	13.20	13.12	13.09
15	12.75	12.67	12.62	12.72	12.92	13.25	13.43	13.59	13.34	13.19	13.12	13.08
16	12.75	12.66	12.62	12.72	12.93	13.26	13.43	13.59	13.33	13.19	13.12	13.08
17	12.74	12.66	12.63	12.71	12.93	13.27	13.44	13.59	13.33	13.19	13.12	13.08
18	12.74	12.66	12.65	12.71	12.90	13.28	13.44	13.58	13.35	13.19	13.12	13.07
19	12.75	12.66	12.65	12.72	12.89	13.29	13.45	13.57	13.35	13.19	13.11	13.07
20	12.75	12.67	12.65	12.72	12.89	13.30	13.46	13.55	13.34	13.19	13.11	13.07
21	12.75	12.68	12.65	12.73	12.91	13.30	13.47	13.53	13.34	13.19	13.11	13.07
22	12.75	12.68	12.66	12.74	12.94	13.31	13.48	13.53	13.35	13.18	13.10	13.07
23	12.76	12.69	12.66	12.75	12.95	13.32	13.49	13.53	13.34	13.18	13.10	13.07
24	12.75	12.69	12.66	12.76	12.96	13.32	13.49	13.52	13.34	13.17	13.10	13.07
25	12.74	12.69	12.66	12.76	12.98	13.32	13.50	13.51	13.33	13.17	13.10	13.07
26	12.72	12.70	12.66	12.78	13.00	13.34	13.51	13.52	13.32	13.17	13.10	13.07
27	12.71	12.71	12.67	12.78	13.01	13.35	13.49	13.50	13.31	13.16	13.09	13.07
28	12.71	12.71	12.68	12.79	13.01	13.35	13.49	13.49	13.31	13.16	13.09	13.06
29	12.72	---	12.68	12.80	13.00	13.36	13.49	13.49	13.30	13.16	13.09	13.07
30	12.72	---	12.68	12.81	13.01	13.37	13.49	13.49	13.30	13.15	13.09	13.07
31	12.72	---	12.68	---	13.03	---	13.50	13.50	---	13.15	---	13.07
Max	12.76	12.71	12.70	12.81	13.03	13.37	13.51	13.59	13.50	13.31	13.16	13.09
Min	12.71	12.66	12.62	12.66	12.82	13.04	13.38	13.49	13.30	13.15	13.09	13.06

Year 2013 Statistics: Year Max 13.59; Year Min 12.62

Note: Water level in ft bgs.

2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







## **Appendix D**



### **SNWA and USGS Discharge Measurements and Hydrographs for Big Springs Creek and Cleve Creek**





**Table D-1  
USGS Discharge Measurements at Big Springs Creek near Baker, Nevada**

SNWA Station Number	USGS Station Number	Station Name	Date	Time	Discharge (cfs)	Measurement Rated as:	Method	Data Source			
1951904	102432241	Big Springs Creek North Channel	10/10/2012	10:58	3.78	FAIR	Reported	USGS-NWIS			
			10/10/2012	11:35	3.84	FAIR	Reported	USGS-NWIS			
			11/27/2012	14:44	3.72	FAIR	Reported	USGS-NWIS			
			11/27/2012	15:20	3.58	FAIR	Reported	USGS-NWIS			
			1/23/2013	11:17	3.60	FAIR	Reported	USGS-NWIS			
			1/23/2013	12:03	3.63	FAIR	Reported	USGS-NWIS			
			3/5/2013	11:16	3.66	FAIR	Reported	USGS-NWIS			
			3/5/2013	11:54	3.66	GOOD	Reported	USGS-NWIS			
			4/17/2013	11:07	3.46	GOOD	Reported	USGS-NWIS			
			6/6/2013	8:59	4.08	POOR	Reported	USGS-NWIS			
			6/6/2013	9:41	4.11	FAIR	Reported	USGS-NWIS			
			7/18/2013	11:05	3.76	POOR	Reported	USGS-NWIS			
			9/12/2013	11:32	3.49	POOR	Reported	USGS-NWIS			
			9/12/2013	12:23	3.41	POOR	Reported	USGS-NWIS			
			1951903	10243224	Big Springs Creek South Channel	10/10/2012	9:59	5.38	FAIR	Reported	USGS-NWIS
						11/27/2012	13:24	5.70	GOOD	Reported	USGS-NWIS
11/27/2012	14:06	5.76				GOOD	Reported	USGS-NWIS			
1/23/2013	9:46	5.35				FAIR	Reported	USGS-NWIS			
1/23/2013	10:25	5.65				FAIR	Reported	USGS-NWIS			
3/5/2013	12:43	5.96				FAIR	Reported	USGS-NWIS			
3/5/2013	13:53	5.41				POOR	Reported	USGS-NWIS			
4/17/2013	9:39	5.97				GOOD	Reported	USGS-NWIS			
4/17/2013	10:20	5.93				GOOD	Reported	USGS-NWIS			
6/6/2013	10:32	5.68				FAIR	Reported	USGS-NWIS			
7/18/2013	8:27	6.23				FAIR	Reported	USGS-NWIS			
7/18/2013	10:23	5.74				FAIR	Reported	USGS-NWIS			
9/12/2013	10:09	5.13	FAIR	Reported	USGS-NWIS						
9/12/2013	10:43	5.17	FAIR	Reported	USGS-NWIS						

Note: USGS-NWIS data are provisional.



2013 Spring Valley Hydrologic Monitoring, Management, and Mitigation Plan Status & Data Report







**Table D-2**  
**10243700 - Cleve Creek near Ely, Nevada (Discharge Measurements)**

SNWA Station Number	USGS Station Number	Station Name	Date	Time	Discharge (cfs)	Measurement Rated As:	Method <sup>a</sup>	Data Source <sup>b</sup>
1841611	10243700	Cleve Creek near Ely, NV	10/11/2012	9:05	6.9	POOR	C	SNWA
			10/11/2012	10:04	6.4	FAIR	C	SNWA
			10/11/2012	10:23	6.39	FAIR	R	USGS-NWIS
			10/11/2012	11:17	6.6	POOR	C	SNWA
			10/11/2012	12:07	6.6	POOR	C	SNWA
			11/27/2012	9:54	5.66	FAIR	R	USGS-NWIS
			11/27/2012	10:38	6.08	FAIR	R	USGS-NWIS
			1/23/2013	14:23	5.70	FAIR	R	USGS-NWIS
			1/23/2013	14:53	5.89	FAIR	R	USGS-NWIS
			3/6/2013	8:51	6.56	FAIR	R	USGS-NWIS
			3/6/2013	9:35	6.35	FAIR	R	USGS-NWIS
			4/17/2013	13:46	7.21	GOOD	R	USGS-NWIS
			6/7/2013	8:07	7.76	FAIR	R	USGS-NWIS
			7/19/2013	9:08	5.68	FAIR	R	USGS-NWIS
			9/12/2013	14:57	10.6	FAIR	R	USGS-NWIS
9/12/2013	15:25	10.1	FAIR	R	USGS-NWIS			

<sup>a</sup>Measurement Method: C = Current meter, R = Reported

<sup>b</sup>USGS-NWIS data are provisional.





**This Page Left Intentionally Blank**



## **Appendix E**

### **Regional and High-Altitude Precipitation Data**



**Table E-1**  
**2013 Regional Precipitation Data**  
 (Page 1 of 6)

<b>Lages, NV (RP1790201)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	1.39	0.39	0.20	1.53	0.83	0.04	0.43	0.57	1.11	0.89	0.41	1.55	9.34
Period of Recod Statistics (1984 to Present)													
Mean	0.62	0.59	0.74	0.94	0.92	0.62	0.70	0.47	0.64	0.95	0.49	0.51	8.19
Min	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	4.10
Max	2.34	2.01	2.74	2.76	2.89	3.05	2.24	1.41	2.19	3.89	1.75	2.44	13.20
No. Yrs.	29	30	29	30	30	29	29	29	30	30	29	30	26
<b>McGill, NV (RP1790202)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.59	1.05	0.10	0.71	0.35	0.00	0.12	0.75	2.03	1.03	0.50	1.30	8.53
Period of Recod Statistics (1892 to Present)													
Mean	0.63	0.66	0.75	0.95	1.02	0.75	0.68	0.76	0.70	0.80	0.56	0.61	8.87
Min	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.76
Max	4.58	2.38	2.54	3.19	3.33	4.30	3.03	3.25	5.57	3.38	1.90	3.05	16.21
No. Yrs.	104	105	106	107	105	105	105	104	104	102	105	106	92
<b>Ely, NV (RP1790203)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.80	0.65	0.25	0.86	0.55	0.00	0.26	0.79	1.72	0.82	0.87	0.99	8.56
Period of Recod Statistics (1893 to Present)													
Mean	0.77	0.78	1.00	1.02	1.09	0.64	0.63	0.81	0.76	0.82	0.68	0.70	9.70
Min	0.00	0.01	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.22
Max	2.50	3.75	4.30	5.52	3.55	3.53	2.30	3.00	4.99	3.67	2.40	3.33	16.16
No. Yrs.	91	91	91	91	91	89	90	92	91	90	89	89	82
<b>Cedar Pass, NV (RP1940201)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.45	0.35	0.36	2.04	0.99	0.00	1.26	1.08	2.89	0.52	0.23	0.70	10.87
Period of Recod Statistics (1989 to Present)													
Mean	0.35	0.62	0.84	1.27	1.11	0.92	0.82	0.73	0.67	0.89	0.34	0.38	8.94
Min	0.10	0.04	0.16	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.03	5.30
Max	1.12	1.55	1.84	4.01	4.83	3.24	1.75	1.72	2.89	2.64	0.92	2.24	14.77
No. Yrs.	19	20	20	20	17	19	18	19	18	20	19	21	12
<b>Callao, UT (RP1950201)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.43	0.00	0.09	0.63	0.95	0.01	0.41	0.46	1.42	0.60	0.35	0.93	6.28
Period of Recod Statistics (1902 to Present)													
Mean	0.37	0.38	0.39	0.57	0.81	0.63	0.39	0.55	0.45	0.57	0.37	0.31	5.79
Min	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.94
Max	2.50	1.45	1.60	2.24	4.20	3.03	2.27	3.11	4.08	3.00	1.88	1.94	10.59
No. Yrs.	76	75	73	76	76	74	78	76	78	77	74	79	70



**Table E-1**  
**2013 Regional Precipitation Data**  
 (Page 2 of 6)

Partoun, UT (RP1950202)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.17	0.35	0.11	0.28	1.18	0.00	1.01	0.46	1.78	0.42	0.41	0.90	7.07
Period of Recod Statistics (1905 to Present)													
Mean	0.41	0.50	0.53	0.72	0.94	0.68	0.56	0.56	0.60	0.61	0.46	0.38	6.95
Min	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.03
Max	1.85	1.92	1.50	2.22	5.08	3.29	2.66	2.27	4.58	2.57	2.20	1.81	12.34
No. Yrs.	61	61	63	65	66	64	63	63	66	63	66	62	49
Eskdale, UT (RP1950203)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.04	0.10	0.32	1.04	0.42	0.00	1.17	0.78	1.83	0.37	0.42	0.78	7.27
Period of Recod Statistics (1966 to Present)													
Mean	0.27	0.40	0.62	0.67	0.67	0.60	0.56	0.55	0.66	0.64	0.38	0.35	6.37
Min	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.18
Max	1.77	2.38	2.03	2.21	3.35	2.32	3.26	2.40	3.57	2.24	1.40	2.57	12.57
No. Yrs.	44	45	43	47	47	48	47	47	46	47	45	44	32
Mather, NV (RP1950204)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.32	0.05	0.32a	1.16	0.99	0.00z	0.00z	0.00z	0.00z	0.00z	0.00z	0.00z	2.84
Period of Recod Statistics (1998 to Present)													
Mean	0.25	0.51	0.63	1.36	1.29	1.16	1.46	1.23	1.12	1.40	0.49	0.23	11.13
Min	0.02	0.05	0.25	0.50	0.06	0.00	0.20	0.00	0.16	0.00	0.03	0.01	7.64
Max	0.72	1.15	1.32	2.59	3.76	3.27	3.17	2.81	2.24	3.63	1.80	1.50	13.59
No. Yrs.	13	14	14	13	15	15	14	13	14	13	14	13	9
Great Basin National Park, NV (RP1950205)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.65	0.65	1.10	2.80	0.84	0.00	0.82	1.17	4.12	0.70	1.78	2.00	16.63
Period of Recod Statistics (1948 to Present)													
Mean	1.04	1.17	1.37	1.23	1.23	0.86	0.97	1.18	1.13	1.23	0.99	1.00	13.40
Min	0.03	0.09	0.00	0.03	0.00	0.00	0.01	0.02	0.00	0.00	0.00	0.00	7.37
Max	3.78	3.59	4.96	3.02	4.74	3.73	3.90	5.10	6.02	5.22	3.40	4.23	21.20
No. Yrs.	62	62	62	64	64	62	64	64	65	65	64	63	57
Baker Flat, NV (RP1950206)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.62	0.33	0.33c	0.17b	0.82	0.00	0.80	0.76	0.00z	0.00z	0.00z	0.00z	3.83
Period of Recod Statistics (2000 to Present)													
Mean	0.82	0.78	0.40	0.57	0.34	0.25	0.49	0.63	0.40	1.07	0.34	0.50	6.59
Min	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00	3.95
Max	3.52	2.15	1.06	2.65	1.13	0.97	1.52	2.27	1.43	4.23	1.95	1.41	15.26
No. Yrs.	10	10	11	11	12	13	11	12	10	10	10	10	5

**Table E-1**  
**2013 Regional Precipitation Data**  
 (Page 3 of 6)

Clifton Flat, UT (RP2530201)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.20l	0.09h	0.08b	1.89	0.93	0.00	0.29	0.47	2.04	0.78	0.44	0.43	7.64
Period of Recod Statistics (2004 to Present)													
Mean	0.32	0.41	0.57	1.60	2.33	0.91	0.51	0.46	0.73	1.08	0.41	0.35	9.68
Min	0.10	0.21	0.08	0.11	0.31	0.00	0.11	0.00	0.13	0.53	0.00	0.02	4.84
Max	0.74	0.60	1.21	3.60	8.02	3.09	0.95	0.76	2.09	1.70	1.19	2.10	15.92
No. Yrs.	8	7	8	9	8	10	8	9	9	9	10	9	6
Ibapah, UT (RP2530202)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	1.20	0.50	0.00	0.00z	0.95	0.00	0.60	0.40	1.35	0.85	0.85	1.17	7.87
Period of Recod Statistics (1903 to Present)													
Mean	0.63	0.77	0.94	1.29	1.43	0.97	0.82	0.90	0.73	0.94	0.60	0.67	10.69
Min	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.20
Max	2.41	1.96	3.14	4.81	6.15	4.16	2.58	4.10	5.85	3.42	1.94	2.03	16.41
No. Yrs.	82	88	92	89	90	89	92	92	89	91	86	85	48
Tule Valley, UT (RP2570201)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.28	0.38	0.36b	1.13	0.81a	0.00b	0.72	0.45	1.29	0.30	0.41	0.26	6.39
Period of Recod Statistics (1987 to Present)													
Mean	0.27	0.35	0.53	0.66	0.73	0.35	0.42	0.36	0.49	0.58	0.33	0.31	5.38
Min	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.75
Max	1.03	0.84	1.49	2.17	3.80	1.44	1.80	1.14	1.29	1.18	1.28	1.31	10.96
No. Yrs.	20	23	18	20	19	20	17	18	18	17	20	21	12
Fish Springs Refuge, UT (RP2580201)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.25	0.38	0.02	1.59	0.88	0.00	0.53	0.36	1.80	0.00	0.17	0.30	6.28
Period of Recod Statistics (1960 to Present)													
Mean	0.39	0.50	0.68	1.05	1.05	0.68	0.50	0.53	0.70	0.80	0.53	0.43	7.84
Min	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.89
Max	1.04	1.60	2.42	2.63	4.89	2.94	1.91	3.16	3.14	3.47	1.67	1.67	12.64
No. Yrs.	50	53	53	50	52	52	54	54	50	52	54	54	43
Bird Creek, NV (RP1790301)													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	1.20	1.10	0.10	0.70	0.60	0.00	0.40	0.10	4.50	1.30	0.50	1.50	12.00
Period of Recod Statistics (2011 to Present)													
Mean	1.25	1.15	0.90	1.10	0.45	0.00	0.70	0.77	2.50	1.37	0.47	1.47	12.13
Min	1.20	1.10	0.10	0.70	0.30	0.00	0.40	0.10	1.50	1.00	0.40	0.30	12.00
Max	1.30	1.20	1.70	1.50	0.60	0.00	1.00	1.10	4.50	1.80	0.50	2.60	13.60
No. Yrs.	2	2	2	2	2	2	2	3	3	3	3	3	2



**Table E-1**  
**2013 Regional Precipitation Data**  
 (Page 4 of 6)

<b>Berry Creek, NV (RP1790302)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	2.60	1.80	0.80	4.00	1.70	0.00	0.70	1.60	4.70	2.30	1.40	2.20	23.80
Period of Recod Statistics (1976 to Present)													
Mean	2.59	2.95	3.31	3.55	2.79	1.40	1.39	1.36	1.40	2.30	2.10	2.55	27.69
Min	0.60	1.10	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.20	17.20
Max	5.20	7.60	5.90	11.40	7.90	4.90	3.60	5.60	4.70	7.20	7.00	7.10	40.00
No. Yrs.	33	33	33	33	33	33	33	32	32	38	37	36	31
<b>Kalamazoo, NV (RP1840301)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	1.40	1.10	0.70	2.20	1.00	0.00	0.30	0.50	4.00	1.60a	1.10	1.80	15.70
Period of Recod Statistics (2011 to Present)													
Mean	1.65	1.50	1.45	1.90	0.60	0.00	0.60	1.80	2.40	1.80	0.73	1.70	16.13
Min	1.40	1.10	0.70	1.60	0.20	0.00	0.30	0.50	1.20	1.60	0.40	0.40	15.70
Max	1.90	1.90	2.20	2.20	1.00	0.00	0.90	2.80	4.00	2.00	1.10	2.90	18.20
No. Yrs.	2	2	2	2	2	2	2	3	3	3	3	3	2
<b>Cave Mountain, NV (RP1840302)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	2.00	1.00	0.70	2.00	1.50	0.00	1.00	3.90	3.40	2.00	1.80	1.80	21.10
Period of Recod Statistics (2011 to Present)													
Mean	1.95	1.20	1.95	1.70	0.95	0.05	1.65	2.70	2.50	2.03	1.07	1.80	19.55
Min	1.90	1.00	0.70	1.40	0.40	0.00	1.00	1.10	1.20	1.30	0.60	0.40	21.10
Max	2.00	1.40	3.20	2.00	1.50	0.10	2.30	3.90	3.40	2.80	1.80	3.20	21.80
No. Yrs.	2	2	2	2	2	2	2	3	3	3	3	3	2
<b>Wheeler Peak, NV (RP1840303)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	2.00	1.20	1.20	3.40	1.70	0.00	0.50	3.40	5.70	2.90	2.80	2.40	27.20
Period of Recod Statistics (2010 to Present)													
Mean	1.83	2.40	3.70	3.80	3.20	0.17	2.17	1.85	2.82	3.52	2.82	4.58	32.86
Min	1.60	1.20	1.20	2.70	0.60	0.00	0.50	0.80	0.10	1.20	1.20	0.80	27.20
Max	2.00	3.10	5.90	5.30	7.30	0.50	4.30	3.40	5.70	5.70	5.40	11.20	34.70
No. Yrs.	3	3	3	3	3	3	3	4	4	4	4	4	3
<b>Goshute, UT (RP2530301)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.61	0.29	0.34	1.24	1.11	0.01	0.61	0.21a	1.49	0.76	0.51	0.54	7.72
Period of Recod Statistics (2010 to Present)													
Mean	0.37	0.56	0.52	1.12	2.66	0.36	0.55	0.58	0.58	0.78	0.56	0.94	9.58
Min	0.17	0.29	0.34	0.48	0.09	0.00	0.38	0.21	0.13	0.52	0.26	0.36	5.80
Max	0.61	0.86	0.86	2.14	6.54	1.07	0.65	1.03	1.49	1.27	1.22	1.57	13.93
No. Yrs.	3	3	3	4	4	4	4	4	4	4	4	4	3

**Table E-1**  
**2013 Regional Precipitation Data**  
 (Page 5 of 6)

<b>Hals Canyon, UT (RP2550301)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.28	0.22	0.26	1.13a	0.46	0.00a	1.00a	0.32	2.09b	0.78	0.48	0.15	7.17
Period of Recod Statistics (2010 to Present)													
Mean	0.17	0.25	0.17	0.72	0.62	0.21	0.71	0.92	1.07	1.02	0.40	0.51	6.77
Min	0.00	0.18	0.10	0.17	0.01	0.00	0.08	0.32	0.00	0.31	0.13	0.15	4.52
Max	0.28	0.35	0.26	1.13	1.82	0.65	1.00	1.54	2.09	1.56	0.82	1.43	7.96
No. Yrs.	3	3	3	4	4	4	4	4	4	4	4	4	3
<b>Tule Valley, UT (RP2570301)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.40	0.35	0.53	1.48a	0.24	0.00	0.18	0.18	1.32	0.44	0.34a	0.32	5.78
Period of Recod Statistics (2010 to Present)													
Mean	0.23	0.52	0.38	1.16	1.77	0.14	0.43	0.47	0.94	0.72	0.65	0.79	8.20
Min	0.00	0.35	0.28	0.48	0.02	0.00	0.09	0.18	0.00	0.44	0.34	0.15	5.78
Max	0.40	0.84	0.53	1.48	5.48	0.33	1.23	0.97	1.82	1.09	1.25	1.74	12.37
No. Yrs.	3	3	3	4	4	4	4	4	4	4	4	4	3
<b>Subalpine (west), NV (RP1840501)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	2.67	1.43	1.22	3.50	1.77	0.00	1.04	1.75	3.53	2.86	3.00	2.29	25.06
Period of Recod Statistics (2010 to Present)													
Mean	1.04	1.26	1.83	2.28	2.94	0.08	2.55	1.91	1.83	2.77	2.32	3.45	24.27
Min	0.00	0.47	0.86	1.25	0.50	0.00	1.04	1.09	0.08	1.03	0.50	0.28	14.83
Max	2.67	1.88	3.41	3.50	6.56	0.25	3.82	2.90	3.53	4.90	4.48	10.88	25.06
No. Yrs.	3	3	3	3	3	3	3	3	3	4	4	4	3
<b>Montane (west), NV (RP1840502)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	1.44	0.73	0.79	1.77	1.26	0.00	0.75	1.59	2.97	2.17	2.05	1.76	17.28
Period of Recod Statistics (2010 to Present)													
Mean	0.97	1.45	1.82	2.03	2.38	0.08	1.63	1.34	1.43	2.42	1.79	2.17	19.52
Min	0.37	0.73	0.79	1.77	0.36	0.00	0.75	0.60	0.04	1.41	0.59	0.30	15.30
Max	1.44	1.84	2.66	2.27	5.53	0.25	2.44	1.83	2.97	3.60	3.53	6.02	20.59
No. Yrs.	3	3	3	3	3	3	3	3	4	4	4	4	3
<b>Pinyon-Juniper (west), NV (RP1840503)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.57	0.40	0.53	0.62	0.72	0.00	0.59	1.58	2.25	1.10	0.97	0.77	10.10
Period of Recod Statistics (2011 to Present)													
Mean	0.66	0.80	0.92	0.89	0.45	0.06	1.49	1.20	1.45	1.37	0.62	0.54	10.44
Min	0.57	0.40	0.53	0.62	0.18	0.00	0.59	0.47	0.99	1.01	0.41	0.22	10.10
Max	0.74	1.19	1.30	1.16	0.72	0.19	2.18	1.58	2.25	2.01	0.97	0.77	11.45
No. Yrs.	2	2	2	2	2	3	3	3	3	3	3	3	2



**Table E-1**  
**2013 Regional Precipitation Data**  
 (Page 6 of 6)

<b>Sagebrush (west), NV (RP1840504)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.12	0.18	0.11	0.49	0.42	0.00	0.04	1.73	0.93	1.01	0.98	0.43	6.44
Period of Recod Statistics (2010 to Present)													
Mean	0.23	0.56	0.50	0.55	1.01	0.04	1.12	0.91	0.59	1.19	0.49	0.97	8.16
Min	0.09	0.18	0.11	0.23	0.09	0.00	0.04	0.37	0.00	1.01	0.07	0.09	6.44
Max	0.49	0.79	0.84	0.92	2.53	0.11	2.65	1.73	0.93	1.38	0.98	2.99	10.83
No. Yrs.	3	3	3	3	3	3	4	4	4	3	4	4	2
<b>Subalpine (east), NV (RP1950501)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.05t	0.00z	0.00z	0.00z	0.45z	0.05	0.68	2.84	3.10	1.09a	0.70	0.56	9.52
Period of Recod Statistics (2011 to Present)													
Mean	1.47	2.79	1.20	1.88	0.39	0.02	1.80	2.53	2.29	1.71	0.75	0.63	17.46
Min	1.47	2.79	1.20	1.88	0.39	0.00	0.68	2.22	1.64	1.09	0.65	0.53	17.26
Max	1.47	2.79	1.20	1.88	0.39	0.05	2.92	2.84	3.10	2.94	0.89	0.80	17.26
No. Yrs.	1	1	1	1	1	2	2	2	3	3	3	3	1
<b>Sagebrush (east), NV (RP1950502)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.20	0.22	0.65	0.88	0.34	0.00	0.33	0.26	2.47	0.65	0.62	0.42	7.04
Period of Recod Statistics (2010 to Present)													
Mean	0.18	0.78	0.50	0.69	1.02	0.04	0.64	0.35	1.04	0.81	0.56	1.08	7.69
Min	0.16	0.22	0.23	0.04	0.01	0.00	0.33	0.11	0.17	0.24	0.10	0.34	5.37
Max	0.20	1.09	0.65	1.15	2.71	0.13	0.84	0.84	2.47	1.39	1.10	3.01	8.64
No. Yrs.	3	3	3	3	3	3	4	4	4	4	4	4	3
<b>Salt Desert Shrub (east), NV (RP1950503)</b>													
Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2013	0.12	0.12	0.64	0.78	0.35	0.00	0.65	0.62	2.34	0.38	0.65	0.12	6.77
Period of Recod Statistics (2011 to Present)													
Mean	0.12	0.40	0.40	0.44	0.18	0.00	0.58	0.55	1.11	0.47	0.31	0.21	4.77
Min	0.12	0.12	0.17	0.11	0.00	0.00	0.51	0.26	0.23	0.34	0.09	0.12	3.91
Max	0.12	0.67	0.64	0.78	0.35	0.00	0.65	0.78	2.34	0.70	0.65	0.26	6.77
No. Yrs.	2	2	2	2	2	2	2	3	3	3	3	3	2

Note: a = 1 day missing, b = 2 days missing, c = 3 days missing, etc., z = 26 or more days missing; Long-term means based on summation of period of record monthly mean row values.



**Table E-2  
2013 High-Altitude Precipitation Data**

Source	Station Number	Station Name	2013 Precipitation (in.)	Period of Record Statistics				
				Time Period	Mean	Min	Max	No. Yrs.
NDWR	RP1790101	Schellborne	16.00	1954 - 2013	14.50	0.00	26.80	54
NDWR	RP1790102	Connors	13.25	1956 - 2013	13.96	3.40	23.94	54
NDWR	RP1830103	Mount Wilson	16.10	1954 - 2013	16.62	7.50	28.30	57
USGS	RP1840401	Mount Washington	20.50	1984 - 2013	26.31	12.00	62.00	29
USGS	RP1840402	Cave Mountain	19.50	1984 - 2013	20.36	12.00	32.16	30
USGS	RP1950403	Unnamed Peak Northwest of Mount Moriah	NA	1984 - 2012	18.14	8.50	28.75	27

Note: NA: 2013 annual data unavailable prior to report publication date.



**This Page Left Intentionally Blank**



## SOUTHERN NEVADA WATER AUTHORITY

100 City Parkway, Suite 700 • Las Vegas, NV 89106  
MAILING ADDRESS: P.O. Box 99956 • Las Vegas, NV 89193-9956  
(702) 862-3400 • snwa.com

March 27, 2014

Jason King, P.E., State Engineer  
Nevada Division of Water Resources  
901 S. Stewart Street, Suite 2002  
Carson City, NV 89701

Rosemary Thomas, Ely District Manager  
Bureau of Land Management  
702 N. Industrial Way  
HC 33 Box 3350  
Ely, NV 89301

Zane L. Marshall, Director  
Water & Environmental Resources  
Southern Nevada Water Authority  
P.O. Box 99956  
Las Vegas, NV 89193-9956

Cathy Wilson, Area Director  
Bureau of Indian Affairs, Western Region  
2600 N. Central Ave., MS#460  
Phoenix, AZ 85004

Bill Hansen, Chief Water Rights Branch  
National Park Service, WRD  
1201 Oak Ridge Drive, Suite 250  
Ft. Collins, CO 80525

Ted Koch, Nevada State Supervisor  
U.S. Fish and Wildlife Service  
1340 Financial Blvd., Suite 234  
Reno, NV 89502

William Dunkelberger, Forest Supervisor  
U.S. Forest Service  
1200 Franklin Way  
Sparks, NV 89431

Dear Mr. King and Stipulation Executive Committee Members:

**SUBJECT: SUBMITTAL OF THE 2013 DDC AND SPRING VALLEY  
HYDROLOGIC MONITORING, MANAGEMENT AND MITIGATION  
PLAN STATUS AND DATA REPORTS**

The Southern Nevada Water Authority (SNWA) hereby submits the subject reports to the Nevada State Engineer (NSE) and Stipulation Executive Committee (EC). These reports are submitted in satisfaction of reporting requirements set forth in hydrologic monitoring plans approved by the NSE associated with Rulings 6164 through 6167, and Exhibit A of the Stipulations for Withdrawal of Protests for Spring Valley and Dry Lake, Delamar, and Cave (DDC) valleys.

These reports provide the NSE, EC, and Technical Review Panel (TRP) with hydrologic data for calendar year 2013 and a status update of monitoring activities performed by SNWA.

### SNWA MEMBER AGENCIES

Big Bend Water District • Boulder City • Clark County Water Reclamation District • City of Henderson • City of Las Vegas • City of North Las Vegas • Las Vegas Valley Water District

Mr. Jason King and  
Stipulation Executive Committee Members  
March 27, 2014  
Page 2

An electronic copy of the data has been submitted to the NSE in the required format. Copies of the reports and NSE electronic data submittal have also been posted on the Spring Valley and DDC valleys data-exchange website.

If you have any questions regarding these reports, please contact James Prieur at (702) 862-7437.

Sincerely,



Zane L. Marshall  
Director, Water & Environmental Resources

Enc.

ZLM:dl

c: Rick Felling, Nevada Division of Water Resources  
Dan Netcher, Bureau of Land Management  
Sarah Peterson, Bureau of Land Management  
Ray Roessel, Bureau of Indian Affairs, Western Region  
William Van Liew, National Park Service, WRD  
Sue Braumiller, U.S. Fish and Wildlife Service  
Michael Senn, U.S. Fish and Wildlife Service  
Joe Gurrieri, U.S. Forest Service  
Gary Karst, National Park Service  
Jose Noriega, U.S. Forest Service  
Andrew Burns, Southern Nevada Water Authority  
James Prieur, Southern Nevada Water Authority