

IN THE OFFICE OF THE STATE ENGINEER
OF THE STATE OF NEVADA

RECEIVED

2017 AUG 18 PM 4:55

STATE ENGINEERS OFFICE

1 IN THE MATTER OF APPLICATIONS 53987)
2 THROUGH 53992, INCLUSIVE, AND)
3 APPLICATIONS 54003 THROUGH 54021,)
4 INCLUSIVE, FILED TO APPROPRIATE THE)
5 UNDERGROUND WATERS OF CAVE)
6 VALLEY, DELAMAR VALLEY, DRY LAKE)
7 VALLEY, AND SPRING VALLEY)
8 (HYDROGRAPHIC BASINS 180, 181, 182)
9 AND 184), LINCOLN COUNTY AND WHITE)
PINE COUNTY, NEVADA.)

MOTION IN LIMINE TO EXCLUDE
EXHIBITS GBWN/WPC 281,
GBWN/WPC 282, GBWN/WPC 290,
GBWN/WPC 292, OR PARTS
THEREOF, AND RELATED
TESTIMONY

10 The Southern Nevada Water Authority ("SNWA") requests that the State Engineer issue a pre-
11 hearing order excluding from evidence the majority of Great Basin Water Network/White Pine County
12 ("GBWN/WPC") Exhibit GBWN/WPC_281, except for the "Monitoring, Management and Mitigation
13 Plans" section on pages 66 through 80 ("3M Section"), all of exhibit GBWN/WPC_282, all of exhibit
14 GBWN/WPC_290, and all of exhibit GBWN/WPC_292. This motion is made pursuant to the State
15 Engineer's hearing regulations (NAC 533.142 and NAC 533.260), the State Engineer's Interim Order
16 on Pre-Hearing Scheduling (October 2, 2016), the State Engineer's Notice of Hearing and Interim
17 Order (November 28, 2016), and the Hearing Officer's letter regarding scheduling for motions in
18 limine (August 8, 2017).

19 The State Engineer should exclude the majority of exhibit GBWN/WPC_281 because the
20 topics raised within that exhibit, except for the 3M Section, are outside of the specific issues on
21 remand. Likewise, the State Engineer should exclude exhibits GBWN/WPC_282, 290, and 292
22 because these exhibits are referenced to address issues that are also outside of the specific issues on
23 remand. Because these exhibits relate to matters that are not within the scope of the remand hearing,
24 they are irrelevant and unduly repetitious and should be excluded under NAC 533.260. Moreover,
25 exhibits GBWN/WPC_282 and 292 should be excluded because they contain opinions related to
26
27
28

Taggart & Taggart, Ltd.
108 North Minnesota Street
Carson City, Nevada 89703
(775)883-9900 ~ Telephone
(775)883-9900 ~ Facsimile

1 groundwater dependent ecosystems and other biological matters that are outside of the expertise of the
2 only expert witness GBWN/WPC identified: the hydrologist Dr. Myers.

3 SNWA requests that the State Engineer issue an order excluding these exhibits and related
4 testimony before the hearing begins, rather than withholding a decision until the exhibits and
5 testimony are offered into evidence. SNWA must present its witnesses first during the hearing and is
6 not guaranteed a rebuttal case. Without a pre-hearing ruling on exclusion, SNWA will be placed in the
7 awkward position of either (1) having its witnesses discuss the very exhibits SNWA is trying to
8 exclude during its case in chief, or (2) risk losing the opportunity to rebut the exhibits at all should
9 they come into evidence during the protestants' cases, and over SNWA's objection. Additionally, the
10 time allotted for this hearing is very limited and does not afford the luxury of presentation of perhaps
11 irrelevant and unnecessary testimony or for that matter argument over admissibility of evidence.

12 In the event SNWA's motion in limine is denied, SNWA respectfully requests an additional
13 five days of hearing time to present evidence and witnesses to address the topics SNWA argues are
14 outside the scope of the remand hearing. SNWA has carefully planned its four and one-half days of
15 testimony to address just the four remand topics. In the event SNWA's motions in limine are denied,
16 SNWA will need additional hearing time to address the extraneous topics identified in the
17 GBWN/WPC exhibits that are the subject of this motion in limine. That time could be allowed during
18 the case in chief or preferably as rebuttal.

19 STATEMENT OF FACTS

20 I. The Remand Order

21 On December 13, 2013, the Seventh Judicial District Court (the Court) remanded portions of
22 the State Engineer's Rulings for Spring Valley, Cave Valley, Dry Lake Valley, and Delamar Valley
23 (Rulings 6164 through 6167, respectively) ("Remand Order"). The Court's Remand Order directed
24 the State Engineer to address the following four topics:

- 25 1. The addition of Millard and Juab counties, Utah in the mitigation
26 plan so far as water basins in Utah are affected by pumping of
27 water from Spring Valley Basin, Nevada;

2. A recalculation of water available for appropriation from Spring Valley assuring that the basin will reach equilibrium between discharge and recharge in a reasonable time;
3. Define standards, threshold or triggers so that mitigation of unreasonable effects from pumping of water are neither arbitrary nor capricious in Spring Valley, Cave Valley, Dry Lake Valley, and Delamar Valley, and;
4. Recalculate the appropriations from Cave Valley, Dry Lake and Delamar Valley to avoid over appropriations or conflicts with down-gradient, existing water rights.

The Court stated, however, that it “would not disturb the findings of the Engineer” except for the four issues listed above.¹ Importantly, the Court’s Remand Order did not overturn Rulings 6164-6167 in their entirety. Instead the Court simply remanded to the State Engineer for the narrow purpose of addressing the four remand topics.

II. Pre-Hearing Conference

On September 14, 2016, the State Engineer held a Status Conference regarding the Court’s Remand Order. The Status Conference was held to determine whether a new administrative hearing would be necessary and whether additional evidence was needed to address the four remand topics. Counsel for GBWN/WPC asserted that no additional hearing was necessary. Other parties at the status conference were not in agreement that an additional hearing was unnecessary. Many parties, including counsel for GBWN/WPC, agreed that if an additional administrative hearing was to be held that it should be restricted only to the matters subject to remand.² The hearing officer agreed that the scope of the remand included only the four issues and said that attempts to go beyond the scope of remand would not be allowed.³

III. Interim Order on Pre-hearing Scheduling

In the October 2, 2016 Interim Order on Pre-hearing Scheduling (“Pre-hearing Order”), the State Engineer found that an “additional administrative hearing is necessary to provide the parties the opportunity to fully address the issues remanded.” (Pre-hearing Order p. 2). Also, “[t]he scope of the

¹ Remand Order, p. 23.

² Transcript, September 17, 2016 Pre-hearing Conference (“Transcript”), p. 71:18-20 (Mr. Herskovits: “We believe that the only issues that need to be taken up on remand are the ones covered by Judge Estes’ four directives.”).

³ Transcript, p. 70:24-71:6.

1 remand hearing will be limited to the specific issues identified in the [Court's] Ruling, and only new
2 evidence relating to those issues will be considered in addition to the existing record.”⁴

3 **IV. Notice of Hearing and Interim Order**

4 On November 28, 2016, the State Engineer’s Notice of Hearing and Interim Order (“Interim
5 Order”) reiterated the limited scope of the upcoming hearing. (Interim Order p. 1). The State
6 Engineer also noted the unprecedented size of the record and stated that the “State Engineer will not
7 add to it documents that will not be relevant to his analysis on remand.” (Interim Order p. 6).

8 The State Engineer required expert witnesses to write a report including within it a “complete
9 statement of all opinions to be expressed and the basis and reasons for those opinions, the data or other
10 information considered by the witness in forming the opinions, [and] any exhibits to be used as a
11 summary of or in support of the opinions.” (Interim Order p. 8).

12 **V. Nevada Administrative Code and Nevada Legal Authority**

13 The State Engineer’s regulations for protest hearings allow admission of evidence that is
14 “relevant” to the subject matter of the hearing. NAC 533.260(1). The regulations allow the State
15 Engineer to exclude testimony that is “irrelevant, incompetent or unduly repetitious.” NAC
16 533.260(2). Evidence is relevant if it has “any tendency to make the evidence of any fact that is of
17 consequence to the determination of the action more or less probable than it would be without the
18 evidence.” NRS 48.015. Even if evidence is relevant, it can be excluded if its probative value is
19 outweighed by “undue delay, waste of time or needless presentation of cumulative evidence.” NRS
20 48.035. Independent of evidentiary determinations, the regulations allow the State Engineer to “define
21 or limit the issues to be considered.” NAC 533.210(2).

22 **ARGUMENT**

23 **I. Doctrine of Law of the Case and Scope of Remand**

24 The doctrine of the law of the case prohibits consideration of issues which have been decided by
25 the same tribunal in a prior proceeding in the same case. “Where an appellate court states a principal
26 [sic] or rule of law in deciding a case, that rule becomes the law of the case and is controlling both in the

27 ⁴ Pre-hearing Order p. 3.

1 lower courts and on subsequent appeals, so long as the facts remain substantially the same.”⁵ In other
2 words, courts are loath to revisit prior decisions that were decided at earlier appellate stages of the same
3 litigation.⁶ The law of the case doctrine furthers important policy goals of judicial consistency and
4 finality, and prevents reconsideration of decisions that are intended to “put a particular matter to rest”
5 during the course of a single lawsuit.⁷

6 The State Engineer made many factual findings and ruled on many issues in Rulings 6164-
7 6167. On appeal, only four issues were remanded, and the remainder of the State Engineer’s findings
8 were not set aside.⁸ The District Court’s decision not to disturb the State Engineer’s findings, other
9 than the four specific remand issues, made all the other State Engineer findings “law of the case” on
10 remand. Additionally, the facts of this case remain “substantially the same.”⁹ Accordingly, the State
11 Engineer’s matters outside of the four remand issues are beyond the scope of remand, and any
12 evidence or testimony related to decided issues that were upheld on remand should be excluded from
13 consideration at the limited remand hearing. Reopening any of these matters on remand is wholly
14 improper and would represent a waste of resources. The parties had the opportunity to challenge all of
15 the State Engineer’s determinations, but the Court did not agree with all of their challenges and instead
16 only overturned four of the State Engineer’s findings. The doctrine of the law of the case demands
17 that the already settled evidentiary matters remain settled on remand.

18 Accordingly, the evidentiary findings contained within Rulings 6164-6167, together with the
19 conclusions of law established by the Court in the Remand Order, constitute the settled law of the case
20 for any further proceedings. At the prehearing conference, the parties stipulated that the scope of
21 remand was limited to the four issues. Further, the State Engineer has previously ordered that “[t]he
22 scope of the remand hearing will be limited to the specific issues identified in the [Court’s] ruling, and
23

24 ⁵ *Geissel v. Galbraith*, 105 Nev, 101, 103, 769 P.2d 1294, 1296 (1989); *See also Hsu v. County of Clark*, 123 Nev. 625,
629-30, 173 P.3d 724, 728 (2007).

25 ⁶ *Christianson v. Solt Industries Operating Corp.*, 486 U.S. 800, 817, 108 S.Ct. 2166 (1988); *See* 5 Am. Jur. 2d Appellate
Review §566.

26 ⁷ *Hsu*, 123 Nev. at 630, 173 P.3d at 728.

27 ⁸ Remand Order, p. 23 (“After an in-depth review of the record this Court will not disturb the findings of the Engineer save
those findings that are the subject of this Order”).

28 ⁹ *Geissel*, 105 Nev, at 103, 769 P.2d at 1296.

1 only new evidence relating to those issues will be considered in addition to the existing record.” (Pre-
2 hearing Order p. 3). As such, any topic or issue outside of the four remand issues should not be
3 entertained at the remand hearing and such evidence should be excluded or stricken if it relates to a
4 topic beyond the scope of the remand.

5 **II. The Majority of GBWN/WPC 281 is Outside the Scope of the Remand Order**

6 Exhibit GBWN/WPC_281 is a report authored by Dr. Tom Myers entitled “Hydrogeology of
7 Spring, Cave, Dry Lake, and Delamar valleys – Impacts of Developing Southern Nevada Water
8 Authority’s Clark, Lincoln, and White Pine Counties Groundwater Development Project” (“Myers
9 (2017)”). This report was submitted as part of the first evidentiary exchange by White Pine County,
10 Great Basin Water Network, et al., (collectively “GBWN”). Myers (2017) was specifically written
11 with the presumption that the original applications “are the starting point for this rehearing” (Myers
12 (2017), p. 3). Thus, the report is unabashedly a violation of the directives of the Remand Order and
13 the State Engineer.

14 Nearly the entirety of this report failed to follow to the Remand Order, as well as the State
15 Engineer’s instructions on adhering to the Remand Order. Rather, Myers (2017) begins anew with
16 arguments and evidence already ruled upon by the State Engineer in 2012 and not set aside by the
17 Court in 2013. The only section of this report which addresses an issue in the Remand Order is the
18 “Monitoring, Management and Mitigation Plans” section on pages 66 through 80. Aside from this, the
19 remaining sections discuss topics that are not at issue on remand, and are therefore irrelevant and
20 unduly repetitious. For instance, topics outside the remand issues include recharge and discharge
21 estimates, projected drawdown and model impacts, numerical and conceptualized model construction,
22 equilibrium analysis in the White River Flow System (WRFS) and interbasin flow calculations.

23 **A. Recharge and discharge estimates**

24 The “Conceptual Flow Model” section of Myers (2017), pages 10 through 24 and including
25 portions of the “Method of Analysis” section on pages 3 to 4, discusses recharge and discharge
26 estimates from varying sources and relies on information that was available during the last hearing, not
27

1 an alleged change in circumstances. Instead, this section attempts to have the State Engineer re-
2 determine what the recharge and discharge estimates are for Spring, Cave, Dry Lake, and Delamar
3 valleys. The State Engineer determined the groundwater evapotranspiration (“ET”) amounts for
4 Spring (84,100 afa, Ruling 6164, p. 76), Cave (1,300 afa, Ruling 6165, p. 76), Dry Lake (no
5 measurable ET, Ruling 6166, p. 75), and Delamar (no measurable ET, Ruling 6167, p. 75) valleys.
6 These findings of the State Engineer were not disturbed by the Court. As such, this section consisting
7 of pages 10 through 24 and all other mentions of recharge and discharge estimates should be stricken
8 from the report and further excluded from testimony.

9 Similarly, Myers (2017) “Perennial yield” section on pages 33 through 36 discusses perceived
10 errors with calculating perennial yield. However, the perennial yield determinations in Rulings 6164-
11 6167 were not disturbed by the Court. For Spring Valley, the Court “remanded to the State Engineer
12 for an award less than the calculated E.T. for Spring Valley, Nevada, and that the amended award has
13 some prospect of reaching equilibrium in the reservoir.” Remand Order p. 13. The Court did not set
14 aside the State Engineer’s ET value or perennial yield value for Spring Valley (84,000 afa, Ruling
15 6164, p. 90). Likewise, the Court did not disturb the State Engineer’s ET values for Cave (12,900 afa,
16 Ruling 6165, p. 80), Dry Lake (15,000 afa, Ruling 6166, p. 79), and Delamar (6,100 afa, Ruling 6167,
17 p. 78) valleys. Also, the Court did not set aside the State Engineer’s perennial yield values (Remand
18 Order, p. 20). Myers’ (2017) attempt to re-litigate the decided issue of perennial yield calculations
19 should not be allowed and this section consisting of pages 33 through 36 and all other mentions of
20 perennial yield should be stricken from the report and further excluded from testimony.

21 **B. Projected drawdown and model impacts in Spring Valley**

22 Interspersed throughout Myers (2017) are claims of impacts caused by modeled drawdown
23 within Spring Valley, primarily in the “Summary” and “Introduction” sections on pages one to three,
24 and also in the “Conclusion” section on pages 99 to 100. The State Engineer in Ruling 6164 provided
25 an in-depth analysis of the groundwater model from page 121 through 132, identifying the strengths
26 and weaknesses of the different models. Following this analysis, the State Engineer presented a site-

1 specific qualitative analysis of impacts to existing rights and environmental areas of interest from page
2 133 through 144. Satisfied by the findings, the State Engineer found that “[SNWA]’s model is more
3 comprehensive, better documented and peer reviewed, and will carry more weight in impacts
4 analyses.” (Ruling 6164, p. 151). Based upon the modeled impacts, the State Engineer granted
5 Applications 54003 to 54015 and 54019 to 54020 subject to varying conditions.

6 At issue in the Court’s Remand Order is “[a] recalculation of water available for appropriation
7 from Spring Valley assuring that the basin will reach equilibrium between discharge and recharge in a
8 reasonable time,” and a defining “standards, threshold or triggers so that mitigation of unreasonable
9 effects from pumping of water are neither arbitrary nor capricious in Spring Valley.” (Remand Order,
10 p. 23). Claiming impacts based upon model projections relates to neither of these topics. For instance,
11 the opinion that “[i]mpacts from the proposed project would be severe and far reaching” (Myers
12 (2017), p. 1) is not relevant to the topics in the Court’s Remand Order. These opinions only cloud the
13 upcoming hearing. As such, all references to projected drawdown and model impacts in Spring Valley
14 contained within Myers (2017) should be stricken from the report as well as excluded from testimony.

15 **C. Model construction**

16 Myers (2017) criticizes the numerical model (the “CCRP model”), even though the State
17 Engineer found the CCRP model to be “a reliable tool to examine potential effects on the groundwater
18 system.” (Ruling 6164, p. 128). Generally, Myers (2017) from pages 80 to 99 and including portions
19 of the “Method of Analysis” section on pages 3 to 4 provides a review of the numerical model “based
20 on the review [he] completed on behalf of White Pine County in 2010,” including his perceived
21 shortcomings.

22 Myers (2017) briefly mentions on page 80 how the model’s grid orientation does not match the
23 general basin outlay and asserts that the grid should have been rotated 10 degrees. He also disagrees
24 with the cell size. Primarily, Myers (2017) focused on the “Vertical Layers and Layer Manipulation”
25 in the model, summarizing his opinions as to how the layers in the model should have been
26 constructed. This same argument was discussed in Ruling 6164 from pages 125 to 126. Specifically,
27
28

1 in reference to the confining layer portion on pages 81 and 82 of Myers (2017), the State Engineer
2 found that “[t]he use of a confining layer was directed and approved by the many groundwater
3 modeling experts on the BLM’s Hydrology Technical Group.” (Ruling 6164 p. 125). Ruling 6164
4 cites the 2011 hearing transcript and states that ultimately, “Dr. Myers determined that this would have
5 no effect on model results.” (Ruling 6164 p. 126).

6 Further critiques of the model construction are present on pages 82 to 87 of Myers (2017),
7 where the primary concern is that the model layers did not represent changing lithologic units with
8 enough precision. However, the State Engineer understood the limits associated with a regional model
9 and found that local-scale features are not meant to be accurately simulated in regional scale models.
10 (Ruling 6164 p. 125). Calibration techniques were also analyzed in Myers (2017) from pages 87
11 through 91. Here, Myers (2017) again raised issues already decided by the State Engineer which were
12 not disturbed by the Court.

13 In the “Muddy River Springs” section on pages 57 to 65, Myers (2017) asserts that the
14 presence of faults in the model should be similar to their real-world setting; that is, the faults should
15 have a cell grid width which coincides with their actual width. Myers (2017) cites to an article by
16 Fairley and Hinds (2005), listed as an exhibit as GBWN/WPC_290 titled *Rapid transport pathways for*
17 *geothermal fluids in an active Great Basin fault zone*. This article used a local model which identified
18 the varying degrees of transmissivity values across a fault plane. In the CCRP model, the width of
19 faults follows the grid resolution and the aquifer properties represent averages across the cells, and
20 were adjusted during calibration to match spring flow and water levels. In other words, the CCRP
21 model calibration process properly addressed flow across faults, despite Myers’ criticism. Ultimately,
22 Myers had the opportunity to raise this issue before the issuance of Ruling 6164, and the State
23 Engineer’s finding that the CCRP model is a “reliable tool” was not disturbed by the court. How the
24 model addressed fault width and varying degrees of transmissivity across a fault plane are not issues
25 on remand. For this reason, the discussion of modeling on pages 57 to 65 of Myers (2017) and all
26 other mentions of modeling faults should be stricken from the report as well as excluded from
27 testimony and exhibit GBWN/WPC_290 should be excluded from evidence.

1 More critiques of the model are presented in Myers (2017) from pages 92 to 99. In these
2 sections, the water balance and specific comments pertaining to the numerical model are discussed,
3 including Myers’ opinion of errors associated with Gandy Warm Springs. As stated *supra*, the State
4 Engineer’s findings regarding model construction was not disturbed by the Court. As such, these
5 sections within pages 92 to 99 and any other mention of them are not within the narrow scope of the
6 Court’s Remand Order and should be stricken from the report and further excluded from testimony.

7 Myers (2017) on pages 31 to 33 discusses the hydrogeologic properties of aquifer systems and
8 provides lithologic data presumably to support his theory that transmissivity parameters in the model
9 should be changed. However, as noted *supra*, the State Engineer found the CCRP model to be a useful
10 tool and Myers’ renewed and repetitious critique of State Engineer’s findings on the model are simply
11 an attempt to begin the 2011 hearing anew. Accordingly, pages 31-33, 57-65 and 80-99 and any other
12 mention of model construction should be excluded from evidence and further excluded from testimony
13 because they are irrelevant to the remand issues, do not comport with the State Engineer’s instructions
14 to adhere to the Court’s Remand Order, and are unduly repetitious of arguments presented in 2011.

15 **D. Equilibrium analysis in WRFS**

16 Myers (2017) explores the issue of time to equilibrium in the White River Flow System
17 (“WRFS”) on pages 49-57, and 65-66. However, equilibrium in the WRFS is not one of the four
18 remand issues. The time to equilibrium in the WRFS was previously included in evidence and
19 considered in Rulings 6165-67 and subsequent appeals. In those Rulings, the State Engineer found
20 that “[i]t will often take a long time to reach near-equilibrium in large basins and flow systems.”
21 (Ruling 6165, p. 80, Ruling 6166, p. 79, Ruling 6167, p. 78). This rests on the fact that most of the
22 basins in the WRFS, particularly Delamar, Dry Lake, and Cave valleys, are known as dry basins
23 because they discharge little to no water as evapotranspiration. The time required for water sourced in
24 these dry basins to reach discharge locations in another basin may be on the order of millennia.
25 Reaching equilibrium from pumping would require hundreds if not thousands of years for drawdown
26 propagation to produce a measurable result on capturing evapotranspiration in a discharge basin.

1 Ultimately, attempting to quantify the time required to arrive at equilibrium in the WRFS becomes
2 irrelevant and was therefore not an issue remanded by the Court—the equilibrium issue on remand
3 only relates to Spring Valley. (Remand Order p. 9-12 and 23).

4 Moreover, the only remand issue relating to the WRFS is the request to calculate the existing
5 rights in the WRFS to make sure that the system as a whole is not over appropriated. As stated by the
6 District Court “[a]fter an in-depth review of the record this Court will not disturb the findings of the
7 Engineer save those findings that are the subject of this Order.” (Remand Order p. 23). Time to
8 equilibrium in the WRFS is outside of the scope of the Remand Order, and therefore pages 49-57 and
9 65-66 of Myers (2017) and any further discussion about time to equilibrium in the WRFS should be
10 excluded from evidence and further excluded from testimony.

11 **E. Interbasin flow calculations**

12 The “White River Flow System” section on pages 25 to 31 and including portions of the
13 “Method of Analysis” section on pages 3 to 4 of Myers (2017) provides background information
14 associated with interbasin flows. The State Engineer determined the amounts of interbasin flows in
15 the WRFS in Rulings 6165, 6166, and 6167 (p. 59-71, p. 58-70, and p. 58-70, respectively). Myers
16 (2017) section titled “Central Carbonate Flow System Numerical Modeling” on pages 37 through 44
17 discusses modeling projections for different BLM FEIS alternatives showing potential changes in flux
18 conditions at basin boundaries. This section simply presents snapshots of potential drawdowns for
19 FEIS Alternatives E and F and gave no expert analysis or opinions interpreting these results.
20 Similarly, the section titled “Spring Valley” and “White River Flow System” (p. 45 through 48 and 49
21 to 60, respectively) present the impact different pumping scenarios may have on the interbasin flow
22 regime. The State Engineer’s determination of the amount of interbasin flows in Spring Valley or the
23 WRFS was not set aside by the Court. Therefore, pages 25-31, 45-48 and 49-60 and any further
24 discussion regarding interbasin flow should be excluded from evidence and further excluded from
25 testimony because they do not pertain to the narrow issues on remand and instead present unduly
26 repetitious information on findings already made by the State Engineer.

1 potential effect on subterranean ecosystems. As can be seen from Dr. Myers' Curriculum Vitae
2 (GBWN/WPC_280), he has degrees in hydrology and hydrogeology and civil engineering. He does
3 not have education or work experience in the area of environmental resources or groundwater
4 dependent ecosystems. As such, he does not have the type of scientific, technical or other specialized
5 knowledge that will assist the State Engineer on these topics. Additionally, GBWN has two articles on
6 groundwater dependent ecosystems listed on its exhibit list: GBWN/WPC_282 and
7 GBWN/WPC_292. Since Dr. Myers is the only expert witness on GBWN's witness list, and he is not
8 qualified as an expert in the area of groundwater dependent ecosystems, GBWN cannot utilize this
9 witness to properly offer the foundation for these exhibits to be admitted. Because pages 67-68 of
10 Myers (2017) and GBWN/WPC 282 and 292 present information that is outside of Dr. Myers'
11 expertise, they should be excluded from evidence and the referenced exhibits should not be admitted
12 based upon foundation provided by Dr. Myers.

13 ///
14 ///
15 ///
16 ///
17 ///
18 ///
19 ///
20 ///
21 ///
22 ///
23 ///
24 ///
25 ///
26 ///
27 ///

CONCLUSION

For the foregoing reasons, SNWA asks that the State Engineer issue a pre-hearing order excluding those sections of GBWN/WPC_281 identified herein and the entirety of exhibits GBWN/WPC_282, 290, and 292 from evidence. In the alternative, SNWA requests that the hearing be extended to give SNWA the opportunity to present rebuttal evidence.

Respectfully submitted this 18th day of August, 2017.

By: 

PAUL G. TAGGART, ESQ.
Nevada State Bar No. 6136
DAVID H. RIGDON, ESQ.
Nevada State Bar No. 13567
TAGGART & TAGGART, LTD.
108 North Minnesota Street
Carson City, Nevada 89703
(775) 882-9900 – Telephone
(775) 883-9900 – Facsimile

DANA R. WALSH, ESQ.
Nevada State Bar No. 10228
SOUTHERN NEVADA WATER AUTHORITY
1001 South Valley View Boulevard, MS #480
Las Vegas, Nevada 89153
(702) 875-7029 – Telephone
(702) 259-8218 – Facsimile

ROBERT A. DOTSON, ESQ.
Nevada State Bar No. 5285
DOTSON LAW
One East First Street, Sixteenth Floor
Reno, Nevada 89501
(775) 501-9400 – Telephone
Attorneys for SNWA

Taggart & Taggart, Ltd.
108 North Minnesota Street
Carson City, Nevada 89703
(775) 882-9900 – Telephone
(775) 883-9900 – Facsimile

CERTIFICATE OF SERVICE

Pursuant to NRCP 5(b) and NRS 533.450, I hereby certify that I am an employee of TAGGART & TAGGART, LTD., and that on this date I served, or caused to be served, a true and correct copy of the foregoing, as follows:

[X] By electronic means using a web-based file sharing service pursuant to stipulation of counsel made on April 25, April 27, May 15, and June 22, 2017, as follows:

Severin A. Carlson
Kaempfer Crowell
50 West Liberty Street, Suite 700
Reno, Nevada 89501
scarlson@kcnvlaw.com

Paul R. Hejmanowski
Hejmanowski & McCrea LLC
520 South 4th Street, Suite 320
Las Vegas, Nevada 89101
prh@hmlawlv.com

Scott W. Williams
Berkey Williams, LLP
2030 Addison Street, Suite 410
Berkeley, California 94704
swilliams@berkeywilliams.com

Simeon Herskovits
Iris Thornton
Advocates for Community & Environment
P.O. Box 1075
El Prado, New Mexico 87529
simeon@communityandenvironment.net
iris@communityandenvironment.net

J. Mark Ward
3004 W. Sweet Blossom Drive
South Jordan, Utah 84095
wardjmark@gmail.com

Paul Echo Hawk
Echo Hawk Law Office
P.O. Box 4166
Pocatello, Idaho 83205
paul@echohawklaw.com

Aaron Waite
Weinstein, Pinson & Riley P.S.
6785 S. Eastern Avenue #4
Las Vegas, Nevada 89119
AaronW@w-legal.com

John Rhodes
Rhodes Law Offices, Ltd.
P.O. Box 18191
Reno, Nevada 89511
johnbrhodes@yahoo.com

Jerald Anderson
EskDale Center
1100 Circle Drive
EskDale, Utah 84728
geraldanderson@hotmail.com

DATED this 18th day of August, 2017.



Employee of TAGGART & TAGGART, LTD.

Taggart & Taggart, Ltd.
108 North Minnesota Street
Carson City, Nevada 89703
(775)882-9900 - Telephone
(775)883-9900 - Facsimile

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28