


65641



State of Nevada
 Dept. of Conservation & Natural Resources
Division of Water Resources
 Hugh Ricci, P.E. State Engineer



Water Rights Database, Page 1

General Information

[Click Here for Code Definitions](#)

New Search	General Information Page 1:	Due Dates And Maps Page 2:	Place of Use Page 3:	Abrogations, Rulings, and Protests Page 4:	Ownership Summary Page 5:	Click Here To Report An Error
----------------------------	---	--	--------------------------------------	--	---	---

Application No.: 65641 Application Status: PER Certificate No.:

Owner(s): FAVA, PAUL D.; Status: PERMIT

Basin: 184 Basin Name: SPRING VALLEY Sub Basin:

Basin Status: Region: CENTRAL County: WHITE PINE

Source: UNDERGROUND Source Description:

Project Name: Decree Name: Use: QUASI-MUNICIPAL

Period Start: 0101 Period End: 1231

Point of Diversion Information: Qtr-Qtr: SE Qtr: SE Sec: 17 Twn: 15N Rng: 68E

Duty Balance: 0.73 MGA Div Balance: 0.05

Acre-Feet Storage: 0 Well Log Nos.: 76376

Remarks 1:

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office OCT 29 1999
 Returned to applicant for correction _____
 Corrected application filed _____
 Map filed OCT 29 1999

The applicant **Paul D. and Sheila M. Fava**, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground Sources**
2. The amount of water applied for is **0.05 cfs** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Quasi-Municipal Purposes**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks") **See Remarks**
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 17, T.15N., R.68E., M.D.B.&M., whence the Southeast Corner of said Section 17 bears S. 84°16'41" E., 1,028.04 feet distance.**
6. Place of Use **A portion of the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 17, T.15N., R.68E., M.D.B.&M.**
7. Use will begin about **January 1st** and end about **December 31st**, of each year.
8. Description of proposed works **Drilled well, pump, motor and associated pipelines and storage tanks.**
9. Estimated cost of works **\$15,000**
10. Estimated time required to construct works **3 years**
11. Estimated time required to complete the application of water to beneficial use **5 years**
12. Remarks: **This application is proposed to service two residences with landscaping, gardens and etc., at an estimated consumptive rate of 2.5 gpm, 24 hours per day, 365 days per year for a total annual use of 1.314 million gallons.**

By **s/Richard W. Forman**
Richard W. Forman
P.O. Box 150, 298 E. 11th St.
Ely, Nevada 89301

Compared cmf/bk hs/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 0.73 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 9, 2003

Proof of completion of work shall be filed before:

June 9, 2003

Water must be placed to beneficial use on or before:

May 9, 2005

Proof of the application of water to beneficial use shall be filed on or before:

June 9, 2005

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 9th day of, May A.D. 2000


State Engineer

Completion of work filed JUN 18 2003

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

OFFICE USE ONLY
 Log No. 76376
 Permit No. 184
 Basin. 184

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT
 Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 40001

1. OWNER Paul Fava ADDRESS AT WELL LOCATION Sacramento Pass
 MAILING ADDRESS 980 El Camio (46 Miles East of Ely)
Boulder City, NV 89005
 2. LOCATION SE 1/4 SE 1/4 Sec 17 T 15 N 8 R 68 E White Pine County
 PERMIT NO. A.P.N. 12-740-02 Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Alluvial fill & Boulders		0	20	20
Clay & Gravel		20	40	20
Cemented Gravels		40	70	30
Fractured Limestone		70	100	30
Void		100	108	8
Limestone		108	160	52
Oxidized Fractured Limestone		160	170	10
Limestone		170	210	40
Fractured Limestone	x	210	215	5
Limestone		215	230	15
Fractured Limestone	x	230	235	5
Limestone		235	265	30

RECEIVED
 99 JUL 26 AM 11:12
 STATE ENGINEERING OFFICE

8. WELL CONSTRUCTION
 Depth Drilled 265 Feet Depth Cased 265 Feet
 HOLE DIAMETER (BIT SIZE)
 From 10 Inches To 0 Feet 265 Feet
 _____ Inches _____ Feet _____ Feet
 _____ Inches _____ Feet _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
6 5/8	12.92	.188	0	265

Perforations:
 Type perforation Factory
 Size perforation 1/8" x 2 1/2" 6 rows
 From 201 feet to 265 feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
 Depth of Seal 50 ft. Neat Cement
 Placement Method: Pumped Cement Grout
 Poured Concrete Grout
 Gravel Packed: Yes No
 From 50 feet to 265 feet

9. WATER LEVEL
 Static water level 167 feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature cold °F Quality good

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Christiansen Drilling, Inc.
 Address 557 Ely Avenue
Ely, Nevada 89301
 Nevada contractor's license number 14790
 issued by the State Contractor's Board
 Nevada driller's license number issued by the 1793
 Division of Water Resources, the on-site driller
 Signed Rich Lewis By Harold D. Christiansen
 By driller performing actual drilling on site or contractor
 Date July 21, 1999

Date started May 28, 19 99
 Date completed June 29, 19 99

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift	<u>30</u>	<u>93</u>	<u>1 1/2</u>