## Meteorology, Climate, and Vegetation Bibliography

- Barbour, M.G., Burk, J.H., Pitts, W.D., 1987, Terrestrial Plant Ecology, Second Edition: The Benjamin/Cummings Publishing Company, Inc., Menlo Park, 634 p.
- Berger, D.L., Johnson, M.J., Tumbusch, M.L., Mackay, J., 2001, Estimates of Evapotranspiration from the Ruby Lake National Wildlife Refuge Area, Ruby Valley, Northeastern Nevada, May 1999-October 2000, Water Resources Investigations Report 01-4234, 38 p.
- Birky, A.K., NDVI and a simple model of deciduous forest seasonal dynamics, 2001, Ecological Modelling, v. 143, p. 43-58.
- Blaney, H. F., Taylor, C. A., and Young, A. A., 1930, Rainfall penetration and consumptive use of water in Santa Ana River Valley and Coastal Plain: California Department of Public Works, Water Resources Division Bulletin 33, 162 p.
- Blaney, H. F., Ewing, P. A., Israelson, O. W., Rohwer, C., and Scobey, F. C., 1938, Regional planning part IV – The Rio Grande Joint Investigation in the upper Rio Grande Basin in Colorado, New Mexico, and Texas, 1936-1937, Part III – Water Resource Utilization: United States Bureau of Agricultural Engineering Report, Natural Resources Committee, v. 1, p. 293-427.
- Brothers, K., Buqo, T., Bernholtz, A., Tracy, J.V., 1994, Hydrology and Steady State Ground-Water Model of Spring Valley, Lincoln and White Pine Counties Nevada: Report No. 13, 116p.
- Carpenter, E., 1915, Ground Water in Southeastern Nevada: U.S. Geological Survey Water Supply Paper 365, 92p.
- Cihlar, J., St.-Laurent, L., Dyer, J.A., 1991, Relation Between the Normalized Difference Vegetation Index and Ecological Variables, Remote Sens. Environ., v. 35, p. 279-298.
- DeMeo, G.A., Laczniak, R.J., Boyd, R.A., Smith, J.L., Nylund, W.E., 2003, Estimated Ground-Water Discharge by Evapotranspiration from Death Valley, California, 1997-2001, Water Resources Investigations Report 03-4254, 27 p.
- Dettinger, M. D., Harrill, J. R., and Schmidt, D. L., 1995, Distribution of carbonate-rock aquifers and the potential for their development, southern Nevada and adjacent parts of California, Arizona, and Utah: U. S. Geological Survey Water-Resources Investigation Report 91-4146, 100 p.
- Deverel, S., Thomas, J., Decker, D., Earman, S., Mihevc, T., Acheampong, S., 2005, Groundwater Evaporation Estimates Using Stable Isotope and Chloride Data, Yelland Playa, Spring Valley, Nevada, Desert Research Institute Publication No. 41219, 18 p.
- Devitt, D.A., Sala, A., Smith, S.D., Cleverly, J., Shaulis, L.K., and Hammet, R., 1998, Bowen ratio estimates of evapotranspiration for Tamarix ramosissima stands on the Virgin River Valley in southern Nevada: Water Resources Research, vol. 34, No. 9, p. 2407-2414.

- Devitt, D. A., Donovan, D. J., Katzer, T., and Johnson, M. J., 2002, A reevaluation of the ground-water budget for Las Vegas Valley, Nevada with emphasis on ground-water discharge: Journal of the American Water Resources Association, Vol. 38, No. 6, p. 1735-1751.
- Di Bella, C.M., Rebella, C.M., Paruelo, J.M., 2000, Evapotranspiration estimates using NOAA AVHRR imagery in the Pampa region of Argentina, Int. J. Remote Sensing, v. 21, no. 4, p. 791-797.
- Duell, L. F. W., Jr., 1990, Estimates of evapotranspiration in alkaline scrub and meadow communities of Owens Valley, California, using the Bowen-ratio, eddy-correlation, and Penman-combination methods: U. S. Geological Survey Water-Supply Paper 2370-E, 39 p.
- du Plessis, W.P., 1999, Linear regression relationships between NDVI, vegetation and rainfall in Etosha National Park, Nambia, Journal of Arid Environments, v. 42, p. 235-260.
- Eakin, T. E., Maxey, G. B., Robinson, T. W., Fredericks, J. C., and Loeltz, O. J., 1951, Contributions to the hydrology of eastern Nevada: Nevada State Engineer, Water-Resources Bulletin 12, 171 p.
- Eakin, T.E., 1961, Ground-water appraisal of Long Valley, White Pine and Elko Counties, Nevada: Nevada Department of Conservation and Natural Resources, Ground-water Resources Reconnaissance Series Report 3, 35 p.

Eakin, T.E., 1962, Ground-water appraisal of Cave Valley in Lincoln and White Pine Counties, Nevada: Nevada Department of Conservation and Natural Resources, Ground-Water Resources Reconnaissance Series Report 13, 20 p.

- Eakin, T. E., 1963a, Ground-water appraisal of Pahranagat and Pahroc Valleys, Lincoln and Nye Counties, Nevada: Nevada Department of Conservation and Natural Resources, Ground-Water Resources – Reconnaissance Report 3, 35 p.
- Eakin, T. E., 1963b, Ground-water appraisal of Dry Lake and Delamar Valleys, Lincoln County, Nevada: Nevada Department of Conservation and Natural Resources, Ground-Water Resources Reconnaissance Series Report 16, 26 p.
- Eakin, T.E., 1963, Ground-water appraisal of Garden and Coal Valleys, Lincoln and Nye Counties, Nevada: Nevada Department of Conservation and Natural Resources, Ground-Water Reconnaissance Series Report 18, 29 p.
- Eakin, T. E., 1964, Ground-water appraisal of Coyote Spring and Kane Spring Valleys and Muddy River Springs area, Lincoln and Clark Counties, Nevada: Nevada Department of Conservation and Natural Resources, Ground-Water Resources Reconnaissance Series, Report 25, 40 p.
- Eakin, T. E., 1966, A regional inter-basin ground-water system in the White River area, Southeastern Nevada: Water Resources Research, v. 2, No. 2., p. 251-271.
- Eakin, T. E., Hughes, J. L., and Moore, D. O., 1967, Water-resources appraisal of Steptoe Valley, White Pine and Elko Counties, Nevada: Nevada Department of Conservation and Natural Resources Water Resources Reconnaissance Series Report 42, 47 p.

- Fenneman, N. M., 1931, Physiography of Western United States: New York, McGraw-Hill Book Co.
- Gatewood, J.S., Robinson, T.W., Colby, B.R., Hem, J.D., and Halpenny, L.C., 1950, Use of water by bottomland vegetation in lower Safford Valley, Arizona: U.S. Geological Survey Water-Supply Paper 1130, 210p.
- Grist, J., Nicholson, S.E., Mpolokang, A., 1997, On the use of NDVI for estimating rainfall fields in the Kalahari of Botswana, Journal of Arid Environments, v. 35, p. 195-214.
- Harrill, J. R., Prudic, D. E., 1998, Aquifer Systems in the Great Basin Region of Nevada, Utah, and Adjacent States - Summary Report: Regional Aquifer-System Analysis, U.S. Geological Survey Professional Paper 1409-A, 66 p
- Harrill, J. R., Gates, J. S., and Thomas, J. M., 1988, Major ground-water systems in the Great Basin region of Nevada, Utah, and adjacent states: U. S. Geological Survey Hydrologic Investigations Atlas HA-694-C
- Harrington, R. and Steinwand, A., 2003, Development of hydrologic and vadose models to improve groundwater management in the Owens Valley: County of Inyo Water Department, Bishop, California, 217 p.
- Harrington, R. and Steinwand, A., 2004, Addendum to Development of hydrologic and vadose models to improve groundwater management in the Owens Valley: County of Inyo Water Department, Bishop, California, 49 p.
- Heath, R. C., 1984, Ground-water regions of the United States: U. S. Geological Survey Water Supply Paper 2242.
- Hood, J. W. and Rush, F. E., 1965, Water-resources appraisal of the Snake Valley area, Utah and Nevada: Nevada Department of Conservation and Natural Resources, Water Resources Reconnaissance Series Report 34, 43 p.
- Kalluri, S.N.V., Townshend, J.R.G., Doraiswamy, P., 1998, A simple single layer model to estimate transpiration from vegetation using multi-spectral and meteorological data, Int. J. Remote Sensing, v. 19, no. 6, p. 1037-1053.
- Katzer, T. and Donovan, D.J., 2003, Surface-water resources and basin water budget for Spring Valley, White Pine and Lincoln Counties, Nevada: Las Vegas Valley Water District, Las Vegas, Nevada, 71 p.
- Kimbell, M. K., Miller, W. W., and Mahannah, C. N., 1990, Applied water requirements for sprinkler irrigated alfalfa in western Nevada: Applied Agricultural Research V. 5, No. 4, pp 268-275.
- Kustas, W.P., Perry, E.M., Doariswamy, P.C., Moran, M.S., 1994, Using Satellite Remote Sensing to Extrapolate Evapotranspiration Estimates in Time and Space over a Semiarid Rangeland Basin, Remote Sens. Environ., v. 49, p. 275-286.
- Las Vegas Valley Water District and Woodward-Clyde Consultants, Dames & Moore Consultants, 1994, Environmental report covering selected hydrographic basins in Clark, Lincoln, Nye, and White Pine Counties, Nevada: Las Vegas Valley Water District, Cooperative Water Project, Water for Nevada's Future, Report No. 14, 199 p.

- Las Vegas Valley Water District, 2001, Water resources and ground-water modeling in the White River and Meadow Valley Flow Systems, Clark, Lincoln, Nye, and White Pine Counties, Nevada: Las Vegas Valley Water District, Las Vegas, Nevada
- Laczniak, R.J., Smith, J.L., Elliot, P.E., DeMeo, G.A., Chatigny, M.A., Roemer, G.J., 2001, Ground-Water Discharge Determined from Estimates of Evapotranspiration, Death Valley Regional Flow System, Nevada and California, Water-Resources Investigations Report 01-4195, 51 p.
- Lee, C. H., 1912, An intensive study of the water resources of a part of the Owens Valley, California: U. S. Geological Survey Water-Supply Paper 294, 135 p.
- Linsley, R.K., Kohler, M.A., Paulhus, J.L.H., 1975, Hydrology for Engineers, Third Edition: McGraw-Hill, New York, 450 p.
- Mahannah, C.N., 2005, personal. Communication.
- Malmberg, G.T., 1965, Available water supply of the Las Vegas Ground-water basin, U.S. Geological Survey Water Supply Paper, 1780, 114 p.
- Maxey, G. B., and Eakin, T. E., 1949, Ground water in White River Valley, White Pine, Nye, and Lincoln Counties, Nevada: Nevada State Engineer, Water Resources Bulletin 8, 59 p.
- McCurdy, G., and Albright, W., 2004, Estimates of Potential Evapotranspiration at Selected Sites in Eastern Nevada from Meteorological Station Data, Desert Research Institute Publication No. 41198, 113 p.
- Meinzer, O. E., 1927. Plants as indicators of ground water. U.S.G.S. Water Supply Paper 577.
- Nichols, W. D, 2000, Determining ground-water evapotranspiration from phreatophyte shrubs and grasses as a function of plant cover or depth to ground water, Great Basin, Nevada and eastern California: U. S. Geological Survey, Professional Paper 1628, A,B & C.
- Pennington, R. W., 1980, Evaluation of empirical methods for estimating crop water consumptive use for selected sites in Nevada: Nevada Department of Conservation and Natural Resources, Division of Water Planning, Information Services Water Planning Report 3.
- Plume, R. W., and Carlton, S. M., 1988, Hydrogeology of the Great Basin Region of Nevada, Utah, and adjacent states: U. S. Geological Survey Hydrologic Investigations Atlas HA-694-A, Map, 1 sheet, Scale 1:1,000,000.
- Price, J.C., 1990, Using Spatial Context in Satellite Data to Infer Regional Scale Evapotranspiration, IEEE Transactions on Geoscience and remote sensing, v. 28, no. 5, p. 940-948.
- Qi, J., Chehbouni, A., Huete, A.R., Kerr, Y.H., and Sorooshian, S., 1994, A modified soil adjusted vegetation index: Remote Sensing of Environment, v.48, p. 119-126.
- Reiner, S.R., Laczniak, R.J., DeMeo, G.A., Smith, J.L., Elliot, P.E., Nylund, W.E., Fridrich, C.J., 2001, Ground-Water Discharge Determined from Measurements of

Evapotranspiration, Other Available Hydrological Components, and Shallow Water-Level Changes, Oasis Valley, Nye County, Nevada, Water Resources Investigations Report 01-4239, 65 p.

- Robinson, T.W., 1970, Evapotranspiration by Woody Phreatophytes in the Humboldt River Valley Near Winnemucca, NV: Geological Survey Professional Paper 491-D, 41 p.
- Rowley, P.D., and Dixon, G.L., 2000, Cenozoic evolution of the Great Basin area, U.S.A.-new interpretations based on long-term field studies [abs.]: Geological Society of America Abstracts with Programs, v.32, no.7, p. A461.
- Rush, E. F., and Eakin, T. E., 1963, Ground-water appraisal of Lake Valley in Lincoln and White Pine Counties, Nevada: Nevada Department of Conservation and Natural Resources, Ground-Water Resources - Reconnaissance Report 24, 43 p.
- Rush, E. F., 1964, Ground-water appraisal of the Meadow valley area, Lincoln and Clark Counties, Nevada: Nevada Department of Conservation and Natural Resources, Ground-Water Resources - Reconnaissance Report 27, 43 p.
- Rush, E. F., and Kazmi, S. A. T., 1965, Water Resources appraisal of Spring Valley, White Pine and Lincoln Counties, Nevada: Nevada Department of Conservation and Natural Resources, Water Resources-Reconnaissance Series Report 33, 36 p.
- Rush, E. F., 1968, Water-resources appraisal of the lower Moapa-Lake Mead area, Clark County, Nevada: Nevada Department of Conservation and Natural Resources, Water Resources Reconnaissance Series, Report 50, 66 p.
- Shevenell, L., 1996, Statewide potential evapotranspiration maps for Nevada: Nevada Bureau of Mines and Geology, Report 48, 32 p.
- Smith, S. D., Devitt, D. A., Sala, A., Cleverly, J. R., and Busch, D. E., 1998, Water relations of riparian plants from warm desert regions: Journal of Wetlands, vol. 18, No. 4, pp. 687-696.
- Soil Conservation Service, 1981, Nevada irrigation guide: U. S. Department of Agriculture, Reno, Nevada
- Southern Nevada Water Authority, 2003, Hydrogeology of Tikaboo Valley and Three Lakes Valleys, Clark and Lincoln Counties, Nevada: Southern Nevada Water Authority, Las Vegas, Nevada, 70 p.
- Srivastava, S.K., Jayaraman, V., Nageswara RAO, P.P., Manikiam, B., Chandrasekhar, M.G., Interlinkages of NOAA/AVHRR derived integrated NDVI to seasonal precipitation and transpiration in dryland tropics, 1997, Int. J. Remote Sensing, v. 18, no. 14, p. 2931-2952.
- Stephens, J.C., 1977, Hydrologic reconnaissance of the Tule Valley Drainage Basin,
- Szilagyi, J., Rundquist, D.C., Gosselin, D.C., Parlange, M.B., 1998, NDVI relationship to monthly evaporation, Geophysical Research Letters, v. 25, no. 10, p. 1753-1756.
- Szilagyi, J., 2000, Can a vegetation index derived from remote sensing be indicative of areal transpiration?, Ecological Modelling, v. 127, p. 65-79.

- Szilagyi, J., 2002, Vegetation Indices to Aid Areal Evapotranspiration Estimations, Journal of Hydrological Engineering, v. 7, no. 5, p. 368-372.
- Juab and Millard Counties, Utah: Utah Department of Natural Resources Technical Publication No. 56, 37 p.
- USGS National Gap Analysis Program, 2004, Provisional Digital Land Cover Map for the Southwestern United States, Version 1.0, RS/GIS Laboratory, College of Natural Resources, Utah State University.
- White, W. N., 1932, A method of estimating ground-water supplies based on discharge by plants and evaporation from soil- Results of investigations in Escalante Valley, Utah, *in* Contributions to the hydrology of the United States 1932: U. S. Geological Survey Water-Supply Paper 659, p. 1-105.
- Young, A. A., and Blaney, H. F., 1942, Use of water by native vegetation: California Department of Public Works, Division of Water Resources Bulletin 50, 160 p.