

## **Bibliography – Hydrochemistry and Geochemistry**

- Acheampong, S.Y., 1992, Isotope hydrology of Lehman and Baker Creeks drainages, Great Basin National Park, Baker, Nevada, *M. S. Thesis*, University of Nevada, Las Vegas, 105 p.
- American Public Health Association, 1999, Standard methods for the examination of water and wastewater, *Clescerl, L.S, Greenberg, A.E., and Eaton, A.D. (eds)*, American Public Health Association, 1325 p.
- Andrews, J.N., and Kay, R.L.F., 1982,  $^{234}\text{U}/^{238}\text{U}$  activity ratios of dissolved uranium in groundwaters from a Jurassic Limestone aquifer in England, *Earth and Planetary Science Letters*, 57:139-151.
- Aravena, R., Wassenaar, L.I., 1993, Dissolved organic carbon and methane in a regional confined aquifer, southern Ontario, Canada: Carbon isotope evidence for associated subsurface sources, *appl. Geochem.* 8: 483-493.
- Armstrong, S.C., Sturchio, N.C., and Hendry, J. 1998, Strontium isotopic evidence on the chemical evolution of pore waters in the Milk River Aquifer, Alberta, Canada, *Applied Geochemistry*, vol. 13, No. 4, pp. 463-475.
- Artinger, R., Buckau, G., Kim, J.I., and Wolf, M., 1995, The influence of sedimentary organic matter on dissolved fulvic acids in groundwater – significance for groundwater dating in dissolved organic matter, *International Symp. On Isotopes in Water Resources Management, IAEA, Vienna 336/26*, 1-15.
- Back, W., Hanshaw, B.B. Plummer, N.L., Rahn, P.H., Rightmire, C.T., and Rubin, M., 1983, Process and rate of dolomitization: mass transfer and  $^{14}\text{C}$  dating in a regional carbonate aquifer *Geological Society of America Bulletin*, 94:1415-1429.
- Benson, L.V., and Klieforth, H., 1989, Stable isotopes in precipitation and groundwater in the Yucca Mountain Region, southern Nevada, *In: D.H. Peterson (ed), Paleoclimatic Implications: Aspects of Climate Variability in the Pacific and western Americas, Geophysical Monograph Series*, vol. 55, 41 – 59.
- Bortolami, G.C., Ricci, B., Suzella, G.F., and Zuppi, G.M., 1978, Isotope hydrology of the Val Corapaglia, Maritime Alps, Piedmont, Italy, *Isotope Hydrology, IAEA, Vienna*, 327-350.
- Brothers, K., Bernholtz, A.J., Buqo, T.S., and Tracey, J.V., 1994, Hydrology and steady state ground-water model of Spring Valley, White Pine and Lincoln Counties, Nevada, Las Vegas Valley Water District Cooperative Water Project, *Report No. 13, Hydrographic Basin 184*, 97 p.
- Carpenter, E., 1915, Groundwater in southeastern Nevada: U.S. Geological Survey Water-Supply Paper 365, 86p.
- Clark, I.D., and Fritz, P., 1997, Environmental Isotopes in Hydrogeology, Lewis Publishers, 328 p.

- Clark, W.O., Riddell, C.W., and Meinzer, O.E., 1920, Exploratory drilling for water and use of ground water for irrigation and Steptoe Valley, Nevada. *US Geological Survey, Water Supply Paper* 467, 70 p.
- Coleman, M.L., Shepherd, T.J., Durham, J.J., Rouse, J.E., Moore, G.R., 1982, Reduction of water with zinc for hydrogen isotope analysis. *Analytical Chemistry*, 54: 993-995.
- Connolly, C.A., Walter, L.M., Baadsgaard, H., and Longstaffe, F.J., 1990, Origin and evolution of formation waters, Alberta Basin, Western Canada Sedimentary Basin: II Isotope systematics and water mixing, *Appl. Geochem.*, 6, 397-413.
- Craig, H., 1961, Isotope variations in meteoric waters, *Science* 133:1702-1703.
- Craig, H., and Gordon, L.I., 1965, Deuterium and oxygen-18 variations in the ocean and marine atmosphere, In: E. Tongiorgi (ed.) *Proceedings of the Third Spoleto Nuclear Geology Conference on Paleotemperatures and Stable isotopes in oceanographic studies*, pp. 9-130, Consiglio Nazionale delle Ricerche, Pisa.
- Dansgaard, W., 1964, Stable isotopes in precipitation, In: *Tellus XVI*, pp.436-468.
- Davisson, M.L., Kenneally, J.M., Smith, D.K., Hudson, G.B., Nimz, G.J., and Rego, J.H., 1994, Preliminary report on the isotope hydrology investigations at the Nevada Test Site: Hydrology resources management program FY1992-1993, investigative report, Lawrence Livermore National Laboratories, Livermore, California.
- Dettinger, M.D., and Schaefer, D.H., 1996, Hydrogeology of structurally extended terrain in the eastern Great Basin of Nevada, Utah and adjacent states from geologic and geophysical models, *U.S. Geological Survey* HA-694-D.
- Eakin, 1963, Groundwater appraisal of Dry Lake and Delamar Valleys, Lincoln County, Nevada, *USGS Report* 16, 25p.
- Eakin, Price, and Harrill, 1976, Summary of the Nations Groundwater Resources, Great Basin Region, *U.S. Geological Survey Professional Paper* 813-G, 37p.
- Elderfield, H., 1986, Strontium isotope stratigraphy, *Paleogeogr. Paleoclimatol., Paleoecol.*, 57, 71-90.
- Epstein, S., and Mayeda, T., 1953, Variation in  $^{18}\text{O}$  content of waters from natural sources, *Geochim. Cosmochim. Acta*, 4:213-224.
- Fontes, J-C, Andrews, J.N., Edmunds, W.M., Guerre, A., and Travi, Y., 1991, Paleorecharge by the Niger River (Mali) deduced from groundwater geochemistry, *Water Resources Research*, vol. 27, no. 2, pp. 199-214.
- Friedman, I., Johnson, C.A., and Moscati, 2002, Stable isotope compositions of waters in the Great Basin, United States, 2. Modern precipitation, *Journal of Geophysical Research*, vol. 107, No. D19, 4401, p. 15-1 – 15-22.
- Geochemical Technologies Corporation, 2003, Evaluation of spring and aquifer isotopic data associated with the Muddy River Springs Area, southeastern Nevada, 100 p.
- Gonfiantini, R., 1978, Standards for stable isotope measurements in natural compounds, *Nature*, 271:534.

- Hess, J.W., and Mifflin, D.M., 1978, A feasibility study of water production from deep carbonate aquifers in Nevada, *Desert Research Institute Publication* No. 41054, 125p.
- Hershey, R.L., and Mizell, S.A., 1995, Water chemistry of spring discharge from the carbonate-rock province of Nevada and California, Volume I, *Desert Research Institute Publication* No. 41140, 45 p.
- Hughes, J.L., 1966, Some aspects of the hydrogeology of the Spring Mountains and Pahrump Valley, Nevada and environs as determined by spring evaluation, *M.S. Thesis*, University of Nevada, Reno, 116 p.
- Ingraham, N.L., Lyles, B.F., Jacobson, R.L., and Hess, J.W., 1991, Stable isotopic study of precipitation and spring discharge in southern Nevada, *Journal of Hydrology*, 125:243-258.
- Kinsman, D.J.J., 1969, Interpretation of  $Sr^{2+}$  concentrations in carbonate minerals and rocks, *Journal of Sed. Petrol.*, 39, 486-508.
- Kirk, S.T., and Campana. M.E., 1988, Simulation of groundwater flow in a regional carbonate-alluvial system with sparse data: The White River flow system, southern Nevada, *Desert Research Institute Publication* No. 41115, 76 p.
- Langmuir, D., 1978, Uranium solution-mineral equilibria at low temperatures with applications to sedimentary ore deposits: *Geochimica et Cosmochimica Acta* v. 42, p. 547 – 569.
- Las Vegas, Valley Water District, 2001, Water resources and groundwater modeling in the White River and Meadow Valley flow systems, *Internal Report* LVVWD/SNWA.
- Longwell, C.R., Pampeyan, E.H., Bowyer, Ben, and Roberts, R.J., 1965, Geology and mineral deposits of Clark County, Nevada: *Nevada Bureau of Mines and Geology Bulletin* 62, 218 p., scale 1:250,000.
- Lucier, Hydrosciences, 2001, Dry Lake and Delamar Valleys, Nevada, Groundwater hydrology and development potential.
- Macpherson, G.L., and Townsend, M.A., 1998, Water chemistry and sustainable yield, *In: M. Sophocleous (ed.) Perspectives on sustainable development of water resources in Kansas*, pp. 123.
- Maxey, G.B., and Jameson,
- Maxey, G.B., and Mifflin, M.D., 1966, Occurrence and movement of groundwater in carbonate rocks of Nevada, *National Speleo. Soc. Bulletin* 28:3, p. 141 – 157.
- Mazor, E., 1991, Applied chemical and isotopic groundwater hydrology, Halsted Press, 274 p.
- Mifflin, M.D., 1968, Delineation of groundwater flow systems in Nevada, Desert Research Institute, Water Resources Center, *Tech. Rep. Ser.* H-W 4.

- Osmond, J.K., and Cowart, J.B., 1992, Groundwater, *In: Ivanovich, M., and Harmon, R.S., (eds.) Uranium series disequilibrium: applications to earth, marine, and environmental sciences: Oxford, U.K. Clarendon Press, p. 290 – 333.*
- Paces, J.B., Ludwig, K.R., Peterman, Z.E., and Neymark, L.A., 2002,  $^{234}\text{U}/^{238}\text{U}$  evidence for local recharge and patterns of groundwater flow in the vicinity of Yucca Mountain, Nevada, USA, *Applied Geochemistry* 17: 751-779.
- Peterman, Z.E., Stuckless, J.S., Mahan, S.A., Marshall, B.D., Gutentag, E.D., and Downey, J.S., 1992, Strontium isotope characterization of the Ash Meadows groundwater system, southern Nevada, USA, *In: Kharaka Y.K. and Maest, A.S. (eds.) Proceedings of the 7<sup>th</sup> International Symposium on water-rock interaction – WRI-7, Park City, Utah, USA, 13-18 July, 1992, vol. 1, Low Temperature Environments, p. 825-829.*
- Piper, A.M., 1944, A graphic procedure in the geochemical interpretation of water analysis: *Transaction, American Geophysical Union, p. 914-923.*
- Plume, R.W., 1996, Hydrogeologic framework of the Great Basin region of Nevada, Utah, and adjacent states, Regional Aquifer-System Analysis, U.S. Geological Survey Professional Paper 1409-B, 64p.
- Purdy, C.B., Burr, G.S., Rubin, M., Helz, G.R., and Mignerey, A.C., 1992, Dissolved organic and inorganic  $^{14}\text{C}$  concentrations and ages of coastal plain aquifers in southern Maryland, *Radiocarbon*, 34:654-663.
- Plummer, N.L., Preston, E.c., and Parkhurst, D.L., 1994, An interactive code (NETPATH) for modeling net geochemical reactions along a flow path, version 2.0, *U.S. Geological Survey Water Resources Investigations Report 94-4169*, USGS, Reston, Virginia.
- Roback, R.C., Johnson, J. M., McLing, T.C., Murrell, M.T., Luo S., and Ku, T-L., 2001, Uranium isotopic evidence for groundwater chemical evolution and flow patterns in eastern Snake River Plain aquifer, Idaho, *Geological Society of America Bulletin*, v. 113, no. 9, p. 1133-1141.
- Rush F.E., 1964, Groundwater appraisal of the Meadow Valley Area, Lincoln and Clark Counties, Nevada: Nevada Department of Conservation and Natural Resources, - Reconnaissance Series, Report 27, 41 p.
- Rush, F., and Eakin, T.E., 1963, Groundwater appraisal of Lake Valley in Lincoln and White Pine Counties, Nevada: Nevada Department of Conservation and Natural Resources – Reconnaissance Series, Report 24, 39 p.
- Schoff, S.L., and Moore, J.E., 1964, Chemistry and movement of groundwater, Nevada Test Site, *U.S. Geological Survey Trace Elements Investigations Report, TEI-838.*
- Siegenthaler, U., Oeschger, H., 1980, Correlation of  $^{18}\text{O}$  in precipitation with temperature and altitude, *Nature* 185, p. 314-317.
- Sonntag, C., Klitsch, E., Lohnert, E.P., Ee-Shazly, E.M., Munnich, K.O., Junghans, Ch., Thorweihe, U., Weistroffer, K., and Swailem, F.M., (1978), Paleoclimatic information from deuterium and oxygen-18 in carbon-14 dated north Saharian

- groundwaters, *Isotope Hydrology 1978*, International Atomic Energy Agency, Vienna, 2, 569-581.
- Steiger, R.H., and Jäger, E., 1977, Subcommittee on geochronology; convention on the use of decay constants in geo- and cosmo-chronology, *Earth and Planetary Science Letters*, v. 36, p. 359-362.
- Taylor, C.B., 1977, Tritium enrichment of environmental waters by electrolysis: Development of cathodes exhibiting high isotopic separation and precise measurement of tritium enrichment factors. *Proceedings of the International Conference of Low-Radioactivity Measurements and Applications*, Slovenski Pedagogicke Nakladatelstvo, Bratislava: 131-40.
- Thomas, J.M., 1996, Geochemical and isotopic interpretation of groundwater flow, geochemical processes, and age dating of groundwater in the carbonate-rock aquifers of the southern Basin and Range, *A dissertation submitted in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Hydrology/Hydrogeology*, University of Nevada, Reno, 135 p.
- Thomas, J.M., Calhoun, S.C., Apambire, W.B., 2001, A deuterium mass-balance interpretation of groundwater sources and flows in southeastern Nevada, *Desert Research Institute Report No.*, 41169, 46 p.
- Thomas, J., Mihevc, T., Sada, D., and Sawyer, E., 2004, Annual data report for geochemical monitoring and interpretation for the White River and Meadow Valley flow systems, *Letter Report*, Desert Research Institute, 18 p.
- Thomas, J.M., Welch, A. and Dettinger, M., 1996, Geochemistry and isotope hydrology of representative aquifers in the Great Basin Region of Nevada, Utah, and adjacent states, *U.S. Geological Survey Professional Paper 1409-C*, 100 p.
- Tschanz, C.M., and Pampeyan, E.H., 1970, Geology and Mineral deposits of Lincoln County, Nevada, *Nevada Bureau of Mines and Geology Bulletin 73*, 188 p.
- URS, 2001, Report of groundwater assessment – Lower Meadow Valley Wash, Meadow Valley Generating Project, Clark and Lincoln Counties, Nevada, *URS Project No.* 66-0000070.02-OW600.
- Veizer, J., 1989, Strontium isotopes in seawater through time, *Annual Reviews of Earth and Planetary Science*, vol. 17: 147-167.
- Wershaw, R.L., Fishman, M.J., Grabbe, R.R., and Lowe, L.E., 1987, Methods for the determination of organic substances in water and fluvial sediments, *U.S. Geological Survey Tech. Of Water-Res. Invest., Book 5, Chap A2*.
- White, W.B., 1988, *Geomorphology and hydrology of karst terrains*: Oxford University Press, New York, 464 p.
- Winograd, I.J., 2001, Inter-basin groundwater flow in south central Nevada: A further comment on the discussion between Davisson et al., (1999a, 1999b) and Thomas (1999), *Water Resources Research*, vol. 37, no. 2, pp. 431-433.

- Winograd, I.J., and Friedman, I., 1972, Deuterium as a tracer of regional groundwater flow, southern Great Basin, Nevada-California: *Geological Society of America Bulletin*, v. 83, no. 12, p. 3691-3708.
- Winograd, I.J., Riggs, A.C., and Coplen, T.B., 1998, The relative contribution of summer and cool-season precipitation to groundwater recharge, Spring Mountains, Nevada, USA, *Hydrogeology Journal*, 6: 77-93.
- Winograd, I.J., and Thordarson, W., 1975, Hydrogeologic and hydrochemical framework, south-central Great Basin, Nevada-California, with special reference to the Nevada Test Site, *Geological Survey Professional Paper 712-C*, 126 p.
- Wood, W.W., 1976, Guidelines for collection and field analysis of groundwater samples for selected unstable constituents, U.S. Geological Survey Techniques of Water Resources Investigations, Book 1, Chapter D2, 24 p.
- Zielinski, R.A., Rosholt, J.N., 1978, Uranium in waters and aquifer rocks at the Nevada Test Site, Nye County, Nevada, *J. Res. U.S. Geological Survey* 6, 489-498.
- Zielinski, R.A., Chafin, D.T., Banta, E.R., and Szabo, B.J., 1997, Use of  $^{234}\text{U}$  and  $^{238}\text{U}$  isotopes to evaluate contamination of near-surface groundwater with uranium-mill effluent: a case study in south-central Colorado, USA, *Environmental Geology*, 32 (2) : 124-136.