

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 593A  
 Rec. June 16 1961  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Don Wadsworth Driller Warren Tree

Address Garrett Nevada Address Garrett Nevada Lic. No. 30

Location of well: S.W. 1/4 N.E. 1/4 Sec. 19, T. 2 N/S, R. 68 E, in Lincoln County

Water will be used for Irrigation Total depth of well 165

Size of drilled hole 14" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 10 gauge Temp. of water \_\_\_\_\_

Diameter and length of casing 14" 164'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 8'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well May 10, 1961 Date of completion of well May 31, 1961

Type of well rig Cement Drill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	clay - grey
12	75	63	clay - blue grey
75	105	30	gravel
105	122	17	clay
122	130	8	stratified sand & gravel
130	158	28	gravel
158	165	7	cemented gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 75 to 105 ft.

Other aquifers 122' to 158'

First water at 6 feet.

Casing perforated

from 10 1/2 to 162 ft.

Size of perforations

1/8 X 2 1/2

