

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

Log No. 82828
 Permit No. 66319T
 Basin 218

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

NOTICE OF INTENT NO 21187

1. OWNER Mark Ewanko ADDRESS AT WELL LOCATION 5 Mile East Valleyet Fire Exit #25
 MAILING ADDRESS Las Vegas Nev.

2. LOCATION NE 1/4 SE 1/4 Sec 10 T 17 N/S R 65 E Clark County
 PERMIT NO. 66319T Issued by Water Resources Parcel No. A-66411 Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other

4. PROPOSED USE Mining
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
<u>Silica Sand</u>		<u>0</u>	<u>80</u>	<u>80</u>
<u>Sand & Clay</u>		<u>80</u>	<u>1035</u>	<u>955</u>
<u>Back Filled with Clean Sand & Gravel</u>				
<u>10 Ft. Cement Seal</u>				
<u>W.C. 5-21-01</u>				
<u>*NOTE MOVED OFF THIS WELL. See LETTER DATED 5-3-01 R.E. Thompson TO M. REDDING JR.</u>				

8. WELL CONSTRUCTION
 Depth Drilled 1035 Feet Depth Cased 0 Feet

HOLE DIAMETER (BIT SIZE)
 From 12 1/4 Inches To 1035 Feet
 From 0 Feet To 1035 Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:
 Type perforation.....
 Size perforation.....
 From..... feet to..... feet
 From..... feet to..... feet
 From..... feet to..... feet
 From..... feet to..... feet
 From..... feet to..... feet

Surface Seal: Yes No Seal Type:
 Neat Cement
 Cement Grout
 Concrete Grout
 Depth of Seal.....
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From..... feet to..... feet

9. WATER LEVEL
 Static water level..... feet below land surface
 Artesian flow..... G.P.M. S.I.
 Water temperature..... °F Quality.....

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.



Name Redding Drilling Contractor
 Address 8170 Haven Contractor
Las Vegas Nev. 89123
 Nevada contractor's license number issued by the State Contractor's Board 38155
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1798
 Signed.....
 By driller performing actual drilling on site or contractor
 Date 5-14-01

7. WELL TEST DATA

TEST METHOD: Bailer Pump Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

Date started 4-3-01, 19.....
 Date completed 5-10-01, 19.....



KENNY C. GUINN
Governor

STATE OF NEVADA

HUGH RICCI, P.E.
State Engineer

R. MICHAEL TURNIPSEED, P.E.
Director



ROBERT "BOB" COACHE, P.E.
Chief Engineer

SOUTHERN NEVADA BRANCH OFFICE
(702) 486-2770

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES
DIVISION OF WATER RESOURCES
SOUTHERN NEVADA BRANCH OFFICE
555 E. Washington Avenue, Suite 4200
Las Vegas, Nevada 89101-1083

May 3, 2001

Murrell Redding Jr.
Redding Drilling & Pump Service
3955 Blue Diamond RD. #4
Las Vegas, NV 89139

Suspension of drilling operations at the well site located within the NE1/4 of the SE1/4 of Section 10, T.17S., R.65E. permit number 66319T.

Your request as referenced in your letter dated May 3, 2001 to abandon and plug the original water well drilled under permit number 66319T Notice of Intent #21187 is approved. The well is to be plugged in a manner prescribed in NAC 534.4371 before the drill rig is removed from the location.

A well drillers report must be filed for the drilling of the well pursuant to NAC 534.340 and a plugging report must be filed for the plugging of the well pursuant to NAC 534.420 (8).

You stated that your intention is to suspend operations at the well site temporarily until you are able to secure the additional equipment needed to complete a replacement well at the above referenced location.

Murrell Redding Jr.
May 3, 2001
Page 2

As a reminder, when the decision is made to commence drilling the replacement well a new Notice of Intent to Drill card must be filed referencing the well to be drilled as a replacement well. Pursuant to NAC 534.300 (2) a replacement well must not be drilled more than 300 feet from the existing well and may not be moved outside the 40 subdivision as describe in the permit.

If you have any questions please call.

Sincerely,

A handwritten signature in black ink, appearing to read "Robert E. Thompson", written over a horizontal line.

Robert E. Thompson
Drilling Supervisor

cc: Carson City